


Jata

ANIVERSARIO



ELECTRICAL CATALOG **2023-2024**





20 DAYS OF EXTRA PROTECTION

IN THE EVENT OF ANOMALY

*At Tata we want to reward your loyalty.
If during the first 20 days of use you detect an anomaly in your device,
we will change it or repair it in less than 48 hours.*



**We solve your problem in 24/48h
without leaving home**



**Free door-to-door assistance service
during the warranty period**

* The 20-day trial as well as the derived services are only applicable to mainland Spain and the Balearic Islands.

LOGISTICS DATA

BEAUTY

HAIR CLIPPERS

PS33B	12
MP59B	12
JBMA1400	12
JBCP3700	13
JBCP4000	14
JBCP4200	14
JBCP3305	14
JBSE2102	16
JBCP3310	16
JBCP3315	17
JBCP3325	18
MP373N	18
MP36B	18
MP423	19
CN12B	19
CN15B	19

PERSONAL CARE

JBSM1200	20
DL87B	20
LD85B	20

HAIR DRYERS

JBSC1195	21
JBSC1065	22
SC1013	22
JBSC1070	22
JBSC1430	23
SC56B	24
SC43B	24
SC47B	24

HAIR STRAIGHTENERS

JBCA1901	25
JBSC2211	25
JBSE2101	26
PP1065	26

SEWING

SEWING MACHINES

MC695	28
JSMC5217	28
MC744	28
MC740	28
MC823	29

OVERLOCKERS

OL902	29
-------	----

SEWING BOX

AC45	29
------	----

ELECTRO

IRONING

PL120	32
PL225	32
PL221C	32
JEPL1221	33
PL618	34
PL598C	34
PL1058C	34
PL622C	35
JEPL7000	35
JEPL5216	35
JEPL2810	36
PL357N	36
JECP8522	36
JECP8523	37

JUICE EXTRACTOR

JELI1201	38
JELI1580	38

JUICERS

JEEX1046	38
JEEX1058	39
EX1057	39
JEEX1155	40
JEEX1045	40
EX611 / EX613	40
EX1054	41
JEEX1059	41
EX549	42
JEEX1422	42
EX421	42
EX296	42
JEEX1423	43

TOASTERS

TT584	44
TT579	44
TT632	44
JETT1579	45
JETT1585	46
TT631	47
TT331	47
TT1046	47
TT1043	47
TT610	48
TT607	48
JETT1588	48
JETT1587	49
TT587	50
TT589 / TT589NG	50
TT588	50

JETT0201	51
TT591	51
TT5016	51

COFFEE MAKERS AND GRINDERS

JECA1287	52
CA290	53
CA288N / CA5040	53
CA287	54
CA285	54
CA1051	54
JECA2300	55
ML132	56
ML133	56
JEES1111	56

KETTLES / MILK WARMERS

JECL1900	57
JECL1820	58
CL819	58
JEHA1723	59
JEHA1040	60
HA722	60
HA702	60
JEHA1038	61
HA717	62
HA701	62
HA547	62

GRILLING PLATES

GR3000	64
JEGR2851	65
GR2600	65
JT950	66
GR558	66
GR557A	67
GR555A	67
GR669 / GR559	68
JEGR0550	69
JEGR1603	70
GR195	70
GR217	71
GR213	71
GR204N	71
GR205/JEGR5501/JEGR5522	72

BARBECUES / GRILLS

JEBQ1001	73
JEBQ1002	73
EBQ2	73
BQ108	74
BQ95	74
BQ101 / BQ5101AM	75

JEGR1107	76
GR266	77
AC266	77
R266	77
SET266	77
JEGR1106	78
JEGR1913	78
GR594	79
JEGR1595	79
GR1100	80

BLENDERS

JEBT1241	81
BT1200	81
BT1056	82
BT1050	82
BT795	82
JEBT1500	83
BT604N / BT5030	84
BT797	84
JEBT1265 / BT265	85
JEBT1001	86
BT124	87
BT126	87
BT158	87
JEBT1945	87
JEBT1790	88
JEBT1852	88
BT175	89
JEBT1853	89
BT176 / BT5025	89
BT177	90
BT185	90
BT166	90
JEBT5026 / BT199	91
BT157	92
JEBT1950	92
BT159	92
JEBT1855	93
BT169	94
JEBT1851	94
JEBT1791	95

MIXERS

BT575	96
MZ670	96
JEMA5502	96
JEMA1502	97

CHOPPERS / YOGURT MAKER

PC123N	98
JEPC1250	98
JEPC1250	98
JEYG2266	98

CREPE MAKER

JECR1000	99
----------	----

POPCORN MAKER

PAL97	100
-------	-----

VACUUM SEALERS

EV1026	101
EV107	101
EV109	101
JEEV2210	102
R22x6	102
R28x6	102
B22x30	102
B28x40	102

FOOD SLICERS

CF1053	103
CF301	103
JECF0300	103

SANDWICH MAKERS

JESW1232	104
JESW1231	104
SW551	105
JESW1551	105
SW546	105

FRYERS

JEFR1221	107
JEFR1223	107
JEFR1222	108
JESA2090	108
JEFR1226	109
JEFR1224	109
JEFR1227	110
JEFR1225	111
JEFR1229	111
JEFR1230	112
JEFR1228	113
FR700	114
FR678	114
FR5600	115
FR326E	115
FR115	116
FR680	116
FR278	116

SLOW COOKER

JEOL2145	117
JEOL2135	117

ELECTRIC PAELLA PANS

PE550	118
JEPE1639	118
PE640	118

ELECTRIC RICE COOKERS

AR393	119
AR394	119
AR395	119

OVENS

JEHN0910	120
HN916	120
HN921	120
HN928	120
HN936	121
HN966	121
HN945	121

ELECTRIC KITCHENS

JECE1233	122
JECE1231	123
CE220	123
V531	123
V532	123
JEVI1470	124
JEVI1460	124
V139	125
V140	125
V141	125
V142	125
VIN145	125

GAS COOKERS

JECG2701	126
JECG2702	126
JECG2703	126

STEAM COOKERS

CV200 / CV5020	127
CV623	127

VACUUM CLEANERS

JEAP9300	128
AP998	129
AP999	129
AP915	129

HUMIDIFIERS

HU996	130
HU992	130

LINT REMOVERS

QP398N	130
QP620	130

DIFFUSER / ELECTRIC PILLOWS

JEHU5408	131
CT10	131
CT20	131
JCAE5220 / JCAE5422	131
CT30	131

MODELO	UNID. POR EMBALAJE	DIMENSIONES EMBALAJE (CM)			CAJAS PALET	ALTURA PALET (M)	UNID. PALET	CÓDIGO ITF EMBALAJE	DIMENSIONES CAJA UNITARIA (CM)			CÓDIGO EAN CAJA UNITARIA	PESO (KG)
		LARGO	ANCHO	ALTO					LARGO	ANCHO	ALTO		
BEAUTY													
JBCP5544	4	30,50	13,00	25,20	-	-	-	18421078038419	11,10	7,80	22,60	8421078038412	0,42
JBCP3700	8	0,00	0,00	0,00	0	0	0	18421078038303	18,50	8,50	6,00	8421078038306	0,16
PS33B	12	26,50	42,00	42,00	18	155	216	18421078034084	8,00	20,00	19,50	8421078034087	0,34
CN12B	12	26,00	29,50	20,00	60	165	720	18421078035760	4,50	11,50	17,00	8421078035763	0,08
CN15B	28	24,00	33,00	22,50	66	159	1848	18421078031151	3,00	7,50	20,00	8421078031154	0,06
JBCP3305	6	27,50	31,00	25,00	50	153	300	18421078036323	8,00	14,50	22,00	8421078036326	0,32
JBCP3310	6	18,50	20,00	19,00	128	163	768	18421078036330	5,50	8,50	18,50	8421078036333	0,17
JBCP3315	6	17,00	32,00	20,00	128	175	768	18421078037320	5,00	15,00	18,00	8421078037323	0,25
JBCP3325	6	16,00	38,50	25,00	90	165	540	18421078037337	6,00	14,00	23,00	8421078037330	0,42
JBCP4000	4	13,00	30,00	25,00	90	168	360	18421078036552	7,00	11,50	23,00	8421078036555	0,42
JBCP4200	6	18,00	20,00	19,50	192	171	1152	18421078037344	5,50	8,00	18,50	8421078037347	0,17
JBMA1400	6	21,00	25,50	21,50	84	165	504	18421078036316	8,00	10,00	19,00	8421078036319	0,24
JBSE2102	8	27,50	44,00	25,00	36	162	288	18421078036620	6,00	21,00	22,50	8421078036623	0,36
MP36B	12	28,00	36,50	22,00	56	169	672	18421078035692	5,50	13,50	19,50	8421078035695	0,27
MP373N	12	24,50	37,50	31,00	45	170	540	18421078022890	7,50	13,50	18,00	8421078022893	0,39
MP423	8	27,00	29,00	27,00	60	175	480	18421078034855	5,50	13,00	24,50	8421078034858	0,39
MP59B	12	25,50	29,00	20,00	60	135	720	18421078034077	4,50	12,00	17,00	8421078034070	0,18
DL87B	12	33,30	36,10	21,00	55	178	660	18421078032318	5,80	16,00	19,00	8421078032311	0,20
JBSM1200	6	15,00	21,50	21,00	203	162	1218	18421078036347	4,50	10,00	20,50	8421078036340	0,20
JBPP5570	6	37,50	21,00	20,00	-	-	-	18421078038426	36,00	9,50	6,00	8421078038429	0,45
JBSE2101	6	20,00	43,00	24,00	70	180	420	18421078036293	6,00	42,00	11,00	8421078036296	0,40
PP1065	4	23,50	35,00	27,00	60	177	240	18421078035753	10,50	34,00	12,00	8421078035756	0,40
JBCA1901	6	24,00	33,00	19,00	80	167	480	18421078036613	5,50	31,50	10,50	8421078036616	0,40
JBSC1065	6	30,00	62,00	25,00	24	165	144	18421078036569	10,00	23,00	28,50	8421078036562	0,82
JBSC1070	6	26,50	31,50	49,00	30	170	180	18421078036576	10,00	23,00	25,50	8421078036579	0,64
JBSC1195	6	45,00	36,00	29,50	-	-	-	18421078038389	22,00	11,50	28,00	8421078038382	0,79
JBSC1430	6	33,00	38,00	27,00	45	180	270	18421078037306	10,00	25,00	18,00	8421078037309	0,75
JBSC2211	6	30,00	40,00	32,00	40	173	240	18421078037351	10,00	37,00	13,50	8421078037354	0,49
JBSC5577	6	37,50	32,40	30,80	-	-	-	18421078038372	29,50	31,00	9,00	8421078038375	0,59
SC1013	6	32,50	46,50	30,00	25	180	150	18421078027741	10,00	22,00	28,50	8421078027744	0,77
SC43B	6	28,00	37,50	28,00	40	155	240	18421078035685	8,50	18,00	26,00	8421078035688	0,52
SC47B	12	39,00	43,50	25,00	24	171	288	18421078034268	9,00	14,00	22,50	8421078034261	0,39
SC56B	6	31,00	48,00	28,50	30	170	180	18421078033117	9,50	23,00	27,00	8421078033110	0,70
COSTURA													
AC45	4	19,30	23,90	36,40	72	288	159	18421078032325	4,50	35,50	22,00	8421078032328	0,91
JSMC5217	1	20,00	34,00	39,00	48	48	151	8421078036432	20,00	39,00	34,00	8421078036432	5,86
MC695	1	20,00	33,50	39,00	60	60	180	8421078028864	20,00	39,00	33,50	8421078028864	5,86
MC740	1	22,00	36,00	44,00	28	28	159	8421078032182	21,50	43,00	35,00	8421078032182	6,91
MC744	1	22,50	36,00	44,50	28	28	157	8421078033981	21,00	43,00	35,00	8421078033981	7,04
MC823	1	26,00	35,50	46,00	24	24	157	8421078032168	26,00	46,00	35,50	8421078032168	6,59
OL902	1	36,00	35,00	43,20	18	18	141	8421078033998	35,00	42,50	34,00	8421078033998	8,24

MODELO	UNID. POR EMBALAJE	DIMENSIONES EMBALAJE (CM)			CAJAS PALET	ALTURA PALET (M)	UNID. PALET	CÓDIGO ITF EMBALAJE	DIMENSIONES CAJA UNITARIA (CM)			CÓDIGO EAN CAJA UNITARIA	PESO (KG)
		LARGO	ANCHO	ALTO					LARGO	ANCHO	ALTO		
ELECTRO													
AR393	4	26,5	51,0	43,5	18	146	72	18421078035487	24,5	24,5	20,5	8421078035480	1,52
AR394	2	32,0	61,5	24,0	20	139	40	18421078035494	30,0	30,0	22,0	8421078035497	2,04
AR395	2	35,5	70,0	28,0	16	155	32	18421078035500	34,0	34,0	26,0	8421078035503	2,73
AP915	1	26,0	44,0	26,5	36	171	36	8421078035169	26,0	44,0	26,5	8421078035169	4,00
AP998	1	32,0	46,0	31,0	30	175	30	8421078035589	32,0	46,0	31,0	8421078035589	5,51
AP999	1	27,5	37,5	27,0	48	174	48	8421078033158	27,5	37,5	27,0	8421078033158	4,08
JEAP9300	1	13,0	31,5	68,5	45	173	45	8421078036258	13,0	31,5	68,5	8421078036258	2,22
BT575	6	44,0	45,0	17,5	30	150	180	18421078033964	14,5	21,5	16,0	8421078033967	1,29
JEMA1502	2	42,0	50,5	38,0	18	167	36	18421078036934	24,5	40,0	36,0	8421078036937	3,84
JEMA5502	2	42,0	50,5	38,0	18	168	36	18421078037900	24,5	40,0	36,0	8421078037903	3,84
MZ670	4	32,0	46,5	61,0	10	137	40	18421078034565	22,5	30,5	29,5	8421078034568	1,96
BT124	9	24,0	41,0	24,5	54	165	486	18421078035203	7,5	8,0	39,5	8421078035206	0,60
BT126	9	22,0	28,0	38,0	50	155	450	18421078033247	6,5	8,5	35,5	8421078033240	0,57
BT157	4	28,0	54,0	28,0	30	155	120	18421078035159	13,0	26,5	26,5	8421078035152	1,35
BT158	6	19,0	36,5	46,5	36	155	216	18421078033254	11,5	17,0	22,5	8421078033257	0,81
BT159	6	30,0	40,0	25,5	48	168	288	18421078035371	9,0	19,5	23,5	8421078035374	1,12
BT166	9	33,5	32,5	42,5	24	145	216	18421078035401	10,5	10,5	39,5	8421078035404	0,83
BT169	6	47,0	63,0	23,0	14	140	84	18421078035418	20,5	22,5	20,0	8421078035411	1,27
BT175	6	33,0	35,0	26,5	45	180	270	18421078034459	10,5	16,5	24,0	8421078034452	0,83
BT176	6	21,5	31,0	41,5	33	180	198	18421078034725	10,0	10,0	39,5	8421078034728	0,86
BT177	4	28,0	51,0	25,0	36	165	144	18421078034732	14,0	25,0	22,5	8421078034735	1,21
BT185	6	23,0	33,0	46,5	28	149	168	18421078033636	10,5	10,5	45,0	8421078033639	1,14
BT199	4	28,0	49,5	29,0	30	160	120	18421078033643	13,0	24,0	27,0	8421078033646	1,52
JEBT1241	2	41,5	45,0	30,5	24	150	48	18421078037702	22,0	39,5	28,5	8421078037705	4,11
JEBT1790	4	26,0	46,0	28,0	27	153	108	18421078036897	13,0	24,5	22,5	8421078036890	1,11
JEBT1791	4	45,0	50,0	25,5	18	165	72	18421078038044	12,0	22,0	23,5	8421078038047	1,05
JEBT1851	6	21,5	31,0	45,5	36	162	216	18421078037092	10,0	10,5	43,0	8421078037095	1,13
JEBT1852	6	33,0	35,5	26,5	45	180	270	18421078037214	10,5	17,0	24,0	8421078037217	0,82
JEBT1853	6	33,0	34,5	26,0	-	-	-	18421078037979	10,5	17,0	24,0	8421078037972	0,85
JEBT1855	6	44,0	14,5	29,5	-	-	-	18421078038037	13,8	7,0	28,0	8421078038030	-
JEBT1945	6	32,0	40,0	28,0	40	175	240	18421078036217	9,5	18,5	24,5	8421078036210	1,09
JEBT1950	6	17,0	25,0	42,5	60	165	360	18421078036521	7,5	8,0	40,0	8421078036524	0,68
JEBT5026	4	18,0	49,0	29,0	30	155	120	18421078035746	13,0	24,5	27,0	8421078035749	1,51
BT1050	2	39,0	53,5	28,5	24	172	48	18421078034602	26,0	37,0	26,5	8421078034605	3,46
BT1056	2	43,5	56,0	34,5	10	127	20	18421078035241	27,0	42,0	32,0	8421078035244	4,58
BT1200	2	29,5	39,0	39,0	32	171	64	18421078032820	18,6	27,5	39,0	8421078032823	4,45
BT265	4	33,0	34,5	47,5	20	147	80	18421078035074	16,5	31,5	23,0	8421078035077	2,85
BT5030	2	35,5	36,0	25,0	36	154	72	18421078035333	17,5	34,0	23,5	8421078035336	2,92
BT604N	3	35,5	52,5	24,5	24	157	72	18421078034688	17,0	34,0	23,0	8421078034681	3,52
BT795	2	32,0	43,0	38,5	24	169	48	18421078035517	20,5	30,5	35,5	8421078035510	3,41
BT797	3	35,5	52,5	24,5	24	153	72	18421078034695	17,0	34,0	23,0	8421078034698	#N/D
JEBT1001	6	27,5	39,5	40,0	36	175	216	18421078037122	12,5	12,5	38,0	8421078037125	1,04
JEBT1265	4	33,5	34,0	47,5	20	149	80	18421078037699	16,5	31,5	23,5	8421078037699	2,85
JEBT1500	2	35,5	35,5	25,5	36	157	72	18421078036248	17,0	34,0	23,0	8421078036241	3,01
CA1051	2	29,0	65,8	34,5	16	153	32	18421078034626	28,0	32,5	33,5	8421078034629	3,58
CA285	6	24,5	49,5	53,5	18	164	108	18421078035524	16,0	23,0	25,5	8421078035527	0,90

MODELO	UNID. POR EMBALAJE	DIMENSIONES EMBALAJE (CM)			CAJAS PALET	ALTURA PALET (M)	UNID. PALET	CÓDIGO ITF EMBALAJE	DIMENSIONES CAJA UNITARIA (CM)			CÓDIGO EAN CAJA UNITARIA	PESO (KG)
		LARGO	ANCHO	ALTO					LARGO	ANCHO	ALTO		
CA288N	6	44,0	47,0	30,5	18	156	108	18421078026003	15,5	21,5	27,5	8421078026006	0,93
CA287	6	43,0	46,5	29,0	18	144	108	18421078035067	15,0	21,0	26,5	8421078035060	0,90
CA290	6	48,0	57,0	33,0	15	159	90	18421078032400	18,5	23,0	31,0	8421078032403	1,22
JECA1287	6	46,9	38,0	26,3	-	-	-	18421078038075	18,5	15,3	25,1	8421078038078	-
JECA2300	2	38,5	39,0	35,0	24	155	48	18421078038099	36,5	18,5	33,5	8421078038092	3,56
CL819	4	42,5	43,0	25,0	18	144	72	18421078033773	21,0	20,5	23,5	8421078033776	0,79
JECL1820	6	35,0	41,0	21,0	-	-	-	18421078038082	13,0	17,0	19,0	8421078038085	0,00
JECL1900	6	30,5	46,0	19,0	48	-	288	18421078038143	14,5	14,5	17,0	8421078038146	0,00
JECP8522	2	29,5	54,0	38,5	24	177	48	18421078037054	26,5	27,5	37,0	8421078037057	2,87
JECP8523	2	42,0	44,0	31,0	18	141	36	18421078038105	21,5	41,0	28,5	8421078038108	3,04
CV200	6	27,5	46,5	42,5	18	143	108	18421078029479	15,0	25,5	20,0	8421078029472	0,80
CV5020	6	26,5	47,0	42,5	18	143	108	18421078035289	15,0	26,0	20,0	8421078035282	0,80
CV623	2	39,5	57,5	28,0	24	180	48	18421078035210	28,0	38,0	26,0	8421078035213	2,65
JECG2701	3	27,0	29,0	36,0	40	160	120	18421078037887	8,5	27,5	33,0	8421078037019	1,23
JECG2702	3	24,5	61,0	35,5	20	157	60	18421078037023	7,0	60,0	33,5	8421078037026	2,71
JECG2703	3	24,0	61,0	36,0	20	159	60	18421078037030	7,0	59,5	33,5	8421078037033	2,76
CE220	3	29,5	49,5	34,0	24	151	72	18421078032639	9,5	48,5	32,0	8421078032632	3,75
JECE1231	4	31,0	41,5	32,0	30	175	120	18421078037207	10,0	29,0	30,0	8421078037200	1,89
JECE1233	4	30,0	39,0	31,0	30	170	120	18421078038006	9,0	29,5	30,0	8421078038009	2,15
JEVI1460	2	24,0	62,0	42,0	24	180	48	18421078036927	11,5	60,5	39,5	8421078036920	4,26
JEVI1470	1	30,5	55,5	23,0	30	160	30	8421078038115	30,0	54,0	20,5	8421078038115	5,41
V139	4	29,5	37,0	30,0	40	175	160	18421078033544	7,0	30,0	36,5	8421078033547	1,86
V140	4	29,5	37,5	32,0	40	175	160	18421078031472	6,5	30,0	36,5	8421078031475	1,85
V141	3	26,5	52,5	33,0	24	147	72	18421078035364	8,0	51,0	31,5	8421078035367	2,85
V142	3	27,0	53,0	33,5	24	147	72	18421078032608	8,0	51,5	31,5	8421078032601	2,79
V531	4	32,5	45,0	39,5	24	173	96	18421078029578	10,5	31,5	37,0	8421078029571	1,72
V532	3	33,0	55,5	39,5	18	180	54	18421078029608	10,5	53,0	37,0	8421078029595	3,05
VIN145	3	22,0	33,0	43,0	36	144	108	18421078032875	6,5	32,0	41,0	8421078032878	2,01
CF1053	2	44,0	58,0	31,0	12	132	24	18421078035050	28,0	41,5	28,5	8421078035053	3,42
CF301	4	37,5	50,0	23,0	28	161	112	18421078021428	12,5	35,5	21,5	8421078021421	2,13
JECF0300	4	38,5	51,0	26,0	27	168	108	18421078036231	12,5	37,0	24,0	8421078036234	1,77
JECR1000	6	34,0	48,0	35,0	24	155	144	18421078038136	7,5	31,5	32,5	8421078038139	1,28
BQ101	4	28,0	44,5	34,0	30	180	120	18421078022340	8,0	43,5	27,0	8421078022343	1,54
BQ108	4	32,5	42,0	38,0	24	167	96	18421078035548	7,5	40,5	36,0	8421078035541	1,77
BQ5101AM	1	9,0	45,0	28,5	90	158	90	8421078035800	9,0	45,0	28,5	8421078035800	1,54
BQ95	4	32,5	36,0	47,5	18	158	72	18421078033230	8,5	45,0	31,0	8421078033233	1,67
EBQ2	3	36,0	57,5	33,0	16	151	48	18421078035555	11,5	56,0	31,5	8421078035558	2,90
JEBQ1001	4	54,5	57,5	45,5	6	152	24	18421078035999	14,0	53,0	43,0	8421078035992	4,57
JEBQ1002	2	50,5	54,5	41,5	6	167	12	18421078036163	24,5	53,0	39,0	8421078036166	6,14
EV1026	2	43,0	45,5	29,5	18	152	36	18421078029653	20,5	43,5	26,5	8421078029656	2,90
EV107	4	47,0	48,5	24,5	21	161	84	18421078034749	11,5	44,5	22,0	8421078034742	1,41
EV109	6	24,0	48,5	20,0	49	155	294	18421078033940	7,5	47,0	9,0	8421078033943	0,69
JEEV2210	6	23,0	46,0	25,0	42	162	252	18421078037184	7,0	44,5	11,0	8421078037187	0,85
JEES1111	8	15,0	30,0	30,5	-	-	-	18421078038327	7,0	7,0	29,0	8421078038320	-
EX1054	4	26,0	66,0	39,0	16	146	64	18421078035081	19,0	25,0	32,0	8421078035084	1,60
EX1057	4	48,5	53,5	36,0	12	159	48	18421078035395	23,5	26,0	33,5	8421078035398	2,86
EX296	8	34,0	34,0	42,0	24	151	192	18421078032561	16,0	16,0	20,0	8421078032564	0,63
EX421	8	32,0	42,0	33,0	24	147	192	18421078034657	15,0	16,0	20,5	8421078034650	0,67

MODELO	UNID. POR EMBALAJE	DIMENSIONES EMBALAJE (CM)			CAJAS PALET	ALTURA PALET (M)	UNID. PALET	CÓDIGO ITF EMBALAJE	DIMENSIONES CAJA UNITARIA (CM)			CÓDIGO EAN CAJA UNITARIA	PESO (KG)
		LARGO	ANCHO	ALTO					LARGO	ANCHO	ALTO		
EX549	6	37,0	56,0	29,0	20	158	120	18421078034398	18,0	18,0	27,0	8421078034391	0,98
EX611	4	23,5	61,5	46,0	14	138	56	18421078033667	22,5	22,5	30,0	8421078033660	2,11
EX613	4	23,5	61,5	46,5	14	137	56	18421078034640	22,5	22,5	30,0	8421078034643	2,01
JEEX1045	4	24,0	66,0	46,5	14	145	56	18421078036033	22,5	22,0	32,0	8421078036036	1,58
JEEX1046	6	29,0	52,5	42,5	18	143	108	18421078036224	17,0	20,5	27,0	8421078036227	1,36
JEEX1058	6	32,0	59,5	41,0	12	136	72	18421078036361	20,0	19,5	30,0	8421078036364	1,48
JEEX1059	4	50,0	48,5	34,0	15	161	60	18421078036941	23,5	23,5	32,0	8421078036944	1,73
JEEX1155	4	33,0	50,0	38,5	24	169	96	18421078038174	19,0	24,5	32,0	8421078038177	1,58
JEEX1422	8	35,0	40,5	54,5	18	179	144	18421078037139	16,5	19,5	26,0	8421078037132	0,95
JEEX1423	8	32,0	42,0	33,5	24	149	192	18421078038198	15,0	16,0	20,0	8421078038191	0,65
FR115	4	25,5	61,0	49,5	12	137	48	18421078033353	24,0	30,0	23,5	8421078033356	1,73
FR278	4	34,0	62,0	46,0	10	139	40	18421078031007	30,0	32,0	22,5	8421078031000	2,37
FR326E	4	33,0	39,0	48,5	18	161	72	18421078021749	18,5	32,0	23,0	8421078021742	2,24
FR5600	4	33,5	39,0	49,0	18	162	72	18421078035784	19,0	32,0	23,0	8421078035787	2,22
FR678	2	44,0	50,0	27,5	18	147	36	18421078034886	24,5	42,5	25,0	8421078034889	2,27
FR680	2	44,5	50,0	27,5	18	165	36	18421078034893	24,0	42,5	25,0	8421078034896	2,44
FR700	2	42,0	51,0	40,5	16	180	32	18421078030772	24,5	40,5	38,5	8421078030775	3,66
JEFR1221	2	27,5	54,0	31,5	30	173	60	18421078036262	26,0	26,0	30,0	8421078036265	2,65
JEFR1222	2	26,5	52,0	36,0	24	161	48	18421078036668	25,0	25,0	34,0	8421078036661	2,29
JEFR1223	2	26,0	52,0	36,0	24	169	48	18421078037221	25,0	25,0	33,5	8421078037224	2,28
JEFR1224	2	35,0	66,0	36,0	12	159	24	18421078037177	33,0	32,5	36,0	8421078037170	3,28
JEFR1225	2	35,5	66,0	39,0	12	171	24	18421078036651	33,0	33,0	37,0	8421078036654	3,35
JEFR1226	2	34,5	66,5	37,0	12	165	24	18421078037382	33,0	32,5	35,0	8421078037385	3,35
JEFR1227	2	37,0	72,0	33,0	15	180	30	18421078037665	35,0	35,0	32,0	8421078037668	3,50
JEFR1228	1	41,5	47,0	36,0	18	156	18	8421078037446	40,0	46,0	34,5	8421078037446	7,19
JEFR1229	2	33,0	64,0	36,5	15	180	30	18481078037719	31,0	31,0	35,0	8421078037712	3,43
JEFR1230	2	66,0	37,3	37,0	-	-	-	18421078038310	36,0	32,0	35,5	8421078038313	-
JEFR5392	2	27,0	52,0	36,5	24	161	48	18421078037399	25,0	25,0	34,0	8421078037392	2,29
JESA2090	4	23,0	44,5	24,0	42	159	168	18421078037689	21,0	21,0	11,0	8421078037682	0,61
GR1100	2	39,5	41,0	41,5	18	140	36	18421078021282	18,5	40,0	40,0	8421078021285	4,57
JEGR1106	6	32,0	35,5	52,0	18	171	108	18421078037153	11,5	30,5	25,0	8421078037156	1,24
JEGR1107	6	32,0	62,0	27,0	25	175	150	18421078037986	10,0	30,0	25,5	8421078037989	1,24
JEGR1595	2	36,0	39,0	40,5	24	177	48	18421078036910	17,0	37,0	38,5	8421078036913	3,23
JEGR1913	2	35,5	38,0	40,5	24	177	48	18421078036903	17,0	37,0	38,0	8421078036906	3,13
HA547	6	34,0	38,0	20,5	42	159	252	18421078032011	12,0	16,0	18,5	8421078032014	0,47
HA701	6	41,0	45,0	23,5	28	175	168	18421078032974	15,0	19,0	21,5	8421078032977	0,71
HA702	6	41,5	42,5	22,5	40	180	240	18421078033919	13,5	19,5	20,5	8421078033912	0,75
HA717	6	22,0	51,0	47,5	21	170	126	18421078033070	16,5	20,0	22,5	8421078033073	0,72
HA722	6	46,0	52,0	23,5	21	149	126	18421078032981	17,0	21,5	21,5	8421078032984	0,94
JEHA1038	6	42,5	45,0	23,0	28	180	168	18421078037191	15,0	20,5	21,5	8421078037194	0,75
JEHA1040	6	34,5	62,5	24,5	20	140	120	184210780380167	16,5	20,5	23,0	8421078038160	0,00
JEHA1723	6	39,5	58,5	26,0	24	173	144	18421078038020	19,0	19,0	24,0	8421078038023	0,00
HN916	1	34,5	44,5	29,0	25	160	25	8421078033677	34,5	44,5	29,0	8421078033677	4,15
HN921	1	36,0	50,0	32,0	20	178	20	8421078033684	36,0	50,0	32,0	8421078033684	5,75
HN928	1	41,5	52,5	34,5	16	180	16	8421078033691	41,5	52,5	34,5	8421078033691	7,02
HN936	1	43,0	56,0	37,0	16	163	16	8421078033714	43,0	56,0	37,0	8421078033714	8,83
HN945	1	44,5	61,5	39,5	12	149	12	8421078033721	44,5	61,5	39,5	8421078033721	10,11
HN966	1	47,0	69,0	44,5	6	148	6	8421078033738	47,0	69,0	44,5	8421078033738	13,03

MODELO	UNID. POR EMBALAJE	DIMENSIONES EMBALAJE (CM)			CAJAS PALET	ALTURA PALET (M)	UNID. PALET	CÓDIGO ITF EMBALAJE	DIMENSIONES CAJA UNITARIA (CM)			CÓDIGO EAN CAJA UNITARIA	PESO (KG)
		LARGO	ANCHO	ALTO					LARGO	ANCHO	ALTO		
JEHN0910	2	42,0	67,0	28,0	16	180	32	18421078036019	32,5	41,0	26,5	8421078036012	3,63
HU992	8	22,5	43,0	17,0	63	168	504	18421078032417	10,5	10,5	14,0	8421078032410	0,28
HU996	4	38,5	38,5	42,5	18	143	72	18421078035777	18,5	19,0	40,5	8421078035770	1,25
JEHU5408	4	36,5	36,0	24,0	36	160	144	18421078037405	17,0	17,5	21,5	8421078037408	0,33
JELV2300	4	26,0	26,0	30,0	-	-	-	18421078038457	12,6	12,6	28,5	8421078038450	-
JELV2350	4	40,0	26,7	31,0	-	-	-	18421078038440	19,2	12,6	28,5	8421078038443	-
JELI1201	4	31,5	43,5	33,0	30	180	120	18421078036354	15,0	21,0	31,0	8421078036357	1,64
JELI1580	4	40,0	63,0	33,5	12	141	48	18421078037535	19,0	30,5	31,0	8421078037538	2,16
ML132	6	24,0	33,5	20,0	77	159	462	18421078034534	10,0	11,0	18,5	8421078033806	0,61
ML133-6	6	23,0	33,0	20,5	77	159	462	18421078035234	10,5	11,0	18,5	8421078033530	0,78
JEOL2135	2	34,5	51,5	36,0	18	170	36	18421078036538	25,0	33,5	34,0	8421078036531	4,14
JEOL2145	2	37,5	48,0	38,0	18	173	36	18421078036545	23,5	36,0	36,0	8421078036548	5,10
JEPE1639	2	25,0	43,0	46,5	18	152	36	18421078037726	11,5	42,0	44,5	8421078037729	3,74
PE550	1	15,5	66,0	66,5	16	148	16	8421078033325	13,5	56,0	56,0	8421078033325	6,69
PE640	2	30,0	41,0	42,0	24	180	48	18421078035470	14,5	40,5	40,5	8421078035473	3,55
PAL97	6	45,5	47,0	28,0	18	152	108	18421078035562	14,5	22,5	25,5	8421078035565	0,85
JEPC1250	4	32,5	44,0	35,0	24	155	96	18421078036880	21,0	31,0	17,0	8421078036883	1,97
JEPC1251	4	32,5	44,0	35,0	24	155	96	18421078037672	21,0	31,0	17,0	8421078037675	1,97
PC123N	6	36,5	52,5	29,0	24	174	144	18421078033391	17,0	17,5	27,0	8421078033394	1,51
AC266	4	30,0	35,7	26,5	45	164	180	18421078032462	7,0	34,0	24,4	8421078032465	0,91
GR195	4	48,5	59,0	34,0	12	161	48	18421078032653	11,5	57,5	31,5	8421078032656	1,91
GR204N	4	40,5	60,0	37,0	16	163	64	18421078030857	9,5	58,5	33,5	8421078030850	2,20
GR205	6	38,5	44,0	24,5	27	147	162	18421078029851	7,0	38,0	23,0	8421078029854	1,24
GR213	4	40,5	60,5	35,0	16	155	64	18421078034435	10,0	59,0	33,0	8421078034438	2,34
GR217	4	40,0	62,0	36,5	16	161	64	18421078034770	9,5	60,0	34,5	8421078034773	1,91
GR2600	2	29,0	67,5	38,5	16	149	32	18421078035531	13,5	66,0	36,0	8421078035534	3,12
GR266	2	29,0	35,5	26,5	45	160	90	18421078029738	13,5	34,5	24,5	8421078029731	1,45
GR3000	2	30,0	71,0	43,0	12	157	24	18421078033810	14,0	69,5	41,0	8421078033813	3,80
GR555A	6	27,3	57,3	59,6	12	135	72	18421078026539	9,0	56,5	29,5	8421078026532	2,64
GR557A	6	28,0	57,5	60,0	12	135	72	18421078029998	9,0	56,5	30,0	8421078029991	2,58
GR558	6	28,3	57,3	60,3	12	134	72	18421078032646	9,0	56,5	29,5	8421078032649	2,70
GR559	2	19,4	57,2	31,0	32	137	64	18421078030604	29,4	56,5	9,1	8421078030607	5,65
GR594	4	41,0	67,5	40,0	12	179	48	18421078034428	16,5	39,0	38,0	8421078034421	2,85
GR669	2	21,7	56,0	31,5	28	140	56	18421078034282	29,4	55,0	10,2	8421078034285	5,75
JEGR0550	4	41,0	57,0	31,0	16	139	64	18421078037290	10,0	56,5	30,0	8421078037293	2,59
JEGR1603	2	72,3	21,3	40,3	-	-	-	18421078038129	71,0	10,0	38,8	8421078038122	-
JEGR2851	2	28,5	67,5	38,0	16	149	32	18421078036385	13,5	65,5	36,5	8421078036388	3,12
JEGR5501	6	38,5	44,0	24,5	27	131	162	18421078036644	7,0	35,5	22,5	8421078036647	1,20
JEGR5522	6	37,0	44,0	23,5	28	180	168	18421078037481	7,0	35,5	22,5	8421078037484	1,22
JT950	6	27,5	57,3	60,0	12	135	72	18421078033506	8,7	56,1	29,2	8421078033509	2,70
SET266	2	35,0	41,7	25,7	36	170	72	18421078032493	24,0	34,0	20,0	8421078032496	-
JEPL1221	6	32,0	39,5	33,0	4	149	144	18421078038334	12,5	30,0	16,0	8421078038337	1,07
JEPL5216	6	32,0	39,5	30,0	30	165	180	18421078036422	13,0	15,5	28,5	8421078036425	0,84
JEPL7000	4	26,0	34,5	30,5	45	168	180	18421078036279	12,5	16,5	28,5	8421078036272	1,01
PL1058C	6	33,5	42,5	37,0	24	163	144	18421078035388	13,5	32,0	17,5	8421078035381	1,33
PL120	6	25,5	45,0	35,0	24	155	144	18421078033483	14,5	11,5	32,5	8421078033486	0,77
PL221C	6	32,0	39,5	33,5	24	149	144	18421078033490	12,5	30,0	16,0	8421078033493	1,08
PL225	6	33,0	39,5	31,5	30	170	180	18421078034848	12,5	30,0	14,5	8421078034841	0,96

MODELO	UNID. POR EMBALAJE	DIMENSIONES EMBALAJE (CM)			CAJAS PALET	ALTURA PALET (M)	UNID. PALET	CÓDIGO ITF EMBALAJE	DIMENSIONES CAJA UNITARIA (CM)			CÓDIGO EAN CAJA UNITARIA	PESO (KG)
		LARGO	ANCHO	ALTO					LARGO	ANCHO	ALTO		
PL598C	6	32,5	40,0	34,5	24	153	144	18421078035425	12,5	31,5	16,5	8421078035428	1,12
PL618	6	32,5	39,5	34,0	24	149	144	18421078032394	12,5	31,0	16,0	8421078032397	1,18
PL622C	6	33,5	43,5	35,0	24	155	144	18421078035432	14,0	32,0	16,5	8421078035435	1,30
JEPL2810	10	23,5	50,0	23,0	49	176	490	18421078037108	10,0	22,0	10,5	8421078037101	0,65
PL357N	12	32,5	40,0	22,0	42	169	504	18421078030192	10,0	19,0	10,0	8421078027041	0,60
JEGA1001	1	17,0	80,5	18,0	63	177	63	8421078035817	16,5	79,5	16,0	8421078035817	3,29
QP398N	12	24,0	30,0	20,5	72	159	864	18421078033018	7,0	8,5	17,0	8421078033011	0,13
QP620	12	39,5	44,0	22,0	30	147	360	18421078030949	10,0	12,0	21,0	8421078030942	0,43
B22X30	15	31,5	50,5	26,0	24	171	360	18421078029950	6,0	23,0	16,5	8421078029953	0,57
B28X40	15	32,0	68,0	32,0	15	176	225	18421078029974	6,0	29,0	22,0	8421078029977	0,02
R22X6	15	38,0	43,0	26,0	24	171	360	18421078029912	7,5	23,5	13,5	8421078029915	0,49
R266	8	16,3	26,5	12,9	133	103	1064	18421078032813	12,0	26,5	4,2	8421078032816	0,25
R28X6	15	38,0	42,5	32,5	20	178	300	18421078029936	7,5	29,5	14,0	8421078029939	0,62
RBA915	30	18,5	67,5	29,0	30	160	900	18421078035180	13,5	17,0	4,5	8421078035183	0,16
JESW1231	6	25,5	29,0	50,0	36	160	216	18421078036712	9,0	25,0	24,0	8421078036715	1,02
JESW1232	6	26,5	29,0	50,0	30	159	180	18421078036989	9,0	25,0	24,0	8421078036982	1,06
JESW1551	4	29,0	47,0	36,5	-	-	-	18421078038211	11,5	27,5	35,0	8421078038214	2,08
SW546	4	33,0	55,0	38,5	20	175	80	18421078032004	13,5	31,0	36,5	8421078032007	2,35
SW551	4	29,0	47,0	36,5	24	163	96	18421078035463	11,5	27,5	35,0	8421078035466	2,08
JETT0201	6	35,0	43,5	21,5	30	146	180	18421078035982	7,0	34,0	19,5	8421078035985	0,70
JETT1579	4	27,5	41,0	38,5	32	167	128	18421078037924	13,0	39,0	18,0	8421078037927	1,14
JETT1585	4	32,0	40,5	38,0	24	167	96	18421078038204	15,0	39,0	18,0	8421078038207	1,32
JETT1587	6	40,5	44,0	26,0	24	177	144	18421078037993	7,0	39,0	23,5	8421078037996	0,93
JETT1588	6	47,0	44,5	27,0	-	-	-	18421078038433	43,5	25,0	7,5	8421078038436	-
TT1043	4	32,0	44,0	48,5	18	161	72	18421078033926	15,5	42,0	23,5	8421078033929	1,49
TT1046	4	41,0	43,5	42,0	12	141	48	18421078033933	19,5	41,5	19,5	8421078033936	1,79
TT331	8	33,5	53,5	38,0	18	176	144	18421078029394	16,0	26,5	18,5	8421078029397	0,85
TT5016	4	37,5	48,0	35,0	18	159	72	18421078035791	9,0	47,5	32,5	8421078035794	1,67
TT579	4	27,5	40,5	38,5	32	169	128	18421078034473	12,5	39,5	18,0	8421078034476	1,12
TT584	4	41,5	45,0	41,0	18	138	72	18421078033421	20,0	43,5	20,0	8421078033424	1,51
TT587	6	40,0	44,0	26,5	24	175	144	18421078032547	7,0	39,5	23,5	8421078032540	0,94
TT588	6	42,5	47,0	27,5	24	180	144	18421078031939	7,5	41,0	25,0	8421078031932	1,10
TT589	6	38,0	57,5	27,5	20	153	120	18421078305894	9,5	36,5	26,0	8421078305897	1,25
TT589NG	6	38,0	58,0	28,5	20	158	120	18421078034008	9,5	36,5	26,0	8421078034001	1,25
TT591	4	38,5	48,0	35,0	18	161	72	18421078035357	9,5	47,5	32,5	8421078035350	1,74
TT607	6	29,0	48,5	41,5	24	177	144	18421078033001	16,0	27,5	19,5	8421078033004	0,78
TT610	4	32,5	42,0	41,0	24	179	96	18421078032998	16,0	40,0	20,0	8421078032991	1,19
TT631	8	33,5	54,0	38,5	18	177	144	18421078035036	16,0	26,5	18,5	8421078035039	0,82
TT632	2	45,0	48,5	25,5	18	150	36	18421078035449	21,5	47,0	23,5	8421078035442	2,26
JEYG2266	4	27,0	51,5	28,5	30	160	120	18421078037115	25,0	25,0	13,5	8421078037118	1,61
JREC2266	15	25,0	42,0	29,0	24	180	360	18421078037375	8,0	23,0	9,0	8421078037378	0,39
CT10	6	38,50	32,50	25,00	36	145	216	18421078032202	30,00	6,00	22,00	8421078032205	0,42
CT20	6	44,00	28,00	44,50	18	149	108	18421078032219	42,00	7,00	26,00	8421078032212	0,51
CT30	6	46,50	45,00	25,50	18	150	108	18421078032226	42,00	7,50	23,00	8421078032229	0,59
JCAE5220	6	38,00	32,50	24,50	36	145	216	18421078036460	30,00	6,00	22,00	8421078036463	0,44
JCAE5422	6	38,00	32,50	24,00	36	145	216	18421078037429	30,00	6,00	22,00	8421078037422	0,41

JEGA1001

EAN 8421078035817
1 unidad por embalaje

ANTI-BACTERIAL AIR PURIFIER

CLEANS 99% OF THE FILTERED AIR

to clean enclosed spaces of viruses and bacteria



100% manufactured in Spain

50m² performance area



MOVABLE

It can be hung up or placed on surfaces.



SUSTAINABLE

Daily consumption less than €0.10.



UVC TECHNOLOGY

lamps with UVC technology, 100% safe for everyday use.



CONTINUOUS AIR RENEWAL

Carries out continuous air renewal while the room is in use.




EASY INSTALLATION

The installation of the product does not require professionals or maintenance.



SAFETY

Safe to use.



Personal care

CUCHILLAS
ACERO INOX.



SIN CABLES



PROTECCIÓN
AGUA IPX5



7 CABEZALES
DIFERENTES



60 MIN. DE
AUTONOMÍA




7 en 1

Hair clipper /body trimmer


PS33B 100 - 240 V

Cordless. 60 minutes use.
Rechargeable. USB cable included.
Quick charging battery: 2 hours.
Waterproof. IPX5.
Removable cutting unit for easy cleaning.
High resistance stainless steel blades.
On / off switch.
Charging light indicator.
Accurate cutting.
Attachments included: comb,
lubricating oil, cleaning brush.
Tray support.


EAN 8421078034087
12 unidades por embalaje




Nose trimmer




2 head trimmers




Eyebrow and ear trimmer



Shaver



Multi-position cutting guide from 0 to 10 mm



Multi-position cutting guide from 3 to 15 mm



CUCHILLAS ALTA
RESISTENCIA



SIN CABLES



1 GUÍA
DE CORTE
20 POSICIONES



40 MIN. DE
AUTONOMÍA






Hair clipper

MP59B 230 V

Special for beard, moustaches and body trimmer.
Cordless. 40 minutes.
Rechargeable.
1 cutting guide / 20 positions: from 0,5 to 10 mm.
Removable cutting unit for easy cleaning.
High resistance blade.
On / off switch.
Charging light indicator.
Accurate cutting.
Integrated and removable support.
Hairdresser attachments included: lubricating oil,
cleaning brush and charged cable.

EAN 8421078034070
12 unidades por embalaje



ROTACIÓN 360°
PARA MAYOR
PRECISIÓN



IPX5
APTO PARA SU
USO EN DUCHA



RECARGA
RÁPIDA
POR USB



90 MIN. DE
AUTONOMÍA



Rotary shaver

JBMA1400 100 - 240 V

Wet and dry shaving for maximum comfort
Maximum accuracy of a single pass, three levels of adjustment.
Shaving head rotation 360°, for an ergonomic shave that adapts to the contour of the face with great sensitivity.
Dual use, cord and cordless use, to guarantee the shaving.
USB fast charging, included.
Safety wet shaving due to IPX5. Suitable for using in the shower.
Security lock.
Lithium battery.
Cordless working time 90 min.

Charging time 120 min
Big smart screen with battery indicator.
Eayclean System with removable cutting heads.
On / off switch.
Charging light indicator.
Attachments included: cleaning brush and protector cap.
Charging base.



Shaving head rotation 360°



Big smart screen



Charging base

Replacement
RM34A

12 unidades por embalaje
8421078034971

EAN 8421078036319
6 unidades por embalaje

Hair clipper

230 V

N

NOVEDAD
OTOÑO

BEAUTY



A RED Y CON
BATERÍA



CUCHILLAS
CERÁMICA Y
ACERO INOX.



100' DE
AUTONOMÍA



1 GUÍA DE CORTE
7 POSICIONES



JBCP3700



- Special for beard, moustaches and body trimmer.
- Dual use, cord and cordless use, to guarantee the shaving.
- Cordless working time 100 min.
- USB cable included.
- 1 cutting guide / 7 positions: from 3 to 21 mm.
- Removable cutting unit for easy cleaning.
- High resistance ceramic and stainless steel blades.
- Charging time 1,5 hours.
- On / Off switch.
- Charging light indicator.
- Smart LED display with battery percentage display.
- Accurate cutting.
- Hairdresser attachments included: lubricating oil, cleaning brush and charged cable.

||||| EAN 8421078038306

8 UDS

PRO SERIES




METÁLICO

Professional metal hair clipper


JBCP4000 100 - 240 V

Precision machine with adjusting device.
Professional hairdressing and barbershop machine.
Smart design with a special looking.
High resistance stainless steel blades.
Rechargeable battery Li-ion 2000 mAh.
Cordless.
Smart LED screen:
- Battery remaining indicator.
- Charging indicator.
Cordless use 2,5 hours.
Charging time 3 hours.

Hairdresser attachments: lubricating oil, cleaning brush and comb.
USB cable included.
Blade control lever.
4 cutting guides: 1,5 - 3 - 6 - 9 mm.
Accurate cutting.
Blade protection.
On / off switch.
Hanging ring.



Smart LED screen



Blade protection



Blade control lever

EAN 8421078036555
4 unidades por embalaje




METÁLICO

Hair clipper / body trimmer

JBCP4200 100 - 240 V

90 min of cordless use.
Fast charging via USB (cable included).
Dual use: connected to the network and with battery.
5 cutting guides from 1 to 5 mm.
Charging time: 1 hour.
600 mAh Lithium battery.
High cutting precision. Special T-shaped blade for outlining and drawing.

Smart led screen:
- Shows the battery percentage.
- Charging indicator light.
- Time left.
Accessories included: lubricating oil, brush for cleaning blades.



EAN 8421078037347
6 unidades por embalaje



9 en 1

Hair clipper / body trimmer

JBCP3305 100 - 240 V

Fast USB charging, included in the case.
Cordless working time 99 min.
Charging time 1 hour.
Safety wet shaving due to IPX5 protection. Suitable for shower.
9 interchangeable accessories:
- 2 head trimmers.
- Shaver.
- Special trimmer for nose and ears.
- 5 Multi-position cutting guide from 0 to 12 mm.
Removable cutting unit for easy cleaning.
Litium battery.
High resistance stainless steel blades.
Dual use, cord and cordless use, to guarantee your shaving.

On / Off switch.
Smart led screen:
- Shows battery percentage.
- Charging light indicator.
- Security lock.
- Cleaning display.
Accurate cutting.
Triple safety protection.
Attachments included: comb, lubricating oil, cleaning brush.
Tray support.



5 Multi-position cutting guide



2 head trimmers



Special trimmer for nose and ears

EAN 8421078036326
6 unidades por embalaje

Jata

Marco Aldany

LA PRIMERA CADENA DE PELUQUERÍA Y ESTÉTICA EN ESPAÑA

Colección profesional

Disfruta como un pro

Productos testados y diseñados junto a peluqueros.




JBSC5577

230 V - 2.000 W

SECADOR IÓNICO PROFESIONAL MOTOR BLDC

- Motor BLDC de alto rendimiento con 110.000 RPM
- Ultraligero.
- Reducción de tiempo de secado y encrespamiento gracias a su generador de iones.
- Función memoria: Recuerda el último ajuste de velocidad y temperatura utilizada
- Incluye 1 difusor y boquillas de 2 tamaños diferentes.
- Función de limpieza automática del filtro.
- Luces LED indicadoras de funcionamiento.
- 3 posiciones de caudal de aire: 0 - 1 - 2
- 3 niveles de temperatura: 1 - 2 - 3.
- Pulsador de fase fría instantánea.
- Caudal de aire constante y potente.
- Longitud del cable: 3 mt.

EAN 8421078038375
6 unidades por embalaje



JBPP5570

PLANCHA CERÁMICA INFRARROJOS

- Función rayos infrarrojos: facilita la penetración de tratamientos del cabello.
- Ayuda a reconstruir y suavizar el cabello, cuidándolo al máximo.
- Placas cerámicas para un cuidado intensivo del cabello.
- Medidas de las placas: 110 x 36 mm.
- Placas flotantes y pulidas de alta precisión
- Función iónica.
- Auto apagado.
- Calentamiento ultrarrápido.
- Interruptor de encendido.
- Rango de temperatura: 100- 230 °C.
- Indicador luminoso.
- Equipado con resistencia cerámica (PTC).
- Cable giratorio de 2 metros.
- Sistema de cierre.
- Multicorriente.
- Potencia 60 W

EAN 8421078038429
6 unidades por embalaje



JBPC5544

100 - 240 V

CORTAPELOS MOTOR PROFESIONAL DE ALTO RENDIMIENTO

- Cortapeelos de precisión inalámbrico con dispositivo de ajuste.
- Máquina de peluquería y barbería profesional de funcionamiento con o sin cable.
- Diseño cuidado con una estética muy marcada.
- Cuchillas de acero inoxidable de alta resistencia.
- Batería recargable Li-ion 2000 mAh.
- Gran pantalla LED inteligente: tiempo restante, indicador de carga.
- Tiempo de uso inalámbrico 2,5 h.
- Tiempo de carga 3 h.
- Accesorios incluidos: aceite lubricante, cepillo para cuchillas y peine.
- Incluye cable USB.
- Palanca de regulación de la cuchilla.
- 4 guías de corte: 1,5 - 3 - 6 - 9 mm.
- Gran precisión de corte.
- Protector de cuchillas.
- Interruptor de encendido.
- Anilla para colgar.

EAN 8421078038412
4 unidades por embalaje



FUNCIÓN RAYOS INFRARROJOS



PLACAS CERÁMICAS

TECNOLOGÍA IÓNICA



CALENTAMIENTO ULTRARRÁPIDO



60 W



CORTAPELOS DE PRECISIÓN



CARGA POR USB



2,5 H. DE AUTONOMÍA



4 GUÍAS DE CORTE

CUCHILLAS ACERO INOX.

PRO SERIES

JBSE2102



INALÁMBRICOS



REGARGA POR USB



90' DE AUTONOMÍA



LIGERO Y ERGONÓMICO



BATERÍAS DE LITIO



EAN 8421078036623
8 UDS

Hair clipper, trimmer, shaver

Multi-current / 100 - 240 V

HAIR CLIPPER

- Cordless. 90 minutes use.
- Rotary control for different cutting measures.
- 2 cutting guides: 1-15 mm / 16-30 mm.
- Protected against water splashing (IPX4).
- High resistance stainless steel blades.
- Smart LED screen:
 - Safety block indicator.
 - Battery remaining indicator.
 - Cutting measure indicator.
 - Charging light indicator.
 - Low battery indicator.
- Lithium battery.
- Charging time 120 min.
- On / off switch.
- Accurate cutting.
- Ergonomic and light design.
- Rechargeable.

TRIMMER-SHAVER

- Cordless. 90 minutes use.
- Lithium battery.
- Accurate cutting.
- High resistance stainless steel blades.
- On / off switch.
- 4 cutting guide from 3 to 12 mm.
- Charging time 120 min.
- Ergonomic and light design.
- Rechargeable.

Hairdresser attachments included: lubricating oil, cleaning brush and USB cord.



Hair clipper / body trimmer

JBSP3310 100 - 240 V



A RED Y CON BATERÍA



CARGA RÁPIDA POR USB



2 HORAS DE AUTONOMÍA




5 GUÍAS DE CORTE

2 hours of cordless shaving. Fast charging via USB (cable included).
 Dual use: connected to the network and with battery. 2 charging options. 5 cutting guides from 0 to 5 mm. Charging time 2 hours. Lithium battery. Stainless steel blades. High cutting precision. 2 speeds.


Smart LED screen:
 - Shows the battery percentage.
 - Charging indicator light.
 - Security lock.
 Accessories included: lubricating oil, brush for cleaning blades.



EAN 8421078036333
6 unidades por embalaje



Smart LED screen



Stainless steel blades



Fast charging via USB



Hair clipper / body trimmer



- Modern design.
- LED digital display: Time left.
- Low Battery indicator.
- Charging indicator.
- Dual use: connected to the network and with battery.
- Fast USB charge (cable included).
- High resistance stainless steel blade.
- 600mAh rechargeable lithium battery.
- 3 cutting guides: 1-2-3 mm.
- 1,5h Charging Time.
- On/Off switch.
- 80 minute autonomy.
- Accessories included: lubricating oil, brush for cleaning blades.



**CUCHILLAS DE
ACERO INOX.**



**A RED Y CON
BATERÍA**



**CARGA RÁPIDA
POR USB**



**3 GUÍAS
DE CORTE**

||||| EAN 8421078037323

📦 6 UDS



METÁLICO

-  A RED Y CON BATERIA
-  CARGA RÁPIDA POR USB
-  4 GUÍAS DE CORTE
-  4 H. DE AUTONOMÍA MAX.

Hair clipper / body trimmer

JBCP3325 100 - 240 V

Dual use, cord and cordless use, to guarantee the shaving.
4 cutting guide from 3 to 13 mm.
Charger included in the case.
Long-lasting professional motor.
3 adjustable speeds.
Lithium battery.
Blade protector.

Cordless use time: 4h minimum power, 3,5 h medium power and 3,20 h maximum power.
Charging time 3,5 h.
ON /OFF switch.



EAN 8421078037330
6 unidades por embalaje



-  CUCHILLAS ACERO INOX
-  SIN CABLES
-  3 GUÍAS DE CORTE
-  60 MIN. DE AUTONOMÍA

Hair clipper

MP373N 230 V

Cordless. 60 minutes use.
Cutting guide innovator fixing system.
Beard accessory.
Variable thin out function.
Removable cutting unit for easy cleaning.
High resistance stainless steel blades.
On / off switch.

Accurate cutting.
Hairdresser attachments included: comb, adaptor, lubricating oil, cleaning brush.
Charging base included.
Rechargeable.
AC / DC Adaptor: 230 V / 50 Hz (included).



EAN 8421078022893
12 unidades por embalaje



-  A RED Y CON BATERIA
-  CORTAPELOS DE PRECISIÓN
-  50 MIN. DE AUTONOMÍA
-  CUCHILLAS ACERO INOX.
-  2 GUÍAS DE CORTE

Hair clipper

MP36B 100 - 240 V

Works with battery and direct to the mains.
Cordless. 50 minutes use.
Rechargeable.
Telescopic system for cut length.
2 cutting guides: 1 - 10 mm. / 11 - 20 mm.
Removable cutting unit for easy cleaning.
On / off switch.

High resistance stainless steel blades.
On and charging light indicator.
Accurate cutting.
Hairdresser attachments included: scissors, comb, adaptor, lubricating oil, cleaning brush.
Ergonomic and light design.
Multi current adaptor: 100 - 240 V (included).



EAN 8421078035695
12 unidades por embalaje



CUCHILLAS
ACERO
INOX

CORTAPELOS
DE PRECISION

RÁPIDA
LIMPIEZA

4 GUÍAS
DE CORTE

Hair clipper

MP423 230 V

Precision machine with adjusting device.
High resistance stainless steel blades.
Accurate cutting.
Variable thin out function.
Hairdresser attachments: scissors, comb,
lubricating oil, cleaning brush.
4 cutting guides: 3, 6, 9, 12 mm.
Blade protection.
On / off switch.
Removable cutting unit for easy cleaning.



EAN 8421078034858
8 unidades por embalaje



APTO PARA
DUCHA

LUZ
INTEGRADA

PROTECCIÓN
AGUA IPX4

FUNCIONA
1 PILA AA

Trimmer for nose

CN12B

For nose, sideburn and ear.
Safe and clean cut.
Protected against water splashing
(IPX4).
Suitable for use in the shower.
Removable cutting unit for easy
cleaning.
Integrated lighting for optimum
vision.

Ergonomic and light design.
On / off switch.
Accessories included:
cleaning brush and base.
Protective cover.
Works with one "AA" battery of
1,5 V (not included).



EAN 8421078035763
12 unidades por embalaje



RÁPIDA
LIMPIEZA

FUNCIONA
1 PILA AA

SIN CABLES

PROTECCIÓN
AGUA IPX4

Brow trimmer

CN15B

For nose, ears and eyebrow.
Stainless steel blade.
Protected against water splashing
(IPX4).
On / off switch.
2 comb guides for trimmer.
2 cut lengths.
Cleaning brush.
Protective cover.

Blister.
Works with one
"AA" battery
of 1,5 V (not included).



EAN 8421078031154
28 unidades por embalaje


-  **RECARGA POR USB**
-  **ROTACIÓN DOBLE SENTIDO**
-  **INCLUYE ESTUCHE CON 6 ACCESORIOS**
-  **LIGERO Y ERGONÓMICO**



Manicure and pedicure set 6 in 1

JBSM1200

6 professional accessories for manicure and pedicure.
 Progressive speed control.
 Double direction motor. Great power.
 Ergonomic and light design.
 Pilot lights.
 Rechargeable. USB cable included.
 Lithium battery.
 Magnetic box for storing and protecting accessories.



EAN 8421078036340
 6 unidades por embalaje

-  **CABEZAL EXTRAIBLE**
-  **LUZ INTEGRADA**
-  **A RED Y CON BATERÍA**
-  **SIN CABLES**
-  **60 MIN. AUTONOMÍA**




COMPRA RECAMBIOS
www.jata.es

Exfoliator for rough skin / epilator

DL87B 100 - 240 V

Works with battery and direct to the mains.
 Cordless. 60 minutes use.
 Rechargeable.
 2 interchangeable heads:
 - Callus remover.
 - Epilator.
 Integrated lighting for optimum vision.
 Cleaning brush.
 Roll protector.
 Multi-current adaptor from 100-240 V (included).



RL87B

Callus remover replacement
 12 unidades por embalaje
 EAN 8421078032489

EAN 8421078032311
 12 unidades por embalaje


-  **CABEZAL EXTRAIBLE**
-  **IMPERMEABLE AL AGUA IPX4**
-  **FUNCIONA 2 PILAS AA**



Exfoliator for rough skin

LD85B


Protected against water splashing (IPX4).
 Smooth and effective rotation.
 Removable head for easy cleaning.
 On switch.
 Washable.
 Cleaning brush.
 2 rollers included.
 Roll protector.
 Ergonomic and light design.
 Works with 2 "AA" batteries of 1,5 V (not included).



RL85B

Replacement for file
 12 unidades por embalaje
 EAN 8421078031857

EAN 8421078031840
 12 unidades por embalaje



N NOVEDAD
OTOÑO

JBSC1195

AC motor ionic hair dryer

230 - Max. 2,600 W



- Great power Max. 2,600 W.
- AC motor, high performance.
- Universal air diffuser.
- Ionizer. Continuous ion generator.
- Overheating protection.
- Integrated independent knobs.
- Magnetic removable post filter.
- 3 speed positions 0 – 1 – 2.
- 3 heating positions: 1 – 2 – 3.
- Cold air button.
- Air flow 19.2 Mts/s
- Cord length: 2,80 Mt.
- Slim air concentrator.
- Hanging ring.

ION
TECNOLOGÍA
IÓNICA
QUE ELIMINA EL
ENCRESPAMIENTO

MOTOR AC ALTO
RENDIMIENTO


DIFUSOR
DE AIRE

LIMITADOR
TÉRMICO
DE SEGURIDAD

⚡
**2.600 W
MÁX.**

||||| EAN 8421078038382



📦 6 UDS



AC motor hair dryer

PRO SERIES

JBSC1065 230 V - 2.200 W

2,200 W.
AC motor, high performance.
Great power.
Air diffuser.
Overheating protection.
Integrated independent knobs.
Removable filter.  
3 speed positions 0 - -
3 heating positions: I - II - III
Cold air button.
Slim air concentrator.
Hanging ring.

EAN 8421078036562
6 unidades por embalaje



CONCENTRADOR DE AIRE EXTRAPLANO



FILTRO POSTERIOR EXTRAIBLE



DIFUSOR DE AIRE





LIMITADOR TERMICO DE SEGURIDAD



2200 W



MOTOR AC ALTO RENDIMIENTO



AC motor ionic hair dryer

SC1013 230 V - 2.000 W

2,000 W.
AC motor, high performance.
Ionizer. Continuous ion generator.
Overheating protection.
Integrated independent knobs.
3 speed positions 0 - 1 - 2
3 heating positions 1 - 2 - 3
Cold air button.
Slim air concentrator.
Air diffuser.
Removable filter.
Hanging ring.

EAN 8421078027744
6 unidades por embalaje



GENERADOR CONTINUO DE IONES



FILTRO POSTERIOR EXTRAIBLE



DIFUSOR DE AIRE



LIMITADOR TERMICO DE SEGURIDAD






AC MOTOR PROFESIONAL

2000 W



Retactable cord hair dryer

JBSC1070 230 V - 2.000 W

2,000 W.
DC motor dryer.
Back grid with opening system.
Overheating protection.
Integrated independent knobs.
3 speed positions 0 -  -  - 
3 heating positions I - II - III
Cold air button.
13 mm concentrator nozzle
Air diffuser included.
Retractable cord.
Light weight.
Hanging ring.

EAN 8421078036579
6 unidades por embalaje



CABLE RETRÁCTIL



DIFUSOR DE AIRE



CONCENTRADOR DE AIRE EXTRAPLANO





PESO LIGERO



FILTRO POSTERIOR EXTRAIBLE




2000 W



Folding dryer



2.200 W



MANGO
ABATIBLE



SECADO RÁPIDO



CONCENTRADOR
DE AIRE



2.200 W
MÁX.

JBSC1430



- 2,200 W.
- DC motor dryer.
- Compact, light and powerful.
- Fast hair dryer.
- Folding handle system.
- Overheating protection.
- 3 switch positions: 0 – I – II.
- Aesthetic and ergonomic design.
- Includes:
 - Semi-rigid storage bag for transport.
 - Microfiber turban towel.
- Cord length: 1,80 Mt.

||||| EAN 8421078037309
6 UDS



FILTRO POSTERIOR EXTRAIBLE



DIFUSOR DE AIRE

LIMITADOR TERMICO DE SEGURIDAD

 **2000 W**

Tourmaline hair dryer

SC56B 230 V - 2.000 W

2,000 W.
DC motor dryer.
Overheating protection.
Integrated independent knobs.
3 speed positions 0 - 1 - 2
3 heating positions 1 - 2 - 3
Air concentrator.
Air diffuser.
Cold air button.
Back grid with opening system.
Hanging ring.



EAN 8421078033110
6 unidades por embalaje



BOQUILLA PLANA



FILTRO POSTERIOR EXTRAIBLE



LIGERO Y ERGONÓMICO

 **2000 W**
LIMITADOR TERMICO DE SEGURIDAD

Compact hair dryer

SC43B 230 V - 2.000 W

2,000 W.
Ultra light.
DC motor dryer.
Compact design.
Slim air concentrator.
Overheating protection.
3 switch positions.
Cold air button.
Removable filter.
Hanging ring.



EAN 8421078035688
6 unidades por embalaje



MANGO ABATIBLE



DIFUSOR DE AIRE



BITENSIÓN

LIMITADOR TERMICO DE SEGURIDAD

 **1200 W**

Travel hair dryer

SC47B 110-120 V • 220-240 V - 1.200 W

1,200 W.
DC motor dryer.
Foldable handle.
Overheating protection.
3 switch positions: 0 - 1 - 2.
Air concentrator.
Air diffuser.
Dual voltage.



EAN 8421078034261
12 unidades por embalaje

TECNOLOGÍA IÓNICA
QUE EVITA EL
ENCRESPAMIENTO



DISEÑO DE PÚAS
A DOS ALTURAS



CALENTAMIENTO
RÁPIDO




BLOQUEO
DE SEGURIDAD



Smoothing brush / ionic curling iron

JBCA1901 50 W

- Design of bristles to two heights to facilitate the straightening of the hair.
- Designed to give shape and movement to the hair.
- Quick heat up.
- Ceramic coating plate for an intensive hair care.
- Ionic technology to avoid frizziness.
- LED indicator light with 4 temperature levels: 160°C / 180°C / 200°C / 220°C.
- On switch.
- Protector cover.
- Pilot light temperature range.
- Safety lock.
- Automatic sleep mode.
- Swivel cable. 2 meters.
- Hanging ring.
- Multi-voltage.



EAN 8421078036616
6 unidades por embalaje

JBSC2211



3 in 1 brush: styler, volumizer and dryer

- 3 in 1: styler, volumizer and dryer.
- Ceramic coating.
- Ion generator that helps prevent frizz and add shine and softness to the hair.
- Overheating protection.
- 4 heating positions: 0- C - I - II.
- Light weight.
- 1.80 meter swivel cord.
- Hanging ring.



ION
TECNOLOGÍA
IÓNICA
QUE ELIMINA EL
ENCRESPAMIENTO

PESO LIGERO

BLOQUEO
DE SEGURIDAD

1.200 W
MÁX.

230 V - 1.200 W

||||| EAN 8421078037354
6 UDS

TOURMALINE

PLACAS CERÁMICAS



SISTEMA EASYCOMB



PLACAS CERÁMICAS
FLOTANTES



CALENTAMIENTO
RÁPIDO



BLOQUEO
DE SEGURIDAD



40 W



Tourmaline ceramic hair straightener

JBSE2101 100-240 V - 40 W

FLOATING TOURMALINE CERAMIC PLATES

Single axis for a perfect alignment.
Light on indicator and running.
Metallic paint to provide a perfect glide.
Quick heat up.
Plates measures: 90 x 25 mm.
5 temperature positions.
Maximum temperature 200 °C.
PTC heating element.
On / off switch.
Auto shut off.
Swivel cable cord 1,90 meters.

GIFT FACIAL BRUSH

350,000 soft and delicate PBT filaments for all skin types, including sensitive skin.
Silicone brush head for use as an exfoliant in the nasal area.
The protective cap acts as a hand holder for convenient cleaning.
Ideal design, suitable for travel.



INCLUYE
**CEPILLO
FACIAL**
EXTRA SUAVE



EAN 8421078036296
6 unidades por embalaje

TOURMALINE

PLACAS CERÁMICAS

185°C
TEMPERATURA
ÓPTIMA



PLACAS
CERÁMICAS

PTC
RESISTENCIA
CERÁMICA



CALENTAMIENTO
ULTRARRÁPIDO

37 W



Tourmaline ceramic hair straightener

PP1065 230 V - 37 W



Tourmaline ceramic plates for an intensive hair care.
Single axis for a perfect alignment.
Metallic paint to provide a perfect glide.
Quick heat up.
Auto shut off.
Plates measures: 95 x 30 mm.
4 temperature positions. Maximum temperature 200 °C.
PTC heating element.
On / off switch.
Pilot light.
Swivel cable cord 1,80 meters.
Thermal pouch included.



INCLUYE
**BOLSA
TÉRMICA**



EAN 8421078035756
4 unidades por embalaje



Sewing

Sewing machine

PORTÁTIL

MC695 70 W

Genesis
695



13 design patterns.
Double needle.
4-step button holes.
Oscillating hook system.
Double height foot.
Automatic bobbin winding.
2 spool pins.
Free arm.

"Z" stitch.
Reverse function.
Foot pedal included.
Lamp included 15 W.
Transport handle.
Set of accessories included.
Soft protective cover.



JSMC5217

1 unidad por embalaje
EAN 8421078036432



13 DISEÑOS DE PUNTADA



ACCESORIOS INCLUIDOS



OJAL EN 4 TIEMPOS



70 W



34 x 15 x 26 cm.



5,960 kg.

1 unidad por embalaje
EAN 8421078028864

Sewing machine


PORTÁTIL

MC744 60 W



66 design patterns.
4-step button holes.
Double height foot.
2 spool pins.
Changing presser foot.
Double needle function.
Selected stitch indicator.
Automatic bobbin winding.

Free arm.
"Z" stitch.
Reverse function.
LED lamp included.
Foot pedal included.
Transport handle.
Set of accessories included.



66 DISEÑOS DE PUNTADA



OJAL EN 4 TIEMPOS

FUNCIÓN DE DOBLE AGUJA



60 W



42 x 22 x 34 cm



7,100 kg.

1 unidad por embalaje
EAN 8421078033981

Selección
744

Sewing machine

PORTÁTIL

MC740 60 W



66 design patterns.
4-step button holes.
Double height foot.
2 spool pins.
Changing presser foot.
Double needle.
Selected stitch indicator.
Automatic bobbin winding.

Free arm.
Reverse function.
"Z" stitch.
LED lamp included.
Foot pedal included.
Transport handle.
Set of accessories included.



66 DISEÑOS DE PUNTADA



OJAL EN 4 TIEMPOS

FUNCIÓN DE DOBLE AGUJA



60 W



36 x 17 x 28 cm



7,100 kg.

1 unidad por embalaje
EAN 8421078032182

Selección
740

Sewing machine

PORTÁTIL

MC823 36 W

Electronic intelligent control of functions.

200 design patterns:

- 13 flexi stitches.
- 62 deco stitches.
- 16 satin stitches.
- 10 numerical stitches.
- 90 alphabet and sign stitches.
- 8 automatic button holes.

Sew button.

Back light LCD display.

Security auto shut off.

Oscillating hook system.

Double needle.

"LED" lamp included.

2 spool pins.

Changing presser foot.

Double height foot.

Double feed dog.

Strong torque for a heavy fabric.

Auto threader.

Free arm.



Automatic bobbin winding.

One reverse stitch button.

Foot pedal included.

Transport handle.

Set of accessories included.



GESTIÓN
ELECTRÓNICA

DESCONEXIÓN
AUTOMÁTICA

200 DISEÑOS
DE PUNTADA

13
ACCESORIOS
INCLUIDOS

88
OJAL EN
4 TIEMPOS

FUNCIÓN DE
DOBLE
AGUJA

1 unidad por embalaje
EAN 8421078032168



40 x 18 x 29 cm

6,630 kg.

Supra
823

Overlock

PORTÁTIL

OL902 90 W

Stitch functions 2, 3 and 4 threads.

1 or 2 needles.

Differential feed.

Security stitch.

Lateral cutting.

Adjustable stitch width and length.

Changing presser foot.

Color codes for threading.

Free arm.

LED lamp included.

Foot pedal included.

Transport handle.

Set of accessories included.

Soft protective cover.



GESTIÓN
ELECTRÓNICA

LÁMPARA LED
INTEGRADA

1y2
AGUJAS

90 W

1 unidad por embalaje
EAN 8421078033998



30 x 26 x 28 cm

8,240 kg.

*Solid
overlock*
902

Sewing box

AC45

Compact size.

Transport handle.

9 big spools of thread.

150 cm. tape measure.

Handle with inner compartment.

1 needle threader.

1 thimble.

5 sewing machine needles.

5 plastic bobbins.

100 colour pins.

1 seam ripper.

1 scissor.

Two stands for vertical storage.



4 unidades por embalaje
EAN 8421078032328





Jata enjoys the advantages of the *Confianza Electro* seal

A customer who purchases a product that carries the *Confianza Electro* seal, is acquiring a product with guaranteed safety and excellence.

When you purchase a *Confianza Electro* product, you are contributing to compliance with sustainability, biodiversity and work-life balance policies.

And if you have any questions, you will get information on best practices and tips for efficient use.



Safety




Ethics



Excellence



Ecological and
environmentally-
friendly



Home and kitchen

PL120. STAINLESS STEEL STEAM IRON

230 V - 2,200 W

- Stainless steel sole plate.
- Detachable auto-cleaning set.
- Vertical steam.
- Adjustable steam.
- Super steam.
- Steam rate 20 – 25 g/min.
- Independent buttons: burst steam / spray.
- Adjustable thermostat of temperature.
- Translucent water tank with safety lid.
- 360° pivoting cord.

Una segunda plancha "de primera"



Display box 6 ud.
235 x 435 x 325 mm.



PL120



EAN 8421078033486
6 UDS

PL225. STAINLESS STEEL STEAM IRON

230 V - Max. 2,400 W

- Stainless steel sole plate.
- Adjustable steam.
- Vertical steam.
- Anti-calc function.
- Anti-drip.
- Auto-cleaning.
- Burst of steam 160 g.
- Steam rate 20 – 25 g/min.
- Independent buttons: burst steam / spray.
- Adjustable thermostat of temperature.
- Translucent water tank with safety lid.
- 360° pivoting cord.



PL225



EAN 8421078034841
6 UDS

PL221C. CERAMIC STEAM IRON

230 V - Max. 2,400 W

- Ceramic sole plate.
- Vertical steam.
- Auto-cleaning.
- Anti-drip.
- Anti-calc permanent.
- Burst of steam 160 g.
- Steam rate 20 – 30 g/min.
- Adjustable steam.
- Independent buttons: burst steam / spray.
- Adjustable thermostat of temperature.
- Water tank with safety lid.
- Water tank capacity 350 ml.
- 360° pivoting cord.



PL221C



EAN 8421078033493
6 UDS

JEPL1221

NOVEDAD
OTOÑO APAGADO
AUTOMÁTICO

Ceramic steam iron

230 V - 2.400 W

- Ceramic sole plate.
- Vertical steam.
- Auto-shut off.
- Auto-cleaning.
- Anti-drip.
- Anti-calc permanent.
- Burst of steam max. 60 - 160 g/min.
- Steam rate 20 - 30 g/min.
- Adjustable steam.
- Independent buttons: burst steam / spray.
- Adjustable thermostat of temperature.
- Pilot light.
- Water tank with safety lid.
- Water tank capacity 350 ml.
- 360° pivoting cord.

SUELA
CERÁMICASUPER
VAPOR

ANTIGOTEO

ANTICAL

AUTO
LIMPIEZAVAPOR
VERTICAL

2400 W

EAN 8421078038337

6 UDS

PL618. STAINLESS STEEL STEAM IRON

230 V - 2,600 W

- Stainless steel soleplate: uniform temperature, optimum steam.
- Anti-drip.
- Auto-cleaning.
- Anti-calc permanent.
- Vertical steam.
- Independent buttons: burst steam / spray.
- Burst of steam 200 g.
- Steam rate 40 g/min.
- Adjustable steam.
- Rubberised handle.
- Adjustable thermostat of temperature.
- Water tank capacity 300 ml.
- Water tank with safety lid.
- Pivoting cord.



PL618



EAN 8421078032397
6 UDS

PL598C. CERAMIC STEAM IRON

230 V - 2,600 W

- Power 2.600 W.
- Ceramic sole plate.
- Vertical steam.
- Auto-cleaning.
- Anti-drip.
- Anti-calc permanent.
- Burst of steam 190 g.
- Steam rate 20 - 30 g./min.
- Adjustable steam.
- Independent buttons: burst steam / spray.
- Adjustable thermostat of temperature.
- Pilot light.
- Water tank with safety lid.
- Water tank capacity 350 ml.
- 360° pivoting cord.



PL598C



EAN 8421078035428
6 UDS

PL1058C. CERAMIC STEAM IRON

230 V - 3,000 W

- Ceramic soleplate.
- Auto-shut off.
- Anti-drip.
- Auto-cleaning.
- Anti-calc permanent.
- Vertical steam. Burst of steam 220 g.
- Independent buttons: burst steam / spray.
- Steam rate 50 g/min. Adjustable steam.
- Rubberised handle.
- Adjustable thermostat of temperature.
- Auto shut-off indicator light.
- Power on indicator light.
- Water tank with safety lid.
- Pivoting cord.



PL1058C



PRO SERIES

EAN 8421078035381
6 UDS

PL622C. CERAMIC STEAM IRON

230 V - 3,000 W

- Ceramic sole plate.
- Vertical steam.
- Auto-cleaning.
- Anti-drip.
- Anti-calc permanent.
- Burst of steam 220 g.
- Steam rate 50 g./min.
- Adjustable steam.
- Independent buttons: burst steam / spray.
- Adjustable thermostat of temperature.
- Pilot light.
- Water tank with safety lid.
- Water tank capacity 380 ml.
- 360° pivoting cord.



PL622C



||||| EAN 8421078035435
 6 UDS

**JEPL7000
VERTICAL STEAM IRON**

230 V - Max. 1,630 W

- Ceramic sole plate.
- ON / OFF Switch
- Adjustable vertical steam.
- Removable water tank capacity 300 ml.
- LED side light indicator.
- Adjustable steam control with locking function.
- Constant steam 20 – 25g/min.
- Brush for thick fabrics.
- Heating in 30 s.
- Safety auto-off.
- Cord 1.8 Mt.



||||| EAN 8421078036272
 4 UDS

**JEPL5216
VERTICAL STEAM IRON**

230 V - 1,400 W

- Rotary 1,80 Mt cord.
- Stainless steel sole plate.
- Removable water tank capacity 300 ml.
- Adjustable steam control with locking function.
- Constant steam 15 – 23g/min
- Brush for thick fabrics.
- Heating in 30 s.



||||| EAN 8421078036425
 6 UDS

JEPL2810. TRAVEL STEAM IRON

110 / 230 V - 1,000 W

- Ceramic sole plate.
- Dual voltage.
- Super steam.
- Foldable handle.
- Adjustable thermostat of temperature.
- Water level display.
- Pilot light.
- Length cord 190 cm.
- Plastic container 75 ml.



JEPL2810



EAN 8421078037101
10 UDS

PL357N

PL357N. TRAVEL STEAM IRON

230 V - 800 W

- Stainless steel sole plate.
- Foldable handle.
- Adjustable thermostat of temperature.
- Water level display.
- Pilot light.
- Textile travel bag.



EAN 8421078027041
12 UDS

JECP8522



Compact steam station

230 V - 3,200 W

- Same performance as 7 bar boiler system.
- Continuous steam 130g/min.
- Refilling water tank.
- Control panel:
 - Auto power off indicator.
 - ECO steam.
 - Standard steam.
 - Sel-cleaning indicator.
 - Recharge indicator.
- Ceramic sole plate.
- Auto-off function in 10 min.
- Vertical ironing.
- Overheating safety device.
- Plate rest with safety lock.
- Steam hose storage.
- Steam hose length 1,5 m
- Modern and compact design.
- Self-cleaning system.
- Water tank capacity 1,7 L.
- 200 ml. Graduated container.



EAN 8421078037057
2 UDS

NOVEDAD
OTOÑO **N**

Steam station

230 V - 2,250W

**JECP8523**

- Ceramic soleplate.
- Plate rest with safety lock.
- Steam button.
- Vertical steam.
- Continuous filling.
- Anti-limescale filter.
- Anti-drip.
- Steam rate 40 – 60 g/min.
- Steam cord storage.
- Adjustable thermostat of temperature.
- 1.1 L translucent water tank with safety lid.
- Continuous steam.
- Pilot light.
- Steam hose length 1,60 m.
- Cord length: 1,97 m.

EAN 8421078038108

2 UDS



JELI1201. SLIM SLOW JUICER FOR FRUITS AND VEGETABLES. 230 V - 130 W

- Slow extraction: liquefy and squeeze with less revolutions (60 rpm).
- Suitable for extracting juice from fruits and vegetables.
- Continuous blending and silent.
- 3 position switch: Off / On / Reverse (anti-jam function).
- Stainless steel filter.
- Jug included 600 ml.
- Pulp container 800 ml
- Detachable for easy cleaning. Brush included.
- Security lock.
- Homologated safety system.
- Anti-sliding base.



JELI1201



+ MORE FLAVOUR
RETAIN ALL THE
VITAMINS AND
ANTIOXIDANTS

EAN 8421078036357
4 UDS

JELI1580. WIDE FEEDER STAINLESS JUICE EXTRACTOR. 230 V - 400 W

- 100% stainless steel body.
- Continuous extraction.
- 7 cm feeding tube: no need to cut fruits and vegetables.
- Stainless steel filter.
- 2 optional speed levels + Pulse.
- 13.000 rpm.
- Maximum efficiency.
- 1,500 ml Pulp container.
- 450 ml cup included.
- Drip-free.
- Metallic security lock.
- Detachable for easy cleaning.
- Anti-sliding base.



JELI1580



EAN 8421078037538
4 UDS

JEEX1046. STAINLESS STEEL JUICER. 230 V - 350 W

- Stainless steel body and pouring lip.
- High performance AC motor.
- High speed in the extraction of juice.
- Unlimited extraction.
- Anti-drip system.
- Filter with pulp regulator.
- Two cones to get the maximum efficiency.
 - Big cone: oranges, grapefruits, etc.
 - Small cone: lemons, mandarins, etc.
- Detachable for easy cleaning.
- Anti-sliding base.
- Transparent cover.



JEEX1046



EAN 8421078036227
6 UDS

JEEX1058

JEEX1058. JUICER WITH HANDLE

230 V - 350 W

- Handle for an easy extraction of juice.
- High performance AC motor of 350 W power.
- Unlimited extraction.
- Pulp regulator.
- Two cones to get the maximum efficiency:
 - Big cone: oranges, grapefruits, etc.
 - Small cone: lemons, mandarins, etc.
- High speed in the extraction of juice.
- Anti-drip cover.
- Anti-sliding base.
- Removing juicer for easy cleaning.



||||| EAN 8421078036364
 📦 6 UDS

**GAMA INOX NEGRO****Stainless steel juicer with handle**

230 V - 300 W

- Great power 300 W.
- Body, filter and pouring lip in stainless steel.
- Professional AC motor.
- Maximum efficiency.
- Handle for an easy extraction of juice.
- Unlimited extraction.
- Quiet.
- Anti-drip system.
- Juicing cone.
- Anti-sliding base.
- Detachable for easy cleaning.

**EX1057**

QUIET



AC MOTOR
 PROFESIONAL

||||| EAN 8421078035398
 📦 4 UDS

EX1054. STAINLESS STEEL JUICER WITH HANDLE. 230 V - 600 W

- Professional AC motor.
- Body, filter and pouring lip in stainless steel.
- Maximum efficiency.
- Anti-drip system.
- Pressure lever to facilitate juice extraction.
- Quiet.
- Unlimited extraction.
- Includes two cones of different sizes to squeeze all kinds of citrus.
- Anti-sliding base.
- Detachable for easy cleaning.



JEEX1155



EAN 8421078038177
4 UDS

JEEX1045. STAINLESS STEEL JUICER WITH HANDLE. 230 V - 600 W

- Great power 300 W.
- Body, filter and pouring lip in stainless steel.
- Professional AC motor.
- Maximum efficiency.
- Handle for an easy extraction of juice.
- Unlimited extraction.
- Quiet.
- Anti-drip system.
- Two cones to get the maximum efficiency. **Big cone:** oranges, grapefruits, etc. **Small cone:** lemons, mandarins, etc.
- Anti-sliding base.
- Detachable for easy cleaning.



JEEX1045



PRO SERIES

EAN 8421078036036
4 UDS

EX611 Y EX613. STAINLESS STEEL JUICER WITH HANDLE 230 V - 160 W


- Body, filter and pouring lip in stainless steel.
- Maximum efficiency.
- Handle with silicone for an easy extraction of juice.
- Anti-drip system.
- Two cones to get the maximum efficiency.
- Anti-sliding system.
- Detachable for easy cleaning.



EX613: 8421078034643

EX611: 8421078033660

EX611 - EX613



4 UDS

EX1054

Stainless steel juicer with handle

230 V - 600W

- Great power 600 W.
- Body, filter and pouring lip in stainless steel.
- Professional AC motor.
- Maximum efficiency.
- Handle for an easy extraction of juice.
- Unlimited extraction.
- Anti-drip system.
- Two cones to get the maximum efficiency:
 - Big cone: oranges, grapefruits, etc.
 - Small cone: lemons, mandarins, etc.
- Anti-sliding base.
- Detachable for easy cleaning.



PRO SERIES

EAN 8421078035084

4 UDS

JEEX1059. JUICER WITH HANDLE

230 V - 160W

- Continuous extraction and pouring system.
- Stainless steel filter.
- Automatic start by pressing the cone.
- High performance AC motor. Maximum efficiency.
- Extraction arm to facilitate juice extraction.
- 300 ml removable container.
- Quiet.
- Anti-drip system.
- Double cone:
 - Big cone: oranges, grapefruits, etc.
 - Small cone: lemons, mandarins, etc.
- Anti-sliding base.
- Detachable for easy cleaning.



EAN 8421078036944

4 UDS

EX549. ELECTRIC JUICER

230 V - 60 W

- Stainless steel pouring lip.
- Dual direction rotation.
- Two cones to get the maximum efficiency:
- High speed in the extraction of juice.
- Unlimited extraction.
- Anti-drip system.
- Detachable for easy cleaning.
- Transparent cover.
- Cord storage.



EX549



EAN 8421078034391
6 UDS

JEEX1422. ELECTRIC JUICER

230 V - 60 W

- 1.2 l removable jug.
- Dual direction rotation.
- Pulp regulator.
- Two cones to get the maximum efficiency:
 - Big cone: oranges, grapefruits, etc.
 - Small cone: lemons, mandarins, etc.
- Anti-sliding base.
- Protective cover.
- Easy cleaning.



JEEX1422



EAN 8421078037132
8 UDS

EX421. STAINLESS STEEL JUICER

230 V - 40 W

- 700 ml removable jug.
- Capacity 700 ml.
- Dual direction rotation.
- Two cones to get the maximum efficiency.
- Stainless steel body.
- Tank with handle.
- Detachable for easy cleaning.
- Transparent cover.
- Anti-sliding base.



EX421



EAN 8421078034650
8 UDS

EX296. CITRUS JUICER

230 V - 40 W

- Capacity 800 ml.
- Dual direction rotation.
- Tank with handle.
- Detachable for easy cleaning.
- Transparent cover.
- Anti-sliding base.



EX296




EAN 8421078032564
8 UDS

NOVEDAD
OTOÑO **N**

Electric juicer

230 V - 40W

**JEEX1423**

- 700 ml capacity removable jug
- Dual direction rotation.
- Tank with handle.
- Protective cover
- Two cones to get the maximum efficiency:
 - Big cone: oranges, grapefruits, etc.
 - Small cone: lemons, mandarins, etc.
- Detachable for easy cleaning.
- Anti-sliding base.



EAN 8421078038191

8 UDS

TT584

TT584. TOASTER WIDE SLOT

230 V - 1,400 W

- Cold touch body.
- Two slots with a length of 255 mm. Wide 35 mm.
- Automatic bread centering.
- Electronic browning control. 6 positions.
- Defrost function.
- Re-heat function.
- Cancel button for stop toasting cycle.
- Crumb tray.
- Cord storage.
- 2 slots: 255x34 mm (length x width).



Wide slot



||||| EAN 8421078033424
 4 UDS

TT579

TT579. TOASTER WIDE SLOT

230 V - Max. 900 W

- Cold touch body.
- Wide slot to toast all type of bread. Wide 40 mm.
- Automatic bread centering.
- Electronic browning control. 6 positions.
- Defrost function.
- Re-heat function.
- Cancel button for stop toasting cycle.
- Crumb tray.
- Cord storage.
- 1 slot: 255x40 mm (length x width).



||||| EAN 8421078034476
 4 UDS

TT632

TT632. TOASTER WITH GLASS WINDOW

230 V - 900 W

- Removable glass window:
 - Double glass **Temperit**, great protection.
 - Visible toaster.
 - Easy cleaning.
- Wide slot to toast all type of bread. Wide 38 mm.
- Automatic bread centering.
- Cord storage.
- Electronic browning control. 7 positions.
- Defrost function.
- Re-heat function.
- Cancel button for stop toasting cycle.
- Crumb tray.
- Indicator lights.
- 1 slot: 265x38 mm (length x width).



||||| EAN 8421078035442
 2 UDS

NOVEDAD
OTOÑO **N**

Toaster wide slot

230 V - 900W

**JETT1579**

- Cold touch body.
- Indicator lights.
- Cancel button for stop toasting cycle.
- Crumb tray.
- Automatic bread centering.
- Wide slot to toast all type of bread. Wide 40 mm.
- Electronic browning control. 6 positions.
- Defrost function.
- Re-heat function.
- Cord storage.



EAN 8421078037927

4 UDS

Long double slot toaster

N NOVEDAD OTOÑO

230 V - 1,400W



2x

RANURAS LARGAS
25 x 3 cm



SELECTOR ELECTRONICO
DE TOSTADO



1400 W

JETT1585



- Cold touch body.
- Non-slip feet
- Automatic bread centering.
- 7 browning levels.
- Two 25 x 3 cm slots.
- Defrost and keep warm functions.
- Voluntary stop button and automatic disconnection.
- Crumb tray.
- LED indicator light.
- Cord storage.

||||| EAN 8421078038207

4 UDS

TT631 / TT331 TOASTER

230 V - 750 W

- Cold touch body.
- "High lift" system of special extra height for the extraction of small pieces of toast.
- Two extra wide slots. "Thick bread".
- Central bread guide.
- Electronic browning control. 6 positions.
- Cancel function.
- Protective lid.
- Crumb tray.
- Cord storage.
- 2 slots: 131x32 mm (length x width).



Mod. TT631

Mod. TT331

TT631 / TT331



TT631

||||| EAN 8421078035039

📦 8 UDS

TT331


||||| EAN 8421078029397

📦 8 UDS

TT1046

TT1046. STAINLESS STEEL TOASTER. 230 V - Max. 1,400 W

- Automatic bread centering.
- Wide slot to toast all type of bread.
Wide 40 mm.
- Electronic browning control. 5 positions.
- Defrost function.
- Re-heat function.
- Cancel button for stop toasting cycle.
- Crumb tray.
- Cord storage.
- 2 slots: 255x40 mm (length x width).



PRO SERIES


||||| EAN 8421078033936

📦 4 UDS

TT1043

TT1043. STAINLESS STEEL TOASTER. 230 V - Max. 1,000 W

- Automatic bread centering.
- Wide slot to toast all type of bread.
Wide 40 mm.
- Electronic browning control. 5 positions.
- Defrost function.
- Re-heat function.
- Cancel button for stop toasting cycle.
- Crumb tray.
- Cord storage.
- 2 slots: 255x45 mm (length x width).



PRO SERIES

||||| EAN 8421078033929

📦 4 UDS

TT610. STAINLESS STEEL TOASTER. 230 V - Max. 1,200 W

- Stainless steel body.
- Two slots with a length of 250 mm. Wide 30 mm.
- Electronic browning control.
- Automatic bread centering.
- Cancel button for stop toasting cycle.
- Crumb tray.
- 2 slots: 270x30 mm (length x width).



TT610



||||| EAN 8421078032991
 4 UDS

TT607. STAINLESS STEEL TOASTER. 230 V - Max. 800 W

- Stainless steel body.
- Two extra wide slots. "Thick bread".
- Electronic browning control.
- Automatic bread centering.
- Cancel button for stop toasting cycle.
- Crumb tray.
- 2 slots: 128x30 mm (length x width).



TT607



||||| EAN 8421078033004
 6 UDS

Ranuras
EXTRA ANCHAS

N NOVEDAD OTOÑO

JETT1588. FLAT TOASTER

230 V - 600 W

- Timer: 5 minutes.
- Stainless steel body and grill.
- Toaster with 3 quartz bars.
- Homogeneous toasting over the entire surface.
- On / off switch.
- Removable crumb tray.
- Taste and smell of freshly baked bread.



JETT1588



||||| EAN 8421078038436
 6 UDS

NOVEDAD
OTOÑO



N

JETT1587

Flat toaster

230 V - 400W

- Stainless steel laterals.
- Taste and smell of freshly baked bread.
- Great toasting surface.
- On / off switch.
- 2 quartz tubes.
- Removable crumb tray.



||||| EAN 8421078037996
 6 UDS

TT587. FLAT TOASTER

230 V - 400 W

- Stainless steel laterals.
- Taste and smell of freshly baked bread.
- Great toasting surface.
- On / off switch.
- 2 quartz tubes.
- Removable crumb tray.



TT587



EAN 8421078032540
6 UDS

TT589 - TT589NG

TT589 - TT589NG. FLAT TOASTER

230 V - 550 W

- Stainless steel body and grill.
- Homogeneous toasting. 4 quartz tubes.
- Great toasting surface.
- Protective lid.
- On / off switch.
- Removable crumb tray.
- Taste and smell of freshly baked bread.



TAPA PROTECTORA
ANTIPOLVO



TT589
EAN 8421078305897
6 UDS

TT589NG
EAN 8421078034001
6 UDS



Mod. TT589



Mod. TT589NG

TT588



230 V - 600 W

Flat toaster

- Timer: 5 minutes.
- Stainless steel body and grill.
- Homogeneous toasting. 3 quartz tubes.
- On / off switch.
- Removable crumb tray.
- Taste and smell of freshly baked bread.



EAN 8421078031932
6 UDS

JETT0201. "MINI" FLAT TOASTER

230 V - 300 W

- Compact size and easy to store.
- Stainless steel body and grill.
- 2 quartz tubes.
- Removable crumb tray.

Tamaño compacto



MEDIDAS
L x An x Al cm
34x19x7



JETT0201

INOX

2 BARRAS DE CUARZO

300 W

||||| EAN 8421078035985
6 UDS

Flat toaster

230 V - 1,000 W

- Great toasting surface.
- Measures 35 x 25 cm.
- Homogeneous toasting. 5 quartz tubes.
- Stainless steel body and grill.
- 2 switches. 3 heating powers: 400 W - 600 W - 1.000 W.
- Removable crumb tray.
- Taste and smell of freshly baked bread.



TT591 / TT5016

TAMAÑO XXL

INOX

SUPERFICIE TOSTADO 35x25 cm

3 POTENCIAS DE CALOR

UNICO 5 BARRAS DE CUARZO

ÚNICA 5 BARRAS DE CUARZO



TT591

||||| EAN 8421078035350
4 UDS



TT5016

||||| EAN 8421078035794
4 UDS

Coffee maker

230 V - 600 W

NOVEDAD OTOÑO **N**



FILTRO PERMANENTE

ERP CUMPLE NORMATIVA

600 W



JECA1287



- Drip coffee maker from 2 to 8 cups.
- Suspended filter holder with handle.
- Permanent filter.
- Anti-drip system.
- Measuring spoon.
- Non-stick heating plate.
- Glass jar with lid.
- Translucent and graduated water tank.
- On / off switch light.
- In compliance with ERP saving energy standard.
- Auto-shut off.

CA290



Coffee maker

230 V - 680 W

- Drip coffee maker from 2 to 12 cups.
- In compliance with ERP saving energy standard.
- Auto-shut off.
- Swing-out filter.
- Permanent filter.
- Anti-drip system.
- Non-stick heating plate.
- Graduated water tank.
- Glass jar with lid.
- On / off switch light.



||||| EAN 8421078032403
 ☐ 6 UDS

CA288N. DRIP COFFEE MAKER

230 V - 550 W

- Drip coffee maker from 2 to 8 cups.
- In compliance with ERP saving energy standard.
- Auto-shut off.
- Swing-out filter.
- Permanent filter.
- Anti-drip system.
- Non-stick heating plate.
- Translucent and graduated water tank.
- Glass jar with lid.
- On / off switch light.



CA288N

||||| EAN 8421078026006
 ☐ 6 UDS

CA5040

||||| EAN 8421078035312
 ☐ 6 UDS

CA288N

CA287. DRIP COFFEE MAKER

230 V - 500 W

- Drip coffee maker from 2 to 8 cups.
- In compliance with ERP saving energy standard.
- Auto-shut off.
- Swing-out filter.
- Permanent filter.
- Anti-drip system.
- Non-stick heating plate.
- Translucent and graduated water tank.
- Glass jar with lid.
- On / off switch light.



CA287



||||| EAN 8421078035060
 6 UDS

CA285. DRIP COFFEE MAKER

230 V - 650 W

- Drip coffee maker from 2 to 8 cups.
- In compliance with ERP saving energy standard.
- Auto-shut off.
- Permanent filter.
- Anti-drip system.
- Non-stick heating plate.
- Translucent and graduated water tank.
- Glass jar with lid.
- On / off switch light.



CA285



||||| EAN 8421078035527
 6 UDS

CA1051. EXPRESSO COFFEE MAKER

230 V - 950 W

- Accessories included:
 - Filter holder and filter to make 1 - 2 espresso coffee cups.
- In compliance with ERP saving energy standard.
- Memorize the quantity of coffee.
- Automatic switch off.
- "Cappuccino" super steamer.
- Warming cups.
- On indicator light.
- Removable drop-collector for easy cleaning.
- Removable water tank.
- 19 bar pressure.



CA1051



PRO SERIES

||||| EAN 8421078034629
 2 UDS

NOVEDAD
OTOÑO

N




PRESIÓN
20bar



CUMPLE
NORMATIVA



DESCONEXIÓN
AUTOMÁTICA



1350 W

JECA2300


Espresso coffee maker

230 V - 1,360W



- Pressure 20 bar.
- Touch screen:
 - On / Off
 - 1 cup pusher.
 - 2 cups pusher.
 - Steamer.
- Accessories included:
 - Filter holder.
 - Filter to make 1 - 2 espresso coffee cups.
 - Dispenser.
 - In compliance with ERP saving energy standard.
 - Memorize the quantity of coffee.
 - Automatic switch off.
 - Steam regulator.
 - Warming cups.
 - Removable drop-collector for easy cleaning.
 - Removable water tank. 0,9 L capacity.

 EAN 8421078038092

 2 UDS

ML132. GRINDER

230 V - 160 W

- Lid with safety lock system.
- Stainless steel container.
- Stainless steel blade.
- Grinding view.
- Switch on pusher.
- Capacity 65 g.



ML132



||||| EAN 8421078033806
 6 UDS

ML133. GRINDER

230 V - 160 W

- Stainless steel body.
- Lid with safety lock system.
- Stainless steel container.
- Stainless steel blade.
- Grinding view.
- Switch on pusher.
- Capacity 55 g.



ML133



||||| EAN 8421078033530
 6 UDS


JEES1111

NOVEDAD OTOÑO **N**



Milk frother and mini cappuccino mixer

- It can be used in hot or cold milk.
- 6-8 seconds to foam.
- 12 seconds for cappuccino.
- Stainless steel rod.
- Silent engine.
- Storage stand included.
- Ergonomic.
- Measurements: 24.5 x 5 cm.
- Works with 2 AA batteries (not included).



ESPUMA FÁCIL & RÁPIDA

VARILLAS ACERO INOXIDABLE

||||| EAN 8421078038320
 8 UDS

NOVEDAD
OTOÑO **N**

JECL1900

Milk frother and warmer

230 V - 550W

- On switch.
- Capacity 150 ml. to froth and 300 ml to heat milk.
- Operation indicator light.
- Easy to clean nonstick jug.
- Internal volume indicator min and max.
- 3 functions: frothing hot or cold milk, heating milk and heating chocolates.
- Auto shut off.
- Overheating safety device.
- Maximum heating temperature 65°.
- 360° swivel base.

0,3L
CAPACIDADDESCONECCIÓN
AUTOMÁTICA

550 W

ESPUMA
FÁCILJARRA
SIN CABLE



EAN 8421078038146

6 UDS

JECL1820

NOVEDAD
OTOÑO **N**

230 V - 400 W



Milk warmer

- Capacity 240 ml.
- Hidden heating element. Easy cleaning.
- Stainless steel heating plate.
- Internal level indicator min and max.
- Auto shut off.
- Overheating safety device.
- Anti-scald handle and body
- Keep the milk temperature around 65 °C. +/5°
- On switch.
- On indicator light.
- 360° swivel base.
- Cord storage.

0,24L
CAPACIDAD

DESCONEXIÓN
AUTOMÁTICA

400 W

JARRA
SIN CABLE

||||| EAN 8421078038085
6 UDS

CL819

CL819. 1L MILK WARMER

230 V - 400 W

- Ideal to heat milk and prepare chocolate.
- Inner non-stick coating free of PFOA.
- Cold touch body.
- Keep the milk temperature around 80 °C.
- Capacity 1 L.
- Hidden heating element. Easy cleaning.
- Overheating safety device.
- On / off switch.
- On indicator light.



400 W

Leche
& cacao

LIBRE DE
PFOA

||||| EAN 8421078033776
4 UDS

NOVEDAD
OTOÑO

N



JEHA1723

Stainless steel kettle

230 V - 1,500W



- Stainless steel body.
- 2 L Capacity.
- High speed boiling.
- Double security system.
- Cordless.
- Easy cleaning.
- Stainless steel heating plate.
- Hinged lid.
- Auto shut off.
- Overheating safety device.
- Water level indicator.
- On / off switch light.
- 360° swivel base.
- Cord storage.

2 L
CAPACIDADMÁXIMA
RAPIDEZ DE
EBULLICIÓN

INOX

1500 W

JARRA
SIN CABLE

EAN 8421078038023

6 UDS

N NOVEDAD
OTOÑO

JEHA1040

JEHA1040. 1.8 L KETTLE

230 V - 1,500W

- Capacity 1,8 L.
- Maximum boiling capacity.
- Cordless.
- Hidden heating element. Easy cleaning.
- 304 Stainless steel heating plate.
- Wide filler neck with hinged lid.
- Non-drip spout.
- Auto shut off.
- Overheating safety device.
- On / off switch.
- 360° swivel base.
- Cord storage.



1,8 L CAPACIDAD MÁXIMA RAPIDEZ DE EBULLICIÓN 1500 W

JARRA SIN CABLE


EAN 8421078038160
6 UDS

HA722

HA722. 1.7 L STAINLESS STEEL KETTLE

230 V - 2,200 W

- Stainless steel body 18/8.
- Cordless.
- Hidden heating element.
- Easy cleaning.
- Stainless steel heating plate.
- Tip up lid.
- Auto shut off.
- Overheating safety device.
- Water level indicator.
- Removable filter.
- On / off switch light.
- 360° swivel base.
- Cord storage.



INOX 1,7 L CAPACIDAD MÁXIMA RAPIDEZ DE EBULLICIÓN

2200 W

JARRA SIN CABLE

EAN 8421078032984
6 UDS

HA702

HA702. 1.2 L GLASS KETTLE

230 V - Max. 1,500 W

- Borosilicate jar:
 - Exempt from heavy metals and toxic substances.
 - Crystal of the best quality, non-porous, neutral (no smell or taste).
 - Maximum chemical and mechanical resistance.
 - Free of BPA.
- Hidden heating element.
- Easy cleaning.
- Stainless steel heating plate.
- Lid.
- Auto shut off.
- Overheating safety device.
- Cordless. 360° swivel base.
- Cord storage.



1,2 L CAPACIDAD MÁXIMA RAPIDEZ DE EBULLICIÓN 1500 W Máx.

CRISTAL DE BOROSILICATO LIBRE DE BPA

JARRA SIN CABLE

EAN 8421078033912
6 UDS

NUEVA GAMA ROJA, llena tu hogar de

color



JEHA1038

1 L kettle

230 V - 2,200 W

- Capacity 1 L.
- Maximum boiling capacity.
- Hidden heating element. Easy cleaning.
- Stainless steel heating plate.
- Internal water volume indicator.
- Tip up lid.
- Auto shut off.
- Overheating safety device.
- Heat insulating plastic handle.
- On switch.
- 360° swivel base.
- Cord storage.



JARRA
SIN CABLE



1 L
CAPACIDAD

MÁXIMA
RAPIDEZ DE
EBULLICIÓN

2200 W

PLACA
INOX

LIBRE DE
BPA

||||| EAN 8421078037194

6 UDS

HA717. 1.7 L KETTLE

230 V - Max. 2,200 W

- Capacity 1,7 L.
- Maximum boiling capacity.
- Cordless.
- Hidden heating element.
- Easy cleaning.
- Stainless steel heating plate.
- Tip up lid.
- Auto shut off.
- Overheating safety device.
- Water level indicator.
- Removable filter.
- On / off switch.
- Indicator light.
- 360° swivel base.
- Cord storage.



HA717

1,7L
CAPACIDAD

MÁXIMA
RAPIDEZ DE
EBULLICIÓN

PLACA
INOX

2200 W
Máx.

JARRA
SIN CABLE

||||| EAN 8421078033073
6 UDS

HA701. 1 L KETTLE

230 V - 2,200 W

- Capacity 1 L.
- Maximum boiling capacity.
- Cordless.
- Hidden heating element.
- Easy cleaning.
- Stainless steel heating plate.
- Tip up lid.
- Auto shut off.
- Overheating safety device.
- Water level indicator.
- Removable filter.
- On / off switch.
- 360° swivel base.
- Cord storage.



HA701

1L
CAPACIDAD

MÁXIMA
RAPIDEZ DE
EBULLICIÓN

PLACA
INOX

2200 W

JARRA
SIN CABLE

||||| EAN 8421078032977
6 UDS

HA547. 0.5 L KETTLE

230 V - 1,000 W

- Capacity 0,5 L.
- Maximum boiling capacity.
- Hidden heating element.
- Easy cleaning.
- Stainless steel heating plate.
- Tip up lid.
- Auto shut off.
- Overheating safety device.
- Water level indicator.
- On / off switch.
- Cord storage.



HA547

0,5 L
CAPACIDAD

MÁXIMA
RAPIDEZ DE
EBULLICIÓN

PLACA
INOX

1000 W

LIBRE DE
BPA

||||| EAN 8421078032014
6 UDS

80 years
in your homes





Plancha de asar electrónica Excellence

230 V - 2.700 W




CONTROL
ELECTRÓNICO

DISEÑADO EN
ESPAÑA



SISTEMA
SUPER DIET


2700 W

RESISTENCIA
PATENTADA

SUPERFICIE
480 x 320

GR3000



- "Excellence" heating element. Perfect heat performance over all the surface.
- Electronic function control.
- 4 temperatures: 75 / 120 / 160 / 230 °C.
- Minimum temperature suitable for heating plates.
- Granite Black non-stick coating free of PFOA.
- Granite Black great hardness and excellent scratch resistance.
- "Super Diet" system: To slope the plate and make easier the sauce collecting.
- Removable cable cord.
- Sauce tray.
- Cold touch handles.
- Table carrying.
- Easy cleaning.



JEGR2851



2600W de potencia
Resistencia M-Magic
 El calor se distribuye de manera uniforme
Recubrimiento ANTIADHERENTE
Stonite: Gran dureza



SUPERFICIE 460 x 280

JEGR2851
STONITE ELECTRIC GRILL
 230 V - 2,600 W

- Patented M-shaped heating element. **Cooks in all the surface**, ensuring perfect heat diffusion.
- Electronic temperature control: 75 / 120 / 160 / 230 °C.
- Minimum temperature suitable for heating plates.
- Stonite high quality PFOA-free non-stick coating.
- Super Diet system which helps fat and sauces collecting.
- Measures 460 x 280 mm.
- Removable cable cord.
- Cold touch handles.
- Easy cleaning.



EAN 8421078036388
 2 UDS

GR2600

GR2600
M-MAGIC ELECTRIC GRILL
 230 V - 2,600 W

- ResisHeating element in "M". **Cooks in all the surface.**
- Electronic function control.
- 4 temperatures: 75 / 120 / 160 / 230 °C.
- Minimum temperature suitable for heating plates.
- Non-stick coating free of PFOA.
- "Super Diet" system: To slope the plate and make easier the sauce collecting.
- Measures 460 x 280 mm.
- Removable cable cord.
- Sauce tray.
- Cold touch handles.
- Table carrying.
- Easy cleaning.



SUPERFICIE 460 x 280



EAN 8421078035534
 2 UDS

PLANCHAS DE ASAR

JT950

JT950. M-MAGIC ELECTRIC GRILL

230 V - 2,500 W

- ResisHeating element in "M". Cooks in all the surface.
- "Super Diet" system: To slope the plate and make easier the sauce collecting.
- Removable adjustable thermostat of temperature.
- Sauce tray.
- Cold touch handles.
- Suitable for the dishwasher.
- Table carrying.
- Easy cleaning.
- Manufactured in Spain.



SUPERFICIE
460 x 280



SUPERFICIE
**GRANITE
BLACK**

GRANITE BLACK
Non-stick property
Resistance to corrosion
Firmness to heat
Force against erosion



||||| EAN 8421078033509
6 UDS

GR558



- **Recubrimiento ECOLÓGICO libre de PFOA**
- **Recubrimiento ANTIADHERENTE Pfluon Granite: Dureza extrema y resistencia al rayado**

GR558. M-MAGIC GRILL

230 V - 2,500 W

- ResisHeating element in "M". Cooks in all the surface.
- "Super Diet" system: To slope the plate and make easier the sauce collecting.
- Removable adjustable thermostat of temperature.
- Sauce tray.
- Cold touch handles.
- Suitable for the dishwasher.
- Table carrying.
- Easy cleaning.
- Manufactured in Spain.



SUPERFICIE
480 x 320



||||| EAN 8421078032649
6 UDS



SUPERFICIE
**GRANITE
BLACK**



GR557A

GR557A. M-MAGIC GRILL

230 V - 2,500 W

- ResisHeating element in "M". Cooks in all the surface.
- "Super Diet" system: To slope the plate and make easier the sauce collecting.
- Removable adjustable thermostat of temperature.
- Sauce tray.
- Cold touch handles.
- Suitable for the dishwasher.
- Table carrying.
- Easy cleaning.
- Manufactured in Spain.



SUPERFICIE
460 x 280



RESISTENCIA
PATENTADA

stonite
antiadherente

MAGIC
RESISTENCIA PATENTADA

LIBRE DE
PFOA

||||| EAN 8421078029991
6 UDS

GR555A

GR555A. M-MAGIC GRILL

230 V - 2,500 W

- ResisHeating element in "M". Cooks in all the surface.
- "Super Diet" system: To slope the plate and make easier the sauce collecting.
- Removable adjustable thermostat of temperature.
- Sauce tray.
- Cold touch handles.
- Suitable for the dishwasher.
- Table carrying.
- Easy cleaning.
- Manufactured in Spain.



Fabricado en España
2500W de potencia
Tecnología M-Magic (El calor se distribuye de manera uniforme)



SUPERFICIE
460 x 280



RESISTENCIA
PATENTADA

LIBRE DE
PFOA

||||| EAN 8421078026532
6 UDS



SUPERFICIE
GRANITE
BLACK

MAGIC
RESISTENCIA PATENTADA

GR669 - GR559

GR669/GR559. TERRACOTTA ELECTRICS GRILLS

230 V - 1,600 W

- Terracotta fired at high temperature. Extreme hardness.
- Artisan manufacturing.
- Unaffected by use or by time.
- Cooks all kinds of fish and meat.
- The unique and natural taste.
- Scratchproof. Surface knife proof cutting.
- Removable adjustable thermostat of temperature.
- Cold touch handles.
- Table carrying.
- Easy cleaning.
- Manufactured in Spain.

SUPERFICIE
460 x 280

FABRICADAS EN
ESPAÑA
FABRICADAS EN



SUPERFICIE
TERRACOTA
FABRICACIÓN
ARTESANAL

GR669



GR669
EAN 8421078034285
2 UDS

GR559



GR559
EAN 8421078030607
2 UDS



EXHIBITOR
POLYVALENT
FOR THE PURCHASE
OF 6 UNITS, THE
EXHIBITOR MAY BE
INCLUDED



Diseñado y fabricado en España

2500W de potencia

Resistencia M-Magic
(el calor se distribuye de manera uniforme)

Diseño slim

TERMOSTATO REGULABLE

SISTEMA SUPER DIET

2500 W

RESISTENCIA PATENTADA

230 V - 2.500 W

FABRICADA EN ESPAÑA FABRICADA EN

JEGR0550

Electric grill

SENSES

Incluye espátula de regalo.



SUPERFICIE
460 x 280



- Designed and manufactured in Spain.
- Slim design for easy storage.
- Ergonomic handles.
- Large capacity sauce tray.
- TERRASTONE super resistant non-stick coating.
- High quality and very durable 3-layer non-stick.
- The 100% PFOA-free and environmentally friendly coating.
- High quality cast aluminum.
- Heating element in "M". Cooks in all the surface.
- "Super Diet" system: To slope the plate and make easier the sauce collecting.
- Measures 460 x 280 mm.
- Removable adjustable thermostat of temperature.
- Cold touch handles.
- Table carrying.
- Easy cleaning.

MAGIC
RESISTENCIA PATENTADA

RECUBRIMIENTO
TERRASTONE
COPPERMAX

LIBRE DE
PFOA

||||| EAN 8421078037293
4 UDS

JEGR1603

NOVEDAD
OTOÑO



SUPERFICIE
600 x 350

XXL electric grill

230 V - 2,400 W

- **M-Magic patented resistance: Cook equally on the entire surface.**
- Large surface of 60 x 35 cm.
- PFOA free non-stick coating.
- Cold touch handles.
- Table carrying.
- High resistance against the scratches.
- Sauce collecting tray.
- Adjustable and removable temperature thermostat.
- Easy cleaning.



SUPERFICIE
600 x 350

2400 W

MAGIC
RESISTENCIA PATENTADA

LIBRE DE
PFOA

||||| EAN 8421078038122

📦 2 UDS

GR195. ELECTRIC ROASTING GRILL

230 V - 2,200 W

- Non-stick coating free of PFOA. Whitford Xylan® Plus.
- High resistance against the scratches.
- Surface 460 x 250 mm.
- Removable adjustable thermostat of temperature.
- Table carrying.
- Sauce tray.
- Easy cleaning.



GR195

TERMOSTATO
REGULABLE

RECUBRIMIENTO
Xylan
Plus
Whitford's Xylan® Plus

2200 W

LIBRE DE
PFOA

SUPERFICIE
460 x 250

||||| EAN 8421078032656

📦 4 UDS

GR217. ELECTRIC ROASTING GRILL

230 V - Max. 2,200 W

- Non-stick coating free of PFOA. Whitford Xylan® Plus.
- High resistance against the scratches.
- Surface 550 x 260 mm.
- Cold touch handles.
- Removable adjustable thermostat of temperature.
- Table carrying.
- Sauce tray.
- Easy cleaning.



GR217

RECURRIMIENTO
Xylan
Plus
Always a complete mealSUPERFICIE
550 x 260

||||| EAN 8421078034773
 📦 4 UDS

GR213. ELECTRIC ROASTING GRILL

230 V - 2,000 W

- Non-stick coating free of PFOA.
- High resistance against the scratches.
- Surface 490 x 270 mm.
- Table carrying.
- Removable adjustable thermostat of temperature. Cold touch handles.
- Sauce tray.
- Easy cleaning.



GR213

LIBRE DE
PFOASUPERFICIE
490 x 270

||||| EAN 8421078034438
 📦 4 UDS

GR204N. ELECTRIC ROASTING GRILL

230 V - 2,000 W

- High resistance against the scratches.
- Surface 445 x 300 mm.
- Removable adjustable thermostat of temperature.
- Cold touch handles.
- Suitable for the dishwasher.
- Table carrying.
- Sauce tray.
- Easy cleaning.



GR204N

LIBRE DE
PFOASUPERFICIE
445 x 300

||||| EAN 8421078030850
 📦 4 UDS




**TERMOSTATO
REGULABLE**

1000 W
**SUPERFICIE
DURASTONE**

**SUPERFICIE
280 x 220**

**FABRICADAS EN
ESPAÑA
FABRICADAS EN**

230 V - 1.000 W



Mod. GR205



Mod. JEGR5501





Mod. JEGR5522


Electric roasting griddle

- "Durastone" non-stick flat surface.
- Removable adjustable thermostat of temperature.
- Cold touch handles.
- Suitable for the dishwasher.
- Surface 280 x 220 mm.
- Table carrying.
- Sauce tray.
- Easy cleaning.
- Manufactured in Spain.



GR205	
	EAN 8421078029854
	6 UDS

JEGR5501	
	EAN 8421078036647
	6 UDS

JEGR5522	
	EAN 8421078037484
	6 UDS



DOWNLOAD
RECIPES

JEBQ1001

JEBQ1001. ELECTRO BARBECUE WITH FEET

230 V - 2,200 W

- Totally detachable.
- Grill with 2 levels for meat and fish.
- Stainless steel tray.
- Shielded resistance.
- Tray / lower support.
- Two cooking options: table / standing.
- Standing height: 80 cm.
- Cook without fumes and odours.
- On pilot light.
- Easy cleaning.



SUPERFICIE 400 x 230

TERMOSTATO REGULABLE

2200 W

EAN 8421078035992
4 UDS

JEBQ1002

JEBQ1002. ELECTRO BARBECUE WITH FEET

230 V - 1,800 W

- Totally detachable.
- Stainless steel tray.
- Shielded resistance.
- Tray / lower support.
- Two cooking options: table / standing.
- 2 side panels for working area.
- Windproof panel with top grille.
- Standing height: 80 cm.
- Cook without fumes and odours.
- On pilot light.
- Easy cleaning.



SUPERFICIE 400 x 240

TERMOSTATO REGULABLE

1800 W

REMOVABLE ALUMINIUM PLATE



EAN 8421078036166
2 UDS

EBQ2

EBQ2. ELECTRIC BARBECUE

"INDOOR BBQ". 230 V - 2,000 W

- For indoor and outdoor use.
- New barbecue concept.
- Barbecue in your kitchen: cooks without smoke and odor.
- Aluminium body with spray protection.
- Stainless steel tray.
- Totally detachable.
- Removable cable cord.
- Grid with handle protected by silicone.
- 2 positions: meat / fish.
- "Long life" shielded resistance.
- On switch.



COCINA SIN HUMOS/OLORS

SUPERFICIE 400 x 260

2000 W



EAN 8421078035558
3 UDS

BQ108



Electric barbecue

230 V - 1,250 W

- Totally detachable.
- Die-cast aluminium grill plate.
- Non-stick coating PFOA free.
- Cook without fumes and odours.
- Removable adjustable thermostat of temperature.
- Easy cleaning.
- Sauce tray.



SUPERFICIE
320 x 260

⚡
1250 W

LIBRE DE
PFOA

||||| EAN 8421078035541

📦 4 UDS

BQ95. ELECTRIC BARBECUE

2230 V - 2,000 W

- Totally detachable.
- Grill with 2 levels for meat and fish.
- Stainless steel tray.
- Surface 280 x 220 mm.
- "Long life" shielded resistance.
- Cook without fumes and odours.
- Pilot light.
- Easy cleaning.



Especial para interiores

BQ95

🚫
COCINA SIN
HUMOS/OLORES

🔪
DOS ALTURAS
DE COCINADO

⚡
2000 W

||||| EAN 8421078033233

📦 4 UDS



COCINA SIN HUMOS / OLORES



DOS ALTURAS DE COCINADO

BANDEJA ACERO INOX

COCINA SANA



2400 W



Especial para interiores

230 V - 2.400 W

BQ101

Electric barbecue without smoke

- Totally detachable.
- Grill with 2 levels for meat and fish.
- Surface 340 x 240 mm.
- High power.
- Stainless steel tray.
- "Long life" shielded resistance
- Cooks without fumes and odours.
- Easy cleaning.

Mod. BQ101

Mod. BQ5101AM

BQ101

||||| EAN 8421078022343

📦 4 UDS

BQ5101AM


||||| EAN 8421078035800

📦 1 UD

NOVEDAD
OTOÑO **N**



JEGR1107



Contact grill

230 V - 1,000 W



- Non-stick coating free of PFOA.
- Plates: 225 x 140 mm.
- Floating hinge system.
- Cold touch handle.
- Uniform roasting pressure.
- Cooks all kinds of fish and meat.
- 2 independent pilot lights: on / ready.
- 180° open as a grill.
- Skid-resistance feet.
- Overheating safety device.
- Closing clip.



||||| EAN 8421078037989

6 UDS

GR266



Double grill "3 en 1"

230 V - 1,000 W

- Mixed plates: 270 x 140 mm.
- Adjustable upper plate special for hamburgers, entrecôte, sandwiches and fish.
- 180° open as a grill.
- Uniform roasting pressure.
- Cooks all kinds of fish and meat.
- Cold touch handle.
- Sauce tray.

GRILL
3 en 1180°
APERTURA

1000 W

LIBRE DE
PFOA

EAN 8421078029731

2 UDS

AC266

AC266. ACCESSORIES FOR GRILL GR266

- 2 fry pans included:
 - Non-stick coating.
 - Diameter 12 cm.
 - Inox handle with silicone.
- Adjustable plates with non-stick coating.
- Recipes included.



2 pan included

EAN 8421078032465

4 UDS

R266

R266. TWO SPARE FRYING PANS



EAN 8421078032816

8 UDS

SET266

SET266. INCLUDES GR266 + AC266

EAN 8421078032496

2 UDS

GAMA INOX NEGRO



JEGR1106

**JEGR1106. CONTACT GRILL
FLATTED PLATES**

230 V - 750 W

- Non-stick coating free of PFOA.
- Plates: 225 x 146 mm.
- Floating hinge system.
- 180° open as a grill.
- Uniform roasting pressure.
- Cold touch handle.
- Cooks all kinds of fish and meat.
- 2 independent pilot lights: on / ready.
- Non slip feet.
- Closing clip.

JEGR1913

**JEGR1913. CONTACT GRILL
FLATTED PLATES**

230 V - 2,000 W

- Non-stick coating free of PFOA.
- Special floating hinge system on upper plate for the perfect cooking of extra volume foods.
- 180° open as a grill.
- Overheat safety protection.
- Cold touch handles.
- Uniform grill pressure.
- "2 independent pilot lights: On / Ready."
- Plates: 290 x 240 mm.
- Sauce collecting tray.



PLACAS
225 x 146



PLACAS
290 x 240

||||| EAN 8421078037156
6 UDS



||||| EAN 8421078036906
2 UDS



GR594. STAINLESS STEEL DOUBLE ROASTING GRILL. 230 V - 2,000 W

- "Super Diet" system. To slope the plate and make easier the sauce collecting.
- Stainless steel body.
- Floating hinge system with 2 levels.
- 180° open as a grill.
- Uniform roasting pressure.
- Plates: 295 x 235 mm.
- Closing clip for storage.
- 2 sauce cups.



2 sauce cups

GR594



PLACAS
295 x 235

||| EAN 8421078034421
4 UDS

JEGR1595. CONTACT GRILL RIBBED PLATES

230 V - 2,000 W

- 180° open as a grill.
- Special floating hinge system on upper plate for the perfect cooking of extra volume foods.
- Uniform grill pressure.
- Non-stick coating free of PFOA.
- Overheat safety protection.
- Cold touch handles.
- 2 independent pilot lights.
- Plates: 29 x 24 cm.
- Sauce collecting tray.



PLACAS
290 x 240

||| EAN 8421078036913
2 UDS

GR1100



Contact grill

230 V - 2,000 W

- Die-casting aluminium body.
- Floating hinge system.
- Stainless steel handles.
- Mixed plates: 275 x 240 mm.
- Non-stick coating free of PFOA.
- 180° open as a grill.
- 6 position adjustable upper plate special for hamburgers, entrecôte, sandwiches and fish.
- 2 independent pilot lights: on / ready.
- Sauce tray.
- Closing clip for storage.



PLACAS
275 x 240

||||| EAN 8421078021285

📦 2 UDS



DOWNLOAD
RECIPES

JEBT1241

**NOVEDAD
PRIMAVERA** **N**



Glass blender

230 V - 1,200 W

- High performance power of 1,200 W.
- Professional AC motor.
- 6 resistant stainless steel blades.
- Graduated glass jug of 1.75 L. with pouring spout and transparent cap measuring 50 ml.
- 4 speed levels + pulse.
- Ice-crushing.
- Overheating safety device.
- Homologated safety system.
- Non-slip feet.

CUCHILLAS INOXIDABLES
 JARRA 1,75L
 INOX
 AC MOTOR PROFESIONAL
 1200 W
 LIBRE DE PFOA



||||| EAN 8421078037705
📦 2 UDS

BT1200. STAINLESS STEEL GLASS BLENDER

230 V - 1,200 W

- Stainless steel body.
- 6 extra large stainless steel serrated blades.
- 5 speeds + pulse.
- Ice-crushing.
- Homologated safety system.
- Integrated cord storage.



BT1200

CUCHILLAS INOXIDABLES
 JARRA 1,7L
 INOX
 AC MOTOR PROFESIONAL
 1200 W
 LIBRE DE PFOA

PRO SERIES

||||| EAN 8421078032823
📦 2 UDS

BT1056. TRITAN ELECTRONIC BLENDER

230 V - 2,000 W

- Great Power 2.000 W. (33.000 rpm).
- High performance AC motor.
- Integrated electronic action.
- Stainless steel body.
- TRITAN jar, light and maximum resistance. Capacity 2 L.
- BPA free.
- Electronic speed control knob.
- Pulse and functioning knobs.
- 3 automatic functions: Smoothie / Sauce / Ice-crushing.
- Lid with dispenser and security closing.
- Homologated safety system.
- Integrated cord storage.



BT1056



LIBRE DE BPA

PRO SERIES

EAN 8421078035244
2 UDS

BT1050. TRITAN ELECTRONIC BLENDER

230 V - 1,600 W

- Integrated electronic action.
- Touch screen:
 - On / off.
 - Smoothie.
 - Ice-crushing.
 - Start / stop.
 - 8 speeds
 - Pulse.
 - Extra time.
- 6 extra large stainless steel serrated blades.
- Stainless steel body.
- Lid with dispenser and security closing.
- Homologated safety system.
- Anti-sliding base.



BT1050



PANEL MANDO TÁCTIL ELECTRÓNICO

LIBRE DE BPA

PRO SERIES

EAN 8421078034605
2 UDS

BT795. GLASS BLENDER

230 V - 1,200 W

- High performance AC motor.
- 6 extra large stainless-steel serrated blades.
- Glass jar 1,5 L.
- 3 speeds + pulse.
- Ice-crushing.
- Millimetre detachable jar.
- Homologated safety system.
- Anti-sliding base.



BT795



LIBRE DE BPA

EAN 8421078035510
2 UDS


JEBT1500

GAMA INOX NEGRO

Stainless steel glass blender

230 V - 1,500 W

- High performance AC motor.
- Stainless steel body.
- Glass jar 1,5 L.
- 2 speeds + turbo.
- Wide filling opening with transparent stopper.
- Stainless steel serrated blade, high performance.
- Ice-crushing.
- Non-slip base.
- Homologated safety lock system.
- Millimetre detachable glass jug.
- Indicator light.



EAN 8421078036241

2 UDS

BT604N

BT604N. STAINLESS STEEL GLASS BLENDER. 230 V - 1,300 W

- Glass jar 1,5 L.
- 4 stainless steel blades.
- 2 speeds + pulse.
- Stainless steel body.
- Stainless steel serrated blade.
- Ice-crushing.
- Homologated safety system.
- Millimetre detachable jar.



BT604N

||||| EAN 8421078034681
 📦 3 UDS

BT5030

||||| EAN 8421078035336
 📦 2 UDS



BT797



Stainless steel glass blender

230 V - 1,300 W

- Glass jar 1,5 L.
- 4 stainless steel blades.
- 2 speeds + pulse.
- Stainless steel body.
- Stainless steel serrated blade.
- Ice-crushing.
- Homologated safety system.
- Millimetre detachable jar.



||||| EAN 8421078034698
 📦 3 UDS

JEBT1265

230 V - 1.300 W

NOVEDAD
PRIMAVERA

N



Glass blender

- Great power 1.300 W.
- High performance AC motor.
- Glass jar 1,5 L.
- 2 speeds + pulse.
- Homologated safety system.
- Detachable jar.
- Ice-crushing.
- High resistance stainless steel blades.
- Anti-sliding base.



Mod. JEBT1265



Mod. BT265



JEBT1265

||||| EAN 842107807699
 📦 4 UDS

BT265

||||| EAN 8421078035077
 📦 4 UDS

JEBT1001



Personal blender

230 V - 600 W

- Double function graduated glass (glass/bottle) with 600 ml capacity.
- Light and portable glass/bottle.
- Sports bottle with lid with carrying handle and spout.
- BPA free.
- Approved safety lock system.
- 4 removable easy-to-clean stainless steel blades for a homogeneous mixture.
- Two-speed selector + Pulse.
- Perfect for fruit, vegetables and ice.
- Suitable for nuts.
- Non-slip base.
- Size: 35 x 12,4 cm.



||||| EAN 8421078037125
 6 UDS




BLOQUEO DE SEGURIDAD

BT124. STAINLESS STEEL HAND BLENDER

230 V - 400 W

- Removable stainless steel stick.
- Stainless steel double blade.
- 2 pushers. 2 speeds.
- Ergonomic handle.
- Hanging ring.



BT124




EAN 8421078035206
9 UDS

BT126. STAINLESS STEEL HAND BLENDER

230 V - 400 W

- Removable stainless steel stick.
- Stainless steel blade.
- On button.
- Ergonomic handle.



BT126



EAN 8421078033240
9 UDS

BT158. STAINLESS STEEL HAND BLENDER

230 V - 700 W

- Removable stainless steel stick.
- Stainless steel double blade.
- 2 pushers. 2 speeds.
- Ergonomic handle.
- Measure cup included, 800 ml.



INCLUYE VASO MEDIDOR 800 ml



BT158



EAN 8421078033257
6 UDS

JEBT1945. ELECTRONIC HAND BLENDER

230 V - 800 W

- Electronic speed control knob.
- Stainless-steel double blade, great strength.
- Removable stainless steel stick.
- 2 pushers.
- Turbo function.
- Ergonomic handle.
- Hanging ring.
- Anchorage system.
- Anti-splash design.
- Ergonomic design.



Metal gift storage box



JEBT1945



EAN 8421078036210
6 UDS

JEBT1790

JEBT1790. ELECTRONIC HAND BLENDER

230 V - Max. 800 W

- Great power Max. 800 W.
- Electronic speed control knob.
- Stainless-steel double blade, great strength.
- Removable stainless steel stick.
- 2 pushers.
- Accessories included:
 - Chopper.
 - 500 ml. measuring cup.
- Turbo function.
- Ergonomic handle and hanging ring.
- Anchorage system.
- Anti-splash design.
- Ergonomic design.



INCLUYE VASO MEDIDOR 500 ml



INOX



TURBO

EAN 8421078036890
4 UDS

INCLUYE **2** ACCESORIOS

JEBT1852



Electronic inox hand blender

230 V - Max. 900 W

- Stainless-steel double blade, great strength.
- Beat, chop and crush.
- Electronic speed control knob.
- Safety push button.
- Ergonomic handle.
- Removable stainless-steel stick.
- Measure cup included, 700 ml.

INCLUYE VASO MEDIDOR 700 ml



BLOQUEO DE SEGURIDAD



EAN 8421078037217
6 UDS

BT175. ELECTRONIC STAINLESS STEEL HAND BLENDER. 230 V - Max. 900 W

- Electronic speed control knob.
- Safety push button.
- Removable stainless-steel stick.
- Stainless-steel double blade, great strength.
- Ergonomic handle.
- Measure cup included, 700 ml.



INCLUYE VASO MEDIDOR 700 ml



BT175



INOX



ACERO INOX

||||| EAN 8421078034452
 6 UDS

N NOVEDAD OTOÑO

JEBT1853. INOX HAND BLENDER

230 V - 1,000 W

- Great power 1.000 W
- Spiral cable for greater autonomy.
- Removable stainless steel stick.
- 4 Stainless-steel blades, great strength.
- 2 pushers. 2 speeds.
- Ergonomic handle.
- Measure cup included, 700 ml.



Spiral cable



INCLUYE VASO MEDIDOR 700 ml



JEBT1853



INOX



ACERO INOX

||||| EAN 8421078037972
 6 UDS

BT176. ELECTRONIC HAND BLENDER

230 V - 1,000 W

- Electronic speed control knob.
- Removable stainless steel stick.
- Stainless steel double blade.
- Power pusher.
- Ergonomic handle.
- Hanging ring.
- Measure cup included, 600 ml.



INCLUYE VASO MEDIDOR 600 ml



Mod. BT176



Mod. BT5025

BT176



INOX



ACERO INOX

BT176
 ||||| EAN 8421078034728
 6 UDS

BT5025
 ||||| EAN 8421078035305
 6 UDS

BT177. ELECTRONIC HAND BLENDER

230 V - 1,000 W

- Electronic speed control knob.
- Stainless steel double blade.
- Removable stainless-steel stick.
- Power pusher.
- Accessories included:
 - Whisker.
 - Chopper.
 - Measure cup 600 ml.
- Ergonomic handle.



BT177

REGULADOR ELECTRÓNICO ACCESORIOS INCLUIDOS INOX


DOBLES CUCHILLAS 1000 W ACERO INOX

||||| EAN 8421078034735
 4 UDS

BT185. ELECTRONIC HAND BLENDER

230 V - 1,000 W

- Electronic speed control knob.
- Titanium double blade of great strength.
- Removable stainless steel stick.
- 2 pushers.
- Stainless steel frontal panel.
- 600 ml measuring cup with lid.
- Soft touch ergonomic handle.
- Hanging ring.



INCLUYE VASO MEDIDOR 600 ml



BT185

REGULADOR ELECTRÓNICO INOX 1000 W


DOBLES CUCHILLAS TITANIUM

||||| EAN 8421078033639
 6 UDS

BT166. ELECTRONIC HAND BLENDER

230 V - 1,000 W

- Great power 1.000 W.
- Titanium double blade.
- Electronic speed control knob.
- Removable stainless-steel stick.
- Power pusher.
- Ergonomic handle.
- Hanging ring.
- Measure cup included, 500 ml.
- Available in 3 colours.



INCLUYE VASO MEDIDOR 500 ml



BT166

REGULADOR ELECTRÓNICO INOX 1000 W

DOBLES CUCHILLAS TITANIUM



||||| EAN 8421078035404
 9 UDS

JEBT5026

Stainless steel hand blender

230 V - 1,000 W

- Electronic speed control knob.
- Titanium double blade of great strength.
- Removable stainless steel stick.
- 2 pushers.
- Stainless steel frontal panel.
- Accessories included:
 - Whisker.
 - Chopper.
 - 600 ml measuring cup with lid.
- Indicator light.
- Soft touch ergonomic handle.
- Hanging ring.



Mod. JEBT5026

Mod. BT199

3
INCLUYE
ACCESORIOS

JEBT5026

||||| EAN 8421078035749
📦 4 UDS

BT199

||||| EAN 8421078033646
📦 4 UDS



INCLUYE
VASO MEDIDOR
600 ml

BT157

BT157. ELECTRONIC HAND BLENDER

230 V - Max. 1,000 W

- Electronic inox stick blender.
- Electronic speed control knob.
- Stainless steel double blade.
- Removable stainless-steel stick.
- 2 speed pushers.
- Accessories included:
 - Chopper.
 - 700 ml measure cup with lid.
- Ergonomic handle.
- Hanging ring.



INCLUYE
**VASO MEDIDOR
600 ml**
con tapa



ACERO INOX


||||| EAN 8421078035152
📦 4 UDS

JEBT1950

JEBT1950. ELECTRONIC HAND BLENDER

230 V - 1,100 W

- Stainless steel double blade.
- Beat, chop and crush.
- 2 button with turbo function.
- Electronic speed control knob.
- Locking system with thread.
- Removable stainless steel stick.
- Ergonomic handle.
- Hanging ring
- Cord length 1,15 m.



||||| EAN 8421078036524
📦 6 UDS

BT159

BT159. ELECTRONIC HAND BLENDER

230 V - 1.200 W

- Great power 1.200 W.
- Electronic speed control knob.
- Stainless steel double blade.
- Removable stainless-steel stick.
- 2 speed pushers.
- Ergonomic handle.
- Container of 2 L.



Recipiente 2 en 1
Envase para batir
y de almacenamiento.



||||| EAN 8421078035374
📦 6 UDS

JEBT1855

230 V - Máx. 1.200 W

N NOVEDAD
OTOÑOPIE
EXTRA
LARGO
26 CMCABLE
EXTENSIBLE
EN ESPIRALDOBLE
CUCHILLA
INOX⚡
1200 W
MÁX.

Extra long stainless steel hand blender

- Extra long stainless steel arm.
- Great power 1.200 W.
- 4 Stainless-steel blades, great strength.
- Beat, chop and crush.
- Spiral cable for greater autonomy.
- Electronic speed control knob.
- TURBO button.
- Detachable arm for easy cleaning
- One-click anchoring system, safer and easier.
- Ergonomic handle.



||||| EAN 8421078038030
 📦 6 UDS

BT169

BT169. ELECTRONIC HAND BLENDER

230 V - 1,200 W

- Great power 1.200 W.
- Electronic speed control knob.
- Stainless steel double blade.
- Removable stainless-steel stick.
- 2 speed pushers.
- Accessories included:
 - Chopper.
 - Measure cup 800 ml.
- Ergonomic handle.



INCLUYE VASO MEDIDOR 800 ml



ACERO INOX

INCLUYE **2** ACCESORIOS

||||| EAN 8421078035411
 6 UDS

JEBT1851

⚡
1500 W
 MÁX.



Electronic hand blender

230 V - Max. 1,500 W

- Great power Max. 1500 W.
- Ergonomic handle.
- Electronic speed control knob.
- Turbo function.
- Hanging ring.
- Beat, chop and crush.
- Removable stainless-steel stick.
- 4 Stainless-steel blades, great strength.
- Measure cup included, 600 ml.

INCLUYE VASO MEDIDOR 600 ml



||||| EAN 8421078037095
 6 UDS



JEBT1791

230 V - Máx. 1.500 W





1500 W

**NOVEDAD
OTOÑO**


Electronic inox hand blender

- Great power max. 1.500 W.
- Electronic speed control knob.
- 4 Stainless-steel blades, great strength.
- Removable stainless-steel stick.
- 2 speed pushers.
- Accessories included:
 - Chopper.
 - 700 ml measure cup with lid.
- Ergonomic handle.
- Hanging ring.

 EAN 8421078038047

 4 UDS

**FUNCIÓN
TURBO**
**INCLUYE
VASO MEDIDOR
700 ml**

ACERO INOX

BT575. HAND BLENDER MIXER

230 V - 400 W

- 5 speeds + turbo.
- 5 exchangeable accessories.
- 2 spirals for kneading.
- 2 rods for mixing.
- Stainless steel stick blender.



BT575

VELOCIDADES 5
 PIE BATIDOR INOX
 400 W
 TURBO

EAN 8421078033967
 6 UDS

MZ670. KNEADER / BLENDER WITH BOWL

230 V - 350 W

- Stainless steel bowl.
- 5 speeds.
- Rotary base for mixing and kneading.
- Knob to fix the bowl position.
- 2 spirals for kneading.
- 2 rods for mixing.
- Skid-resistance feet.



MZ670

VELOCIDADES 5
 3,5L CAPACIDAD
 INOX
 350 W

EAN 8421078034568
 4 UDS

JEMA5502. FOOD PROCESSOR

230 V - 1,200 W

- Great power 1.200 w.
- 100% stainless steel bowl. Capacity 5 L.
- Electronic speed control knob.
- Splash cover with lid to refilling.
- Rotary movement.
- 6 speeds + Pulse function.
- Tilt button.
- Accessories:
 - Dough hook, special for heavy dough.
 - Egg whisk.
 - Mixing beater.
- Easy cleaning.
- Skid-resistance feet.



JEMA5502

REGULADOR ELECTRONICO
 VELOCIDADES 6
 5L CAPACIDAD
 INOX
 1200 W

EAN 8421078037903
 2 UDS



Food processor



- 100% stainless steel bowl. Capacity 5 L.
- Electronic speed control knob.
- Splash cover with lid to refilling.
- Rotary movement.
- 6 speeds + Pulse function.
- Tilt button.
- Accessories:
 - Dough hook, special for heavy dough.
 - Egg whisk.
 - Mixing beater.
- Easy cleaning.
- Skid-resistance feet.

||||| EAN 8421078036937

📦 2 UDS

PC123N. CHOPPER

230 V - Max.650 W

- 1, 2, 3 steps chopping.
- Suitable to chop all kind of food.
- Great capacity.
- On / off lid pusher.
- Safety switch.
- Stainless steel blade.
- Detachable for easy cleaning.



PC123N



LIBRE DE **BPA**

EAN 8421078033394
6 UDS

JEPC1250 / JEPC1251. CHOPPERS

230 V - 400 W

- Suitable for chopping all kinds of food, even ice.
- Glass bowl with 1.5 L capacity.
- Start button with 2 speeds.
- Safety switch.
- 4 stainless steel blades.
- Detachable for easy cleaning.
- Anti-sliding base.



Mod. JEPC1250



Mod. JEPC1251



N NOVEDAD OTOÑO

JEPC1250

EAN 8421078036883
4 UDS

JEPC1251

EAN 8421078037675
4 UDS

JEYG2266. YOGURT MAKER

230 V - 20 W

- "7 glass pots with lid (180 ml suitable for dishwasher."
- 1,26 L Capacity.
- BPA free.
- Non-slip feet.
- Stainless steel base.
- ON/OFF switch.
- Power indicator light.
- Length of the cord 0,80 mt.
- Measures: 24 x 12,5 cm.



INCLUYE 7 VASOS



EAN 8421078037118
4 UDS



3 YOGURT MAKER SPARE PARTS

JREC2266

EAN 8421078037378
15 UDS

JECR1000

NOVEDAD
OTOÑO

N

230 V - 1.200 W



Crepe maker

- Large 30 cm diameter surface.
- Includes spreader and crepe spatula.
- PFOA-free non-stick coating.
- Adjustable temperature thermostat.
- 2 pilot lights ON / ready.
- Non-slip feet.
- Upright storage.
- Cord storage.
- Overheating safety device.



||||| EAN 8421078038139

📦 6 UDS



PAL97

Popcorn maker

230 V - 1,200 W

PALOMITAS EN
3 minutos




- Popcorn without oil in 3 minutes.
- 60 g corn capacity.
- On / off switch.
- Anti-sliding base.
- Dispenser.
- Easy cleaning.

EV1026. VACUUM SEALER

230 V - 130 W

- Vacuum pressure: max. 0,85 bar.
- Pump capacity: 12 L. min.
- "Only seal" function.
- Sealing time: 6 seconds dry food / 9 seconds sauces.
- Marinate function.
- Vacuum bowl function.
- Includes:
 - Hermetic bowl with vacuum date indicator. Capacity 1 L. Suitable for the dishwasher and microwave. Measures: 16 x 16 x 6 cm.
 - Vacuum tube.
 - 2 wine stoppers.
 - 1 roll of 22 x 3 m.
 - 1 roll of 28 x 3 m.

**EV1026**

APTO PARA BOLSAS/ ROLLOS

12 L/min CAPACIDAD BOMBA

TUBO ASPIRADOR

0,85 bar POTENCIA SUCCION

130 W

PRO SERIES

INCLUDES
Hermetic bowl 1 L.
2 wine stoppers
1 roll of 22 x 3 m
1 roll of 28 x 3 m

||||| EAN 8421078029656
 2 UDS

EV107. VACUUM SEALER

230 V - 165 W

- Double sealing line.
- Vacuum pressure: max. 0,60 bar.
- Pump capacity: 5,5 L. min.
- "Only seal" function.
- "Soft seal" function to protect delicate food from crushing.
- Sealing time:
 - 11 seconds dry food.
 - 14 seconds sauces.
- Vacuum bowl function.
- Vacuum tube included.
- Suitable for bags of 28 cm wide.
- Bag roll holder.
- Vacuum chamber with removable tray.
- Cord storage.



Container not included

EV107

APTO PARA BOLSAS/ ROLLOS

5,5 L/min CAPACIDAD BOMBA

TUBO ASPIRADOR

0,60 bar POTENCIA SUCCION

165 W

||||| EAN 8421078034742
 4 UDS

EV109. VACUUM SEALER

230 V - 85 W

- Vacuum pressure: max. 0,60 bar.
- Pump capacity: 4,5 L. min.
- "Only seal" function. Suitable for using with roll.
- Sealing time 10 seconds.
- Vacuum bowl function.
- Vacuum tube included.
- Suitable for bags of 28 cm wide.



Container not included

EV109

APTO PARA BOLSAS/ ROLLOS

4,5 L/min CAPACIDAD BOMBA

TUBO ASPIRADOR

0,60 bar POTENCIA SUCCION

85 W

||||| EAN 8421078033943
 6 UDS



230 V - 90 W

GAMA INOX NEGRO

JEEV2210

Vacuum sealer

- Multiply per 5 the food life and keep unaffected the nutritional properties.
- Vacuum pressure: max. 0,60 bar.
- Pump capacity: 4,5 L. min.
- "Only seal" function. Suitable for using with roll.
- Sealing time 7-10 seconds.
- Vacuum bowl function. Vacuum tube included.
- Size: 37,3 x 7,7 x 5,6 cm
- Suitable for bags of 30 cm width max.
- Elegant design, light and compact.
- Magnets to hold on the fridge.
- Cutting blade for plastic rolls.
- Operating light indicators.
- Removable 1.4 Mt. cable for easy storage.

APTO PARA BOLSAS/ ROLLOS	45 Litros CAPACIDAD BOMBA	TUBO ASPIRADOR
0,60 bar POTENCIA SUCCION	EXTRAIBLE 1,4 m.	90 W

INCLUDES 10 GIFT BAGS

||||| EAN 8421078037187
 6 UDS



R22x6 - R28x6

R22x6 / R28x6. ROLLS

- Original roll spare part suitable for JATA vacuum sealer.

2
 ROLLOS POR CAJA



R22x6
 ||||| EAN 8421078029915
 15 UDS

R28x6
 ||||| EAN 8421078029939
 15 UDS

LIBRE DE BPA

B22x30 / B28x40

B22x30 / B28x40. BAGS

- Original bag spare part suitable for JATA vacuum sealer.

50
 BOLSAS SACOS BAGS



B22x30 22 x 30 cm
 ||||| EAN 8421078029953
 15 UDS

B28x40 28 x 40 cm
 ||||| EAN 8421078029977
 15 UDS

LIBRE DE BPA

CF1053. METAL SLICER

230 V - 200 W

- Detachable "Stonite" non-stick blade of 190 mm.
- "Stonite" non-stick coating free of PFOA.
- Switch 3 positions: continuous functioning, pulse and off.
- Maximum cut power.
- Detachable for easy cleaning.
- Thickness adjustment from 1 to 22 mm.



CF1053


stonite
 antiadherente

PRO SERIES

 EAN 8421078035053
 2 UDS
CF301. FOOD SLICER

230 V - 100 W

- Stainless steel cutting area.
- Metalized housing.
- Detachable steel blade.
- Anti-involuntary use double security system.
- Thickness adjustment from 0 to 15 mm.
- Folding housing.
- Slice-collector tray.
- Anti-sliding base.
- Detachable and easy cleaning.


 EAN 8421078021421
 4 UDS
JECF0300. FOOD SLICER

230 V - 150 W

- Detachable stainless steel blade of 170 mm.
- Anti-involuntary use security system.
- Thickness adjustment from 0 to 15 mm.
- Folding housing.
- Anti-sliding base.
- Detachable and easy cleaning.



JECF0300


 EAN 8421078036234
 4 UDS

JESW1232 / JESW1231

230 V - 750 W



Mod. JESW1232



Mod. JESW1231

Sandwich maker

- 2 full sandwiches "XXL".
- Plates with PFOA free non-stick coating.
- Perfect sealing.
- Quick and uniform toasting.
- 2 independent pilot lights: on / ready.
- Stand upright.
- Closing clip for storage.
- Easy cleaning.



XXL

JESW1232

||||| EAN 8421078036982
 ☐ 6 UDS

JESW1231

||||| EAN 8421078036715
 ☐ 6 UDS

SW551 / JESW1551

Sandwich maker

230 V - 1,400 W

- Cooks 4 XXL sandwiches at the same time.
- PFOA free non-stick coating plates.
- Perfect sealing.
- Quick and uniform toast.
- 2 independent pilot lights: on / ready.
- Vertical storage.
- Closing clip.
- Built-in cord storage.
- Easy cleaning.

N NOVEDAD
OTOÑO

Formato familiar


Mod. JESW1551

SW551

 ||||| EAN 8421078035466
 ☐ 4 UDS

JESW1551

 ||||| EAN 8421078038214
 ☐ 4 UDS

 4 SANDWICHES SIN CORTE  **XXL**  **1400 W**  **LIBRE DE PFOA**

SW546. SANDWICH MAKER

230 V - 1.500 W

- 4 full sandwiches.
- Plates with non-stick coating.
- Perfect sealing.
- Quick and uniform toasting.
- 2 independent pilot lights: on / ready.
- Stand upright with cord-wrap storage.
- Closing clip for storage.
- Easy cleaning.



SW546

 DOS PLACAS
 110 x 125

 **LIBRE DE PFOA**

 ||||| EAN 8421078032007
 ☐ 4 UDS

Freidoras de aire



Alexa te ayuda con los **TIEMPOS y GRADOS DE COCINADO** si le dices:

"Alexa, abre la Freidora de Aire."

o consulta directamente un alimento

"Alexa, preguntale a la Freidora de Aire cómo se hacen unas patatas."



*Tus mejores recetas,
sin aceite*

JEFR1221

RÁPIDAS Y FÁCILES RECETAS



PATATAS CHIP

TEMPERATURA: 180°
TIEMPO: 22'



DORADA PAPILLOTE

TEMPERATURA: 190°
TIEMPO: 25'



JEFR1221 OIL-FREE AIR FRYER 1.5 LITER

230 V - 1,000 W

- Get tasty and crispy results, without giving up your health.
- No oil.
- Adjustable temperature control from 80 to 200°C.
- Constant temperature by rapid air circulation.
- Rations for 2-3 people quickly and efficiently.
- Non-stick basket and compatible with any dishwasher.
- Compact and smart design.
- Timer 30 minutes.
- 2 independent light buttons: ON / OFF.
- Automatic switch off
- Overheating protection device.
- BPA free.
- Basket with handle.
- Basket dimensions: Ø15,5 cm. 9,5 cm height.



SIN ACEITE

1,5L
CAPACIDADDESCONEXIÓN
AUTOMÁTICATEMPORIZADOR
30 MIN

1000 W

LIBRE DE
BPA

EAN 8421078036265

2 UDS

JEFR1223

JEFR1223 OIL-FREE AIR FRYER 2 LITERS

230 V - 1.000 W

- Oil-free deep fryer with 1000 W power.
- High speed air circulation technology.
- Capacity 2 L.
- Timer 30 minutes.
- Non-slip feet.
- Adjustable temperature control from 80 to 200 °C.
- 17 cm diameter basket with non-stick coating and removable grid.
- BPA free.
- Overheating safety system.
- Automatic switch-off.
- Basket dimensions: Ø16 cm. 9,5 cm height.



SIN ACEITE

2 L
CAPACIDADTEMPORIZADOR
30 MIN

1000 W

LIBRE DE
BPA

Mod. JEFR1223



Mod. JEFR5392

JEFR1223

EAN 8421078037224

2 UDS

JEFR5392

EAN 8421078037392

2 UDS

JEFR1222

RÁPIDAS Y FÁCILES RECETAS



BERENJENA RELLENA

TEMPERATURA: 160°

TIEMPO: 8'



BROCHETAS DE POLLO

TEMPERATURA: 200°

TIEMPO: 10'



**JEFR1222
OIL-FREE AIR FRYER
2 LITERS**

230 V - 1,000 W

- Oil-free deep fryer with 1000 W power.
- High speed air circulation technology.
- Capacity 2 L.
- Timer 30 minutes.
- Adjustable temperature control from 80 to 200°C.
- Non-stick coated basket.
- Automatic switch-off.
- BPA free.
- Basket with handle.
- Basket dimensions: Ø16 cm. 9,5 cm height.



||||| EAN 8421078036661
📦 2 UDS

N NOVEDAD
PRIMAVERA

JESA2090

**JESA2090
SET OF 6 ACCESSORIES
FOR AIR FRYERS**

- 6-piece set consisting of:
 - 11cm high stainless steel cake barrel.
 - Stainless steel pizza pan.
 - Platinum silicone mold for cupcakes and flans.
 - Platinum silicone glove.
 - Tongs.
 - Platinum silicone mat.
- Perfect for fryers from 4l onwards.
- Items diameter: 20-21 cm
- Non-stick, very heat resistant and easy to clean.
- Made with BPA free materials.



DIÁMETRO ACCESORIOS
20-21cm



||||| EAN 8421078037682
📦 4 UDS

JEFR1226

JEFR1226 OIL FREE AIR FRYER 4 LITERS

230 V - 1,400 W

- Cook with 80% less fat.
- High speed circulation technology.
- Adjustable temperature control. 200°C max.
- Smart digital screen:
 - ON /OFF switch.
 - Time / temperature selector.
 - Temperature selectors.
 - Pilot lights.
- 4 L. capacity.
- Non-stick basket for easy cleaning.
- Non-stick grid.
- Compact and smart design.
- Timer 60 minutes.
- Non-slip feet.
- Basket dimensions: 20 x 20 x 10,5 cm.



SIN
ACEITE

LIBRE DE
BPA

EAN 8421078037385
2 UDS

JEFR1224

JEFR1224 OIL FREE AIR FRYER 4,2 L.

230 V - 1.300 W

- Healthy and clean cooking.
- Capacity 4,2 L.
- Transport handles.
- 2 independent light indicators:
 - Timer / Temperature.
- Easy handling.
- Non-stick basket with handle.
- Basket diameter: 22 cm.
- Adjustable temperature control. 200°C max.
- Timer 30 minutes.
- Cord length: 1 m.
- Basket dimensions: Ø21,5 cm. 11 cm height.
- BPA free.



SIN
ACEITE

LIBRE DE
BPA

EAN 8421078037170
2 UDS

JEFR1227

**NOVEDAD
PRIMAVERA**

N

230 V - 1.500 W



Oil-free air fryer 4,5 L.

- Healthy, clean and smoke-free cooking.
- Capacity 4,5 L.
- 100 unds of perforated vegetable paper of 20 cm included
- 2 independent indicators: Timer / Temperature.
- Easy handling.
- Non-stick basket with handle.
- Basket diameter: 21,5 cm. Height: 11 cm
- Adjustable temperature control. 200°C max.
- Overheating safety device.
- Timer 30 minutes.
- Cord length: 1 M.
- Basket dimensions: 21,5 x 21,5 x 11 cm.
- BPA free.



Incluye
100 hojas
Papel de horno
de 20 cm Ø.



||||| EAN 8421078037668

📦 2 UDS

JEFR1225

RÁPIDAS Y FÁCILES RECETAS



SALMÓN

TEMPERATURA: 160°
TIEMPO: 5'



GAMBAS

TEMPERATURA: 180°
TIEMPO: 10'



JEFR1225 OIL FREE AIR FRYER 5 L.

230 V - 1,300 W

- No oil.
- Adjustable temperature control max. 200°C.
- Smart digital screen:
 - ON /OFF switch.
 - 8 cooking programs.
 - Time / Temperature selector.
- Capacity 5 L.
- Non-stick basket and compatible with any dishwasher.
- Compact and smart design.
- Timer 30 minutes.
- Constant temperature by rapid air circulation.
- BPA free.
- Basket with handle.
- Basket dimensions: 22 x 22 x 11,5 cm.



SIN ACEITE

5 L
CAPACIDADTEMPORIZADOR
30 MIN

1300 W



LIBRE DE BPA

EAN 8421078036654
2 UDS

JEFR1229 OIL-FREE AIR FRYER 5 L.

230 V - 1,450 W

- No oil.
- Capacity 5 L.
- Adjustable temperature control. 200°C max.
- Compact and smart design.
- Control panel:
 - ON /OFF switch.
 - Time / Temperature selector.
 - Time indicator.
 - Temperature indicator.
- Non-stick basket.
- Constant temperature by rapid air circulation.
- Timer 60 minutes.
- Basket diameter: 23 cm. Height: 13 cm.
- BPA free.



N NOVEDAD
PRIMAVERA

JEFR1229

5 L
CAPACIDADTEMPORIZADOR
60 MIN

1450 W



SIN ACEITE



LIBRE DE BPA

EAN 8421078037712
2 UDS

JEFR1230

NOVEDAD
OTOÑO

N

230 V - 1.700 W



Oil-free air fryer with window 6.2 L.

- No oil.
- Adjustable temperature control from 60° to 200°C.
- Large multifunction LED touch panel.
- 6.2 L large capacity basket. 21 x 21 x 13 cm.
- Transparent viewing window to monitor the progress of cooking.
- 12 preset cooking programs.
- Non-stick basket with handle.
- Cord length 1 Mt.
- Vintage design.
- Overheating safety device.
- Non-slip feet.
- Constant temperature by rapid air circulation.
- BPA free.
- Measures: 26,5 x 32,5 x 32,5 cm.



||||| EAN 8421078038313

📦 2 UDS

JEFR1228

230 V - 2.700 W



Oil-free air fryer 9 L. digital two baskets

- Multifunction control panel.
- High speed air circulation technology.
- Capacity 9 L.: basket 5,5 L. + basket 3,5 L.
- Timer 0-60 min.
- Adjustable temperature control from 80 to 200°C.
- Non-stick baskets.
- Automatic shut-off.
- BPA free.
- Baskets with handles.
- Two different ways of cooking and finishing at the same time.
- Independent programming of the baskets.
- 8 cooking functions.
- Overheating protection.
- Non-slip base.

2 CESTILLOS
INDEPENDIENTES



SIN ACEITE

9 L
CAPACIDAD

TERMOSTATO
REGULABLE

2700 W

LIBRE DE
BPA



||||| EAN 8421078037446

1 UD

FR700



Deep fryer 4 L.

230 V - 2,000 W

- Immersed inox resistance.
- Stainless steel body.
- 2 medium and 1 big basket.
- Enamelled oil tank with capacity for:
 - 1 basket of 27 x 22 cm.
 - 2 baskets of 12,5 x 20 cm.
- Detachable 100% for easy cleaning.
- Adjustable thermostat of temperature.
- Anti-involuntary use security system.
- Removable and washable filter.
- 3 baskets and 2 handles included.
- Stainless steel Lid with handle and window
Suitable for placing during frying.

SISTEMA
COOL ZONE
ANTI MEZCLA DE SABORES



||||| EAN 8421078030775

📦 2 UDS

FR678. DEEP FRYER INOX

230 V - 2,000 W

- Immersed inox resistance.
- Stainless steel body.
- Basket with great capacity and foldable handle.
- Removable enamelled oil tank.
- Detachable 100% for easy cleaning.
- Adjustable thermostat of temperature.
- Anti-involuntary use security system.
- On and ready pilot lights.
- Stainless steel lid with handle.
Suitable for placing during frying.
- Lateral handles.
- Integrated cord storage.



FR678



SISTEMA
COOL ZONE
ANTI MEZCLA DE SABORES

||||| EAN 8421078034889

📦 2 UDS

FR5600 / FR326E




Mod. FR5600

Mod. FR326E

Deep fryers

230 V - 1,000 W

- Non-stick ceramic coating free of PFOA and PTFE.
- 100% metallic body.
- Adjustable thermostat of temperature.
- Glass lid with handle.
- Built-in resistance.
- Basket with handle.
- Lateral handles.
- Pilot light.
- Easy cleaning.



FR5600

||||| EAN 8421078035787
 ☐ 4 UDS

FR326E

||||| EAN 8421078021742
 ☐ 4 UDS

CUERPO
INOX1,3 L
CAPACIDADTERMOSTATO
REGULABLE

1000 W

LIBRE DE
PFOALIBRE DE
PTFE

FR115. DEEP FRYER INOX

230 V - 1,000 W

- Capacity 1,5 L.
- Immersed inox resistance.
- Stainless steel body.
- Removable enamelled oil tank.
- Detachable 100% for easy cleaning.
- Basket with handle.
- Adjustable thermostat of temperature.
- Anti-flavour mix "cool zone" system.
- Anti-involuntary use security system.
- On and ready pilot lights.
- Stainless steel lid with handle.
- Lateral handles.
- Cord storage.



FR115

1,5 L CAPACIDAD	RESISTENCIA INOX SUMERGIDA	INOX
TERMOSTATO REGULABLE	1000 W	



||||| EAN 8421078033356
 📦 4 UDS

FR680. DEEP FRYER INOX "FILTRA PLUS"

230 V - 2,000 W

- Immersed inox resistance.
- Stainless steel body.
- "Filtra Plus", special mesh for oil filtering.
- Basket with great capacity and foldable handle.
- Removable enamelled oil tank.
- Detachable 100% for easy cleaning.
- Adjustable thermostat of temperature.
- Anti-flavour mix "cool zone" system.
- Anti-involuntary use security system.
- On and ready pilot lights.
- Lid with handle and window.
Suitable for placing during frying.
- Lateral handles.
- Integrated cord storage.



FR680

FILTRO ESPECIAL RESIDUOS	FILTRA PLUS	3,2 L CAPACIDAD
RESISTENCIA INOX SUMERGIDA	INOX	TERMOSTATO REGULABLE
2000 W		




||||| EAN 8421078034896
 📦 2 UDS

FR278. DEEP FRYER

230 V - 2,000 W

- Removable enamelled oil tank.
- Detachable 100% for easy cleaning.
- Adjustable thermostat of temperature.
- Anti-involuntary use security system.
- Basket with great capacity and foldable handle.
- Cold touch housing.
- Filer lid.
- On and ready pilot lights.



FR278

2,5 L CAPACIDAD	RESISTENCIA INOX SUMERGIDA	TERMOSTATO REGULABLE
2000 W		



||||| EAN 8421078031000
 📦 4 UDS

JEOL2145



Digital slow cooker

230 V - 210 W

- Slow cooker to prepare all kinds of dishes.
- Capacity 5 L.
- Terracotta oval ceramic bowl. Healthy and traditional cuisine.
- Timer 20 hours.
- Warming function.
- Multifunction LCD information display.
- Suitable bowl for use in the oven max 250°C
- Removable recipient for easy cleaning, suitable for dishwasher.
- 3 heat levels: high, low and warming.
- Glass cover. Side handles.



Download recipes

TERRACOTA
SLOW COOK

||||| EAN 8421078036548
2 UDS

JEOL2135. SLOW COOKER

230 V - 180 W

- Slow cooker to prepare all kinds of dishes.
- Capacity 3,5 L.
- Ceramic oval bowl in Terracotta. Healthy and traditional cuisine.
- Suitable bowl for use in the oven max 250°C.
- Removable recipient for easy cleaning, suitable for dishwasher.
- 3 heat levels: high, low and warming.
- Glass cover.
- Side handles.
- Light pilot.



||||| EAN 8421078036531
2 UDS

TERRACOTA
SLOW COOK

PE550. ELECTRIC PAN

230 V - 1,900 W

- Special for large paellas, stews, etc.
- Uniform temperature throughout the surface.
- Non-stick coating free of PFOA.
- Metal and glass cover.
- Diameter 55 cm.
- Steam outlet valve.
- Cold touch handles.
- Table carrying.
- Easy cleaning.
- Depth 55 mm.




Download recipes

PE550

Ø 55 mm  1900 W

50 mm ALTO 



||||| EAN 8421078033325
 1 UD

N NOVEDAD PRIMAVERA


JEPE1639. ELECTRIC PAN

230 V - 2,000 W

- Non-stick coating free of PFOA.
- Bee surface panel: improves antiadherence and transmits heat evenly.
- Removable adjustable thermostat of temperature.
- Glass lid.
- Steam outlet valve.
- Diameter 38 cm.
- Depth 50 mm.
- Cold touch handles.
- Table carrying.
- Easy cleaning.
- Spatula included.




Incluye espátula de regalo.



Ø 38 mm  2000 W

50 mm ALTO 



||||| EAN 8421078037729
 2 UDS

PE640

PE640. ELECTRIC PAN

230 V - 1,600 W

- Non-stick coating free of PFOA.
- Bee surface panel: improves antiadherence and transmits heat evenly.
- Removable adjustable thermostat of temperature.
- Glass lid.
- Steam outlet valve.
- Diameter 34 cm.
- Depth 75 mm.
- Cold touch handles.
- Table carrying.
- Easy cleaning.
- Spatula included.




Incluye espátula de regalo.



Ø 34 mm  1600 W

75 mm ALTO 




||||| EAN 8421078035473
 2 UDS

AR393. ELECTRIC RICE COOKER

230 V - 400 W

- Capacity 1 L.
- Tempered safety glass lid.
- Program selector: cooking / warm.
- Automatic change from cooking to warm function.
- Cooking and warm indicator lights.
- Removable aluminum tank with non-stick coating.
- Steam out valve.
- Easy to clean
- Transport handle
- Spatula and measuring cup included.



AR393


RECUBRIMIENTO
ANTIADHERENTE

||||| EAN 8421078035480
 📦 4 UDS

AR394. ELECTRIC RICE COOKER

230 V - 400 W

- Capacity 1 L.
- Tempered safety glass lid.
- Program selector: cooking / warm.
- Automatic change from cooking to warm function.
- Cooking and warm indicator lights.
- Removable aluminum tank with non-stick coating.
- Steam out valve.
- Easy to clean
- On / Off switch.
- Transport handle
- Spatula and measuring cup included.



AR394


RECUBRIMIENTO
ANTIADHERENTE

||||| EAN 8421078035497
 📦 2 UDS

AR395. ELECTRIC RICE COOKER

230 V - 700 W

- Capacity 1,8 L.
- Tempered safety glass lid.
- Program selector: cooking / warm.
- Automatic change from cooking to warm function.
- Cooking and warm indicator lights.
- Removable aluminum tank with non-stick coating.
- Steam out valve.
- Easy to clean
- On / Off switch.
- Transport handle
- Spatula and measuring cup included.



AR395

RECUBRIMIENTO
ANTIADHERENTE

||||| EAN 8421078035503
 📦 2 UDS

JEHN0910. OVEN

230 V - 800 W

- Oven, grill.
- Capacity 10 L.
- Timer 30 minutes.
- Stainless steel heating elements.
- Adjustable thermostat of temperature.
- Tray.
- Wire rack.
- Tip up door with double glass.
- Pilot light.
- Out-side measures: 37 x 27 x 23 cm.



MEDIDAS INTERIORES
L x An x Al cm
25x22x15

JEHN0910

10 L CAPACIDAD GRILL 800 W

30' TEMPORIZADOR

EAN 8421078036012
2 UDS

HN916. OVEN

230 V - 1,200 W

- Oven, grill.
- Timer 60 minutes.
- Stainless steel heating elements.
- Adjustable thermostat of temperature.
- Tray.
- Wire rack.
- Handle for tray and rack.



MEDIDAS INTERIORES
L x An x Al cm
26,5x25,5x14

HN916

16 L CAPACIDAD GRILL 1200 W



60' TEMPORIZADOR

EAN 8421078033677
1 UD

HN921. OVEN

230 V - 1,380 W

- Oven, grill.
- Timer 60 minutes.
- Stainless steel heating elements.
- Adjustable thermostat of temperature.
- Tray.
- Wire rack.
- Handle for tray and rack.



MEDIDAS INTERIORES
L x An x Al cm
30,5x27,5x14

HN921

21 L CAPACIDAD GRILL 1380 W


60' TEMPORIZADOR

EAN 8421078033684
1 UD

HN928. OVEN

230 V - 1,500 W

- Oven, grill.
- Timer 60 minutes.
- Stainless steel heating elements.
- Adjustable thermostat of temperature.
- Tray.
- Wire rack.
- Handle for tray and rack.
- Removable tray for easy cleaning.



MEDIDAS INTERIORES
L x An x Al cm
33,5x31,5x17

HN928

28 L CAPACIDAD GRILL 1500 W

60' TEMPORIZADOR

EAN 8421078033691
1 UD



DOWNLOAD
RECIPES

HN936. OVEN - ROTISSERIE

230 V - 1,500 W

- 4 functions: rôtisserie, oven, grill and convection.
- Timer 60 minutes.
- Rotisserie: accessory for roasting chicken.
- Stainless steel heating elements.
- Inner light.
- Adjustable thermostat of temperature.
- Tray. Wire rack.
- Handle for tray and rack.
- Rotisserie tray.



**MEDIDAS
INTERIORES**
L x An x Al cm
36x32x20

HN936

36 L CAPACIDAD	ROTISSERIE	GRILL
CONVECCIÓN	LUZ INTERIOR	1500 W

60' TEMPORIZADOR

FUNCIÓN FREIDORA DE AIRE

EAN 8421078033714
1 UD

HN945. OVEN - ROTISSERIE

230 V - 2,000 W

- 4 functions: rôtisserie, oven, grill and convection.
- Timer 60 minutes.
- Rotisserie: accessory for roasting chicken.
- Stainless steel heating elements.
- Inside light.
- Adjustable thermostat of temperature.
- Tray. Wire rack.
- Handle for tray and rack.
- Rotisserie tray.



**MEDIDAS
INTERIORES**
L x An x Al cm
41x36,5x23

HN945

45 L CAPACIDAD	ROTISSERIE	GRILL
CONVECCIÓN	LUZ INTERIOR	2000 W

60' TEMPORIZADOR

FUNCIÓN FREIDORA DE AIRE

EAN 8421078033721
1 UD

HN966. OVEN - ROTISSERIE

230 V - 2,200 W

- 4 functions: rôtisserie, oven, grill and convection.
- Timer 60 minutes.
- Rotisserie: accessory for roasting chicken.
- Stainless steel heating elements.
- Inside light.
- Adjustable thermostat of temperature.
- Tray. Wire rack.
- Handle for tray and rack.
- Rotisserie tray.



**MEDIDAS
INTERIORES**
L x An x Al cm
48,5x37x33

HN966

66 L CAPACIDAD	GRILL	2200 W
ROTISSERIE	CONVECCIÓN	LUZ INTERIOR

60' TEMPORIZADOR

FUNCIÓN FREIDORA DE AIRE

EAN 84210733738
1 UD

JECE1233

NOVEDAD
OTOÑO **N**



Electric cooker

230 V - 1,400 W

- Heating plate: 1.400 W – Ø 185 mm.
- Adjustable thermostat of temperature.
- Pilot light.
- Great resistance epoxy paint body.
- Skid-resistance feet.
- Overheating protection.

Ø **185** mm

TERMOSTATO
REGULABLE

PROTECCIÓN
SOBRECALENTAMIENTO

||||| EAN 8421078038009

4 UDS

JECE1231. ELECTRIC COOKER

230 V - 1,500 W

- Heating plate:
1.500 W – Ø 187 mm.
- Great resistance epoxy paint body.
- Adjustable thermostat of temperature.
- Pilot light.
- Overheating protection.



JECE1231



PROTECCIÓN
SOBRECALENTAMIENTO

||||| EAN 8421078037200
 📦 4 UDS

CE220. ELECTRIC COOKER

230 V - Max. 2,250 W

- Great resistance epoxy paint body.
- 2 heating plates:
- 750 W – Ø 157 mm.
- 1.500 W – Ø 187 mm.
- 2 adjustable thermostats of temperature.
- Pilot lights.
- Overheating protection.



CE220



PROTECCIÓN
SOBRECALENTAMIENTO

||||| EAN 8421078032632
 📦 3 UDS

V531. VITROCERAMIC HOB

230 V - 1,200 W

- Stainless steel housing.
- 1 vitroceramic heating plate:
- 1.200 W – Ø 180 mm.
- Adjustable thermostat of temperature.
- Pilot light.
- Extra-thin design.
- Overheating protection.



V531



PROTECCIÓN
SOBRECALENTAMIENTO

||||| EAN 8421078029571
 📦 4 UDS

V532. VITROCERAMIC HOB

230 V - Max. 2,400 W

- Stainless steel housing.
- 2 vitroceramic heating plates:
- 2 x 1.200 W – Ø 180 mm.
- Adjustable thermostats of temperature.
- Pilot lights.
- Extra-thin design.
- Overheating protection.



V532



PROTECCIÓN
SOBRECALENTAMIENTO

||||| EAN 8421078029595
 📦 3 UDS

JEVI1470

**NOVEDAD
OTOÑO**

N



Double induction electric cooker with grill plate



- 2x 160mm induction heating plates.
- Total power: 2.800 w
- Left plate power: 1.500 w
- Right plate power: 1.300 w
- 4 mm glass surface.
- Removable non-stick tray/grill with extra large cooking area.
- Anti-splash metal lid.
- Independent buttons and knobs:
 - On / off.
 - Rotary power selectors.
 - Security lock.
 - Timer 99 minutes.
- Indicator lights.
- Maximum temperature 230°
- Overheating protection.
- 2 Led Displays.
- Easy to clean.



||||| EAN 8421078038115

📦 1 UD

JEVI1460. INDUCTION ELECTRIC COOKER

230 V - 3,500 W

- 2 induction heating plates.
- Operating diameter of 185 mm.
- Touch control.
 - On / off; Temperature selector; Security lock;
 - Timer 240 minutes.
- Indicator lights.
- Temperature range: 60° - 240°.
- Overheating protection.
- 2 Led Displays.
- 4 mm glass surface.
- Easy to clean.
- Left plate power: 2.000 W.
- Right plate power: 1.500 W.



JEVI1460



||||| EAN 8421078036920

📦 2 UDS

V139 / V140


V139 / V140 VITROCERAMIC ELECTRIC COOKER

230 V - 2,000 W

- Metallic housing.
- 1 vitroceramic heating plate:
2.000 W - Ø 180 mm.
- Adjustable thermostat of temperature.
- Pilot light.
- Overheating protection.



Mod. V139



Mod. V140



V139

||||| EAN 8421078033547
 📦 4 UDS

V140

||||| EAN 8421078031475
 📦 4 UDS

V141 / V142

V141 / V142 VITROCERAMIC ELECTRIC COOKER

230 V - 2.400 W

- Metallic housing.
- 2 vitroceramic heating plates:
1.200 W - Ø 165 mm.
1.200 W - Ø 165 mm.
- 2 adjustable thermostats of temperature.
- Pilot lights.
- Overheating protection.



Mod. V141

Mod. V142



V141

||||| EAN 8421078035367
 📦 3 UDS

V142

||||| EAN 8421078032601
 📦 3 UDS

VIN145. INDUCTION COOKER

230 V - 2,100 W

- 1 induction heating plate.
- 4 mm glass surface.
- Tactile switches:
 - On / off.
 - Function selector.
 - Preset timer.
 - Pause.
- Power and temperature slide regulator.
- Operating diameters:
from 120 mm to 260 mm.
- LED display.
- Overheating protection.



VIN145



||||| EAN 8421078032878
 📦 3 UDS

JECG2701. GAS COOKER

- Portable gas cooker.
- 1 burner.
- Great resistance epoxy paint body.
- Grille.
- Suitable for liquefied gases propane and butane.
- Specific standards for gas.
- Removable protector lid.
- Exclusive use for exterior.



JECG2701

TAPA PROTECTORA
EXTRAIBLE
1 QUEMADOR

PARA
**PROPANO
Y BUTANO**

||||| EAN 8421078037019
3 UDS

JECG2702. GAS COOKER

- Portable gas cooker.
- 2 burners.
- Great resistance epoxy paint body.
- Removable protector lid.
- Grille.
- Suitable for all liquid gas.
- Specific standards for gas.
- Exclusive use for exterior.



TAPA PROTECTORA
EXTRAIBLE
2 QUEMADORES
INDEPENDIENTES

PARA
**PROPANO
Y BUTANO**

||||| EAN 8421078037026
3 UDS

JECG2703. GAS COOKER

- Portable gas cooker.
- 3 burners.
- Great resistance epoxy paint body.
- Removable protector lid.
- Grille.
- Suitable for liquefied gases propane and butane.
- Specific standards for gas.
- Exclusive use for exterior.



TAPA PROTECTORA
EXTRAIBLE
3 QUEMADORES
INDEPENDIENTES

PARA
**PROPANO
Y BUTANO**

||||| EAN 8421078037033
3 UDS

CV200. FOOD STEAMER

230 V - 400 W

- Healthy cooking.
- Remain all the properties and vitamins.
- Keep the natural taste of the food.
- Timer 60 minutes.
- Automatic switch off.
- 2 transparent piled up bowls.
- Total capacity: 3,5 L.
- Water tank capacity 500 ml.
- Grids with holders for egg boiling.
- Rice or sauce bowl included.
- Indicator light.
- Transparent lid.



Mod. CV200



Mod. CV5020

CV623. FOOD STEAMER

230 V - 800 W

- Healthy cooking.
- Remain all the properties and vitamins.
- Keep the natural taste of the food.
- BPA free.
- Timer 60 minutes.
- Automatic switch off.
- Glass cover.
- 2 transparent piled up bowls. Capacity: 6,8 L.
- Stainless steel SUS304 removable grids.
- Grids with holders for egg boiling.
- Water tank capacity 1,2 L.
- Continuous refill.
- Water level indicator.
- Rice or sauce bowl included.



CV200

CAPACIDAD DEPOSITO
0,5 L**60'**
TEMPORIZADOR*Download recipes*

CV200

EAN 8421078029472

6 UDS

CV5020

EAN 8421078035282

6 UDS

CV623

CAPACIDAD DEPOSITO
1/2 LLIBRE DE **BPA****60'**
TEMPORIZADOR

EAN 8421078035213

2 UDS



230 V - 120 W

TECNOLOGÍA CICLÓNICA
MÁXIMA EFICIENCIA

JEAP9300



Cordless broom vacuum cleaner

- Maximun efficiency cyclone tecnology.
- Light and ergonomic.
- Double filtering system: HEPA filter and conical filter, washable.
- 2 speeds, great autonomy:
 - Max: 11 Kpa / 20-25 min use.
 - ECO: 7,5 Kpa / 45-50 min use.
- Charging time: 4 hours.
- Removable, easy cleaning.
- Rotary brush for increased performance. Suitable for all type of floors.
- Accesories included: charger, joint nozzle with integrated brush, and wall fixture.
- Ultra silent with 66 dB
- Easy cleaning due to integrated LED.

||||| EAN 8421078036258
 ☐ 1 UD

AP998. VACUUM CLEANER CLASS A MULTI CYCLONE BAG LESS. 230 V - 700 W

- Energy Efficiency (EU): A.
- Maximum suction, without air loss.
- Bag less.
- Tank capacity 3 liters.
- Multi-cyclone filter system.
- 3 levels double filter.
- Washable filters.
- Anti-mite filters, bacteria, pollen, etc.
- Airflow: 24,2 L/seg.
- Noise level <80 dB.
- Operation area 8 meters.
- Stainless steel telescopic tube.

- Brush for all kinds of floors.
- Crevice nozzle with integrated brush.
- Start button.
- Automatic winding cable.



AP998

EFICIENCIA ENERGÉTICA
CLASE A
DOBLE FILTRO TRICAPA
6 NIVELES DE FILTRADO

 EAN 8421078035589
 1 UD

AP999. VACUUM CLEANER MULTI CYCLONE BAGLESS 230 V - 700 W

- Energy Efficiency (EU): A
- Maximum suction, without air loss.
- Bagless.
- Multi-cyclone filter system.
- Washable filters.
- Anti-mite filters, bacteria, pollen, etc.
- Airflow: 20,3 L/seg.
- Operation area 8 meters.
- Stainless steel telescopic tube.
- Brush for all kinds of floors.
- Crevice nozzle with integrated brush.
- Tank capacity 2 liters.
- Start button.
- Automatic winding cable.



AP999

EFICIENCIA ENERGÉTICA
CLASE A
 EAN 8421078033158
 1 UD

AP915. VACUUM CLEANER WITH BAG 230 V - 800 W

- No loss of suction.
- Washable filter: anti-mites, germs, pollen, etc.
- Air flow: 25 L/seg.
- Noise level: <80 dB.
- Operation area 7 meters.
- Stainless steel telescopic tube.
- Brush for all soil types.
- Start button.
- Automatic cord rewind.
- Transport handle.



AP915


 EAN 8421078035169
 1 UD
**RBA915**

Spare bags

EAN 8421078035183

30 unidades por embalaje


HU996. HUMIDIFIER

100 / 240 V - 25 W

- Capacity 3 L.
- Purifies the air with (-) ions.
- Eliminates odors and avoids dry environment.
- Ultrasonic, cold steam. Humidifies and cleans the air of pollutant agents.
- Effective range 30 m².
- Steam outlet max 350 ml/h.
- 7 hours and 30 minutes timer.
- 3 levels steam outlet.
- Regulable steam outlet.
- Manual functioning and with remote control.
- Automatic switch off.
- On indicator lights.
- Low water level pilot light.
- Water level indicator.
- Cleaning brush (included).
- Multi-current.



HU996



||||| EAN 8421078035770
 4 UDS


HU992. MINI HUMIDIFIER

100 - 240 V - 15 W

- Humidifies and cleans the air of pollutant agents.
- Eliminates odors and avoids dry environment.
- Ultrasonic, cold steam.
- Compact size.
- Steam outlet max 120 ml/h.
- 1 adaptor for plastic bottles included.
- 2 removable feet for an optimum stability.
- Automatic switch off.
- Steam regulator knob.
- Quiet.
- Cleaning brush.
- Multi-current adaptor from 100-240 V (included).



HU992



||||| EAN 8421078032410
 8 UDS

QP398N. LINT REMOVER

- Easily removes fluff, lints and scrapes from textiles.
- Higher cut accessory.
- Anti-involuntary use security system.
- Stainless steel blades. Diameter 50 mm.
- Stainless steel grid.
- Compact and light design.
- On switch.
- Cleaning brush.
- Removable fluff container.
- Works with 2 "AA" batteries of 1,5 V (not included).



Mod. QP398N

Mod. JEQP5218

QP398N



||||| EAN 8421078033011
 12 UDS

JEQP5218

||||| EAN 8421078036449
 12 UDS

QP620

QP620. LINT REMOVER

- Double use:
 - Adaptor
 - 2 batteries R20.
- Easily removes fluff, lints and scrapes from textiles.
- Anti-involuntary use security system.
- Stainless steel grid.
- Stainless steel blades. Diameter 55 mm.
- Compact and light design.
- On switch.
- Removable fluff container.
- Adaptor included, batteries not included.



||||| EAN 8421078030942
 12 UDS

JEHU5408. ESSENTIAL OILS HUMIDIFIER

- Neutralizes bad odours, avoids dry environments.
- Portable.
- It can be used as a night light thanks to its 7 colors.
- Color therapy.
- Timer for 1 hour, 3 hours and 6 hours.
- Silent.
- Perfect use as an air freshener.
- Level indicator.
- Safety auto power off.
- USB cable included.
- 300 ml. Capacity.
- Sizes: 17 x 21,4 cm



7 color light

JEHU5408



Medidas: 17 x 21 cm

||||| EAN 8421078037408
 4 UDS

CT10-CT20. HEATING PAD

230 V - 100 W

- Electronic regulator knob with 6 heating levels.
- Security auto shut off. (90 minutes).
- Quick heating function.
- Pad totally flexible, soft and breathable.
- Removable and washable textile cover.
- Pilot light.
- Extra textile cover included.

Therapeutic heat: specially designed to relieve aches, rheumatism, menstrual pains, etc.



Mod. CT10-CT20



Mod. JCAE5220



Mod. JCAE5422

CT10-CT20



Medidas CT10: 40 x 30 cm
 Medidas CT20: 50 x 40 cm

CT10

||||| EAN 8421078032205
 6 UDS

CT20

||||| EAN 8421078032212
 6 UDS

JCAE5220

||||| EAN 8421078036463
 6 UDS

JCAE5422

||||| EAN 8421078037422
 6 UDS

CT30. NECK HEATING PAD

230 V - 100 W

- Electronic regulator knob with 6 heating levels.
- Security auto shut off. (90 minutes).
- Quick heating function.
- Pad totally flexible, soft and breathable.
- Removable and washable textile cover.
- Pilot light.
- Extra textile cover included.

Therapeutic heat: specially designed to relieve aches, rheumatism, menstrual pains, etc.



CT30






Medidas: 63 x 42 cm

||||| EAN 8421078032229
 6 UDS

DESCUBRE NUESTRAS recetas



www.jata.es



DOWNLOAD
**HEATING AND
VENTILATION**
CATALOGUES



Your vegetable milk simple and nutritious



JELV2350

Milker with hand blender

230 V - 400 W

Included:

- Graduated transparent beaker with 2 measures of 0.5 l and 1 l.
- Ergonomic mortar to press the extract of the ingredients.
- Stainless steel filter grid.
- Measuring spoon.
- 4 stackable pieces: filter, mortar, measuring spoon and container.
- Includes 5 sheets with easy and quick recipes.

- BPA free.
- Manufactured under the EP2814362 license

Hand blender:

- Removable stainless steel stick.
- 4 Stainless-steel blades, great strength.
- Ergonomic handle.

||||| EAN 8421078038443

📦 4 UDS

Incluye recetas impresionantes
y cacíto medidor

milker
by Lata

LECHE VEGETAL HECHA EN CASA

- ✓ Sin aditivos
- ✓ Sin azúcares
- ✓ Recién extraída
- ✓ 100% a tu gusto
- ✓ 100% natural



JELV2300

Milker

- Graduated transparent beaker with 2 measures of 0.5 l and 1 l.
- Ergonomic mortar to press the extract of the ingredients.
- Stainless steel filter grid.
- Measuring spoon.
- 4 stackable pieces: filter, mortar, measuring spoon and container.
- Includes 5 sheets with easy and quick recipes.
- BPA free.
- Compatible with all blenders (not included).
- Manufactured under the EP2814362 license.

||||| EAN 8421078038450
📦 4 UDS

Jata

Marco Aldany

LA PRIMERA CADENA DE PELUQUERÍA Y ESTÉTICA EN ESPAÑA

Colección profesional

Disfruta como un pro

Productos testados y diseñados junto a peluqueros.




JBSC5577

230 V - 2.000 W

SECADOR IÓNICO PROFESIONAL MOTOR BLDC

- Motor BLDC de alto rendimiento con 110.000 RPM
- Ultraligero.
- Reducción de tiempo de secado y encrespamiento gracias a su generador de iones.
- Función memoria: Recuerda el último ajuste de velocidad y temperatura utilizada
- Incluye 1 difusor y boquillas de 2 tamaños diferentes.
- Función de limpieza automática del filtro.
- Luces LED indicadoras de funcionamiento.
- 3 posiciones de caudal de aire: 0 - 1 - 2
- 3 niveles de temperatura: 1 - 2 - 3.
- Pulsador de fase fría instantánea.
- Caudal de aire constante y potente.
- Longitud del cable: 3 mt.

EAN 8421078038375
6 unidades por embalaje



JBPP5570

PLANCHA CERÁMICA INFRARROJOS

- Función rayos infrarrojos: facilita la penetración de tratamientos del cabello.
- Ayuda a reconstruir y suavizar el cabello, cuidándolo al máximo.
- Placas cerámicas para un cuidado intensivo del cabello.
- Medidas de las placas: 110 x 36 mm.
- Placas flotantes y pulidas de alta precisión
- Función iónica.
- Auto apagado.
- Calentamiento ultrarrápido.
- Interruptor de encendido.
- Rango de temperatura: 100- 230 °C.
- Indicador luminoso.
- Equipado con resistencia cerámica (PTC).
- Cable giratorio de 2 metros.
- Sistema de cierre.
- Multicorriente.
- Potencia 60 W

EAN 8421078038429
6 unidades por embalaje



JBPC5544

100 - 240 V

CORTAPELOS MOTOR PROFESIONAL DE ALTO RENDIMIENTO

- Cortapeelos de precisión inalámbrico con dispositivo de ajuste.
- Máquina de peluquería y barbería profesional de funcionamiento con o sin cable.
- Diseño cuidado con una estética muy marcada.
- Cuchillas de acero inoxidable de alta resistencia.
- Batería recargable Li-ion 2000 mAh.
- Gran pantalla LED inteligente: tiempo restante, indicador de carga.
- Tiempo de uso inalámbrico 2,5 h.
- Tiempo de carga 3 h.
- Accesorios incluidos: aceite lubricante, cepillo para cuchillas y peine.
- Incluye cable USB.
- Palanca de regulación de la cuchilla.
- 4 guías de corte: 1,5 - 3 - 6 - 9 mm.
- Gran precisión de corte.
- Protector de cuchillas.
- Interruptor de encendido.
- Anilla para colgar.

EAN 8421078038412
4 unidades por embalaje



FUNCIÓN RAYOS INFRARROJOS



PLACAS CERÁMICAS



TECNOLOGÍA IÓNICA



CALENTAMIENTO ULTRARRÁPIDO



60 W



CORTAPELOS DE PRECISIÓN



CARGA POR USB



2,5 H. DE AUTONOMÍA



4 GUÍAS DE CORTE



CUCHILLAS ACERO INOX.



PRO SERIES

Jata

ESPAÑA

Polígono La Serna
Calle D – s/nº
31500 Tudela – Navarra
Tel +34 94 621 55 40
www.jata.es

PORTUGAL

Avenida Engenheiro Duarte Pacheco,
Torre 2-3º, Sala 3 1070-102, Lisboa
Tel: (351) 213 876 355
Fax: (351) 213 867 398
geral@jata.pt
www.jata.es

