

Tata

GENERAL CATALOGUE
2026-2027





BEAUTY

9

MARCO ALDANY

JBSC5577	10
JBPP5570	10
JBCP5544	10

SHAVERS

JBMA1443	11
JBMA1400	11
RM34A	11
JBMA1444	12
JRMA1444	12

HAIR CLIPPERS / TRIMMERS

JBCP3700	12
JBCP4000	12
JBCP3315	13
JBCP3305	13
JBCP3310	13
JBSE2102	14
JBCP3325	14
JBCP3538	15
MP423	15
JBCP3532	16
JRCP3532	16
JBDF1503	17
JBCN1375	18
CN12B	18
CN15B	18
JBRS1320	19
JRRS1320	19

MANICURE / PEDICURE

JBSC1200	19
----------	----

HAIR DRYERS

JBSC1195	20
JBSC1065	20
JBSC1290	20
JBSC1600	21
JBSC1430	22
JBSC1440	22
SC56B	23
SC43B	23
SC47B	23
JBSC2656	24

HAIR BRUSHES

JBSC2211	25
JBSC2255	25
JBCA1901	25

HAIR STRAIGHTENERS

JBPP1503	26
JBPP1588	26
JBSC2605	27
JBSE2101	28

BODY ANALYZERS

HBAS1501	29
HBAS2531	29
HBAS2532	29
532	30
80	30
538	31
577	31
HBAS1489	31
HBAS1524	32
HBAS1155	32
HBAS2501	33

SCALES

HBAS1907	34
----------	----

HBAS1499	34
HBAS1417	35
HBAS1415	35
HBAS1424	36
294K	36
295K	36
498	37
496N	37
290N	37
HBAS1291	38
HBAS1292	38
HBAS1492	39
70	39

HEATING PADS

CT10	40
CT20	40
CT30	40



SEWING

41

SEWING MACHINES

JSMC5217	42
MC695	42
MC740	42
JSMC1120	43
MC744	44

OVERLOCKS

OL902	44
-------	----

ACCESSORY CASES

AC45	44
------	----



HOME

45

IRONING

PL120	46
JEPL1120	46
PL225	46
PL221C	47
JEPL1221	47
PL598C	48
PL618	48
JEPL3281	49
JEPL3601	49
PL622C	50
PL1058C	50
JEPL7000	51
JEPL2810	51
PL357N	51

STEAM STATION

JECP8522	52
JECP8526	53

ACCESSORIES

HPLA5211	54
HPLA8020	54
HPLA5212	54
PT10	54
HPLA5210	54
HPLA8115	55
HPLA8110	55
800	55

IRONING BOARDS

HPLA8482	56
----------	----

848S	56
HFUN8482	56
RF8N	56
HPLA8126	57
HFUN8126	57
HPLA8100	57
HRF81	57
TP500	58
RF50	58
TP520	58
RF52	58
TP550	58
RF55	58
HPLA8242	59
TP600	59
RF60	59
HPLA8241	60
HPLA8214	61
HPLA5213	61
HFUN8014	61
TM200	61
TM200R	61

CLOTHES RACKS

HTEN2370	62
HTEN2375	62
HTEN2402	63
HTEN2403	63

LINT SHAVERS

QP398N	64
JEQP5218	64
QP620	64
JEQP6688	64
JEQP1272	64

SUCTION

AP999	65
JEAP1308	65
RBA915	65

JEAP1640	66
JEAP1629	67
JEAP1950	67

AIR

HU992	68
JEHU5408	68
JEGA1001	68
JEHU2420	69
JEHU2413	69
JEHU2421	70



KITCHEN

71

JUICERS

JEEX1549	72
JEEX1712	72
JEEX1059	72
JEEX1616	73
EX1057	74
JEEX1046	74
JEEX1058	74
JEEX1236	75
JEEX1155	75
EX421	76
JEEX1426	76
JEEX1423	76

JUICE EXTRACTORS

JELI1201	76
JELI1290	77
JELI1580	77

PERSONAL BLENDERS

JEBT1001	78
JEBT1011	78

TOASTERS

TT331	79
TT631	79
JETT1048	79
JETT1668	80
JETT1262	80
JETT1584	81
JETT1585	81
TT579	82
JETT1579	82
JETT1578	83
JETT1580	83
JETT1146	84
JETT1590	85
TT589	87
TT589NG	87
JETT1587	87
TT587	87
TT591	87
TT5016	87

ELECTRIC COFFEE MAKERS

JECA1750	88
JECA1752	88
CA288N	88
CA290	89
JECA1512	89
JECA5503	90
JECA1800	90
JECA2201	90
JECA2300	91
JECA2525	93
HCAF1135	94
HCAF1160	94

COFFEE GRINDERS

JEML1150	94
----------	----

JEML1820	94
----------	----

ML132	95
-------	----

ML133	95
-------	----

MILK FROTHERS

JEES5504	95
----------	----

JEES1111	95
----------	----

COFFEE MAKERS

HCAF2254	96
----------	----

HCAF2256	96
----------	----

HCAF2259	96
----------	----

CAX104	96
--------	----

CAX106	96
--------	----

CAX110	96
--------	----

CAX112	96
--------	----

CCA3	97
------	----

CCA6	97
------	----

CCA9	97
------	----

CCA12	97
-------	----

CFI6	97
------	----

CFI9	97
------	----

CFI12	97
-------	----

HCAF2006	97
----------	----

HCAF2009	97
----------	----

HCAF2012	97
----------	----

HCAF2403	98
----------	----

HCAF2406	98
----------	----

HCAF2409	98
----------	----

HCAF2412	98
----------	----

MILK WARMERS

JECL1900	99
----------	----

JECL5501	99
----------	----

CL819	99
-------	----

KETTLES

JEHA1723	100
----------	-----

JEHA1576	100
----------	-----

JEHA1809	100
----------	-----

HA702	101
-------	-----

JEHA1701	101
----------	-----

JEHA5106	101
----------	-----

HA701	101
-------	-----

JEHA1038	102
----------	-----

JEHA1808	102
----------	-----

JEHA1240	102
----------	-----

**ELECTRIC GRIDDLES**

JEGR3000	103
----------	-----

JEGR2851	104
----------	-----

JT950	104
-------	-----

GR558	105
-------	-----

GR600AM	105
---------	-----

GR557A	105
--------	-----

GR555A	106
--------	-----

GR2500AM	106
----------	-----

JEGR1559R	106
-----------	-----

JEGR0550	107
----------	-----

GR195R	108
--------	-----

JEGR1603	108
----------	-----

JEGR1246	109
----------	-----

JEGR1245	109
----------	-----

JEGR1241	110
----------	-----

GR204N	110
--------	-----

GR205	110
-------	-----

PAELLA PANS

PE550	111
-------	-----

JEPE1642	111
----------	-----

JEPE1601	112
----------	-----

JEPE1639	112
----------	-----

PE640	112
-------	-----

BARBECUES / GRILLS

JEBQ1001	113
JEBQ1002	113
BQ95	114
BQ101	115
BQ101R	115
BQ5101AM	115

CONTACT GRILLS

JEGR1266	116
GR266	116
AC266	116
R266	116
JEGR1107	117
JEGR1124	117
JEGR1183	118
JEGR1529	118
GR1100	119
JEGR1450	120



SANDWICH MAKERS

JEGR1165	121
JESW1108	121
JESW1232	122
JESW1231	122
SW551	123
JESW1551	123
SW546	123
JESW2010	124

MILKER

JELV2350	125
JELV2300	125

EMULSIONIZER

JEEM2450	126
----------	-----

BLENDERS / MIXERS

JEBT1604	127
JEBT1500	127
BT795	128
JEBT1241	128
JEBT3866	130
JEBT3855	130
JEBT1265	131
BT265	131
BT797	131



HAND MIXERS

JEBT1124	132
JEBT1906	132
JEBT0126	133
JEBT1127	133
JEBT1818	133
JEBT1945	134
JEBT1795	134
JEBT1852	134
BT175	135
JEBT1853	135
BT185	135
BT199	136
JEBT5026	136
JEBT1855	136
JEBT1703	137
JEBT1159	138
JEBT1788	138
JEBT1789	138
BT159	139
JEBT1851	139
JEBT1791	139

JEBT1854	140
JEBT1166	140
JEBT1702	141

KNEADERS

JEMA1240	142
BT575	142



FRYERS

JEFR1221	144
JEFR1222	144
JEFR1226	145
JEFR1225	145
JESA2090	145
JEFR1229	146
JEFR1230	146
JEFR1270	147
FR326E	148
FR5600	148
FR278	149
JEFR1680	149
JEFR1678	149
FR700	150
JEFR1700	150



OVENS

JEFR1816	151
JEHN0910	152
HN916	152
HN921	152

HN928	152
HN936	153
HN945	153
HN966	153
JEHN2645	154
JEHN2660	154
MICROWAVES	
JEM02601	155
JEM02621	155
ELECTRIC KITCHENS	
V531	156
V532	156
VIN145	156
JEVI1480	157
JEVI1470	157
JECE1251	158
JECE1252	158
V139	159
V142	159
GAS COOKERS	
JECG2721	160
JECG2702	160
JECG2703	160
JECG2138	161
	
FOOD STEAMERS	
CV200	162
CV623	162
SLOW COOKERS	
JEOL2145	163
JEOL2135	163
RICE COOKER	
JEAR2510	164

JEAR2522	164
JEAR2528	164
AR394	164
YOGURT MAKERS	
JEYG2266	165
JREC2266	165
POPCORN MAKERS	
PAL97	165
CHOPPERS	
JEPC1123	166
JEPC1250	166
JEPC1262	166
FOOD SLICER	
JECF1054	167
JECF1200	168
JECF0300	168
JECF1820	168
VACUUM SEALERS	
EV1026	169
JEEV2260	169
JEEV2240	169
JEEV2210	170
EV109	170
R22x6	170
R28x6	170
B22x30	170
B28x40	170
	
NON ELECTRIC KITCHENWARE	
171	
WATER FILTER PITCHERS	
HJAR1001	172
HJAR1003	173

FILTERS	
RE123X4	173
KITCHEN SCALES	
55K	174
775	174
HBAL1204	174
HBAL1300	175
HBAL1211	175
719	175
HBL0300	175
720	176
HBL0310	176
HBAL1710	177
HBAL1709	177
HBAL1610	177
762	178
HBAL1775	178
HBAL0370	178
HBAL1774	179
HBAL1776	179
721	179
HBAL1220	179
HBAL1254	180
HBAL1207	180
HBAL1202	180
HBAL1751	181
HBAL1752	181
HBAL0350	181
HBAL1203	181
729R	181
HBAL7292	181
HBAL7293	181
722	182
722P	182
HBAL7230	183
HBAL7240	183
HBAL1110	183



PRESSURE COOKERS

HOLL2224	184
HOLL2226	184
HOLL2228	184
HOLL2230	184
HOLL2547	184
HOLL2604	185
HOLL2606	185
HOLL2608	185
HOLL2610	185
OPC4	186
OPC6	186
OPC8	186
OPC10	186
OPC12	186
OSR4	186
OSR6	186
OSR8	186

GRILLS

GR25	187
GMA28	187
GP35	187

FRY PANS AND SAUCE PANS

HCAZ2608	SERIE ALUMINIO FUND.	188
HCAZ262_	SERIE ALUMINIO FUND.	188
HCAZ2616	SERIE ALUMINIO FUND.	188
HSAR262_	SERIE ALUMINIO FUND.	188
HCAZ262001	SERIE ALUMINIO FUND.	188
HCAZ26XX01	SERIE ALUMINIO FUND.	188
SF9_	SERIE TAAL	190
CF916	SERIE TAAL	190

TF92_	SERIE TAAL	190
CF92	SERIE TAAL	190
HSAR25_	SERIE TACANÁ	191
HCAZ25_	SERIE TACANÁ	191
HTAR25_	SERIE TACANÁ	191
HSAR21_	SERIE LAGARROTXA	192
HPAE21_		192
HSAR24_		193
SMH14		193
SEW_	SERIE FLUJI	194
SF1_		194

COOKWARE SETS

BC3	195
HBAT2552	195
BC8	196
BC10	196

GLASS LIDS

T16	197
T20	197
T26	197

TRIVETS


HACC4546	197
----------	-----



SILICONE MOLDS

HSET1234	198
HMOL5211	198
HMOL5212	198
HMOL5213	198
HMOL5216	199
HMOL5214	199
HMOL1124	199
HMOL1324	199

AC40	199
HACC4540	199



ACCESORIES

HACC4624	200
HACC435_	201
HACC5460	201
AC1	202
AC3	202
AC21	202
AC23	202
HACC4520	202
AC24	202
AC25	202
AC26	202
AC31	203
AC28	203
AC33	203
AC30	203
AC34	203
AC32	203
AC35	203
AC36	203
HACC2505	203
HACC4541	204
HACC4522	204
HRAL3248	205
HACC2502	205
HPRE2544	205
HACC4502	206
HACC4503	206
HACC4504	206

HACC4531	207
HACC4530	208
HACC4533	208
HACC4524	208
HACC4542	209
HACC4543	209
ARA30	209



CUTTING

AC54	210
AC56	210
HMAQ4504	210
JEPC1207	211
HMAQ4557	212
AC57E	212
HMAQ4506	212
AC51	213
HMAQ4505	213
HMAQ4508	213

OIL DISPENSERS

HACE2501	214
HACC4545	214
HACC4539	214
HACC4537	215
HACC4536	215
HACC4535	215
HRAC4537	215
HRAC4536	215
HRAC4535	215

SALAD SPINNER

HACC4554	215
----------	-----



THERMIC FLASKS

HTER2125	216
HTER2150	216
HTER2175	216
HTER2100	216
942	216
943	216
JEFE2003	216
825	217
827	217
835	217
836	217
837	217
838	217
840	217
HTER2624	218
826	218
909	218
919	218
920	218
HTER1011	218
HTER1001	218

THERMIC LUNCH BAGS

HPOR7202	220
HPOR7203	220
HPOR7056	220
HPOR7051	220
HPOR7052	220
HPOR7055	220
HPOR7054	220
954	221
980	221
970	221

SHOPPING CARTS

HCAR2501	222
HCAR2502	222
HCAR2601	223
HCAR2661	223
HCAR2563	224
HCAR2564	224
HCAR2523	224
HCAR2524	224

GLASS CONTAINERS

HREC4200	226
HREC4201	226
HREC4202	226
SET HREC4205	226
SET HREC4204	226



VINUM SERIES

HVIN2302	227
HVIN2300	227
HVIN2202	227
HVIN2212	227
HVIN2201	228
HVIN2205	228
HVIN2314	228
HVIN2204	229
HVIN2206	229
HVIN2215	229
HVIN2207	230
HVIN2208	230
HVIN2200	230
HBOX0122	231

REPLACEMENT PARTS

248

Jata

Marco  Aldany®



Feel the pleasure
of a **pro** result.

Propower
Proquality
Prosatisfaction

#Beautifyer.
The pleasure of feeling beautiful.

THE POWER OF
Beauty

tata



BEAUTY

BEAUTY

Lata

PROFESSIONAL COLLECTION

PRODUCTS TESTED AND DESIGNED
HAND BY HAND WITH HAIRDRESSERS

Marco Aldany®
THE POWER OF
Beauty



JBSC5577

Professional
ionic hair dryer
230 V~ MÁX. 2.000 W

BLDC MOTOR

- High performance BLDC motor with 110,000 RPM
- Ultralight.
- Reduction in drying time and frizz thanks to its ion generator
- Memory function: Remembers the last speed and temperature setting used
- Includes 1 diffuser and nozzles of 2 different sizes.
- Automatic filter cleaning function.
- LED indicator lights for operation.
- 3 speed positions 0 – 1 – 2.
- 3 heating positions: 1 – 2 – 3.
- Cold air button.
- Constant and powerful airflow.
- Cord length: 3 m.

||||| EAN 8421078038375 4 UNITS



JBPP5570

Ceramic infrared
hair straightener
100-240 V~ Máx. 60 W

- Infrared function:
 - Facilitates the penetration of hair treatments.
 - Helps rebuild and soften the hair.
- Ceramic plates for intensive hair care
- Plate measures: 110 x 36 mm.
- Ionic function.
- Autosleep.
- Quick heat-up.
- On / off switch.
- Temperature range: 100-230 °C.
- Pilot light.
- Ceramic resistance (PTC).
- Swivel cord. 3 meters.
- Temperature and Plate lock function.



JBPC5544

Professional metal
hair clipper
100 - 240 V~

- Cordless precision machine with adjusting device.
- Professional hairdressing and barbershop tool.
- Smart design with a special look.
- High resistance stainless steel blades.
- Rechargeable battery Li-ion 2000 mAh
- **LED screen:**
 - Battery remaining indicator.
 - Charging indicator.
- Cordless use: 2.5 hours
- Charging time: 3 hours.
- Hairdresser attachments: lubricating oil, cleaning brush and comb.
- USB cable included.
- Blade control lever.
- 4 cutting guides: 1,5 – 3 – 6 – 9 mm.
- Accurate cutting.
- Blade protection.
- On / off switch.
- Hanging ring.

FUNCIÓN RAYOS
INFRARROJOS

PLACAS
CERÁMICAS

ION
TECNOLOGÍA
Iónica

CALENTAMIENTO
ULTRARRÁPIDO

60 W

CORTAPELOS
DE PRECISIÓN

CARGA
POR USB

2,5 H. DE
AUTONOMÍA

4 GUÍAS
DE CORTE

CUCHILLAS
ACERO INOX.

PRO SERIES

||||| EAN 8421078038429 6 UNITS

||||| EAN 8421078038412 4 UNITS

Travel shaver

100 - 240 V~

- Wet and dry shaving for maximum comfort
- Maximum accuracy, with double head.
- Light.
- Dual use, cord and cordless use, to guarantee the shaving.
- On / off switch.
- **LED display:**
 - Displays remaining battery percentage.
 - Safety lock.
 - Battery charge indicator.
- IPX7 waterproof. Suitable for use in the shower.
- Travel bag included.
- 900 mAh lithium battery.
- Cordless working time: 90 min.
- Charging time: 90 min
- Included accessories: blade cleaning brush, USB Type-C cable and magnetic protective cap.
- Multi-current from 100-240 V



61 x 83 x 30 mm

EAN 8421078040231

8 UNITS

JBMA1443



Rotary shaver

100 - 240 V

- Wet and dry shaving for maximum comfort
- Maximum precision in a single pass. Three adjustable levels.
- Shaving head rotation 360°, for an ergonomic shave that adapts to the contour of the face with great sensitivity.
- Dual use – corded or cordless operation for guaranteed shaving performance.
- USB fast charging, included.
- Safety wet shaving due to IPX5. Suitable for use in the shower.
- Security lock.
- Lithium battery.
- Cordless working time 90 min.
- Charging time 120 min
- Smart screen with battery indicator.
- Eayclean System with removable cutting heads.
- On / off switch.
- Charging light indicator.
- Attachments included: cleaning brush and protective cap.
- Charging base.



60 x 60 x 160 mm

JBMA1400

EAN 8421078036319

6 UNITS

RM34A Head replacement

EAN 8421078034971

12 UNITS

JBMA1400





JBMA1444

Head shaver 100 - 240 V

- Wet and dry shaving for maximum comfort
- Maximum accuracy, two levels of adjustment.
- Head with 5 floating, multi-directional and flexible blades, for an ergonomic shave that adapts with maximum delicacy.
- Dual use, cord and cordless use, to guarantee the shaving.
- On / off switch.
- Magnetic removable head for greater comfort.
- **LED display:**
 - Displays remaining battery percentage.
 - Safety lock.
 - Battery charge indicator.
- Type C USB fast charging, included.
- IPX6. Suitable for use in the shower.
- 1200 mAh lithium battery.
- Cordless working time 120 min.
- Charging time 120 min.
- Accessories included: cleaning brush, USB cord and protective cap.



JBMA1444

EAN 8421078039822

8 UNITS

JRMA1444 Head replacement

EAN 8421078039815

12 UNITS



JBCP3700

Hair clipper 230 V

- Special for beard, moustaches and body trimmer.
- Dual use, cord and cordless use, to guarantee the shaving.
- Cordless working time 100 min.
- USB cable included.
- 1 cutting guide / 7 positions: from 3 to 21 mm.
- Removable cutting unit for easy cleaning.
- High resistance ceramic and stainless steel blades.
- Charging time: 1.5 hours
- On / Off switch.
- Charging light indicator.
- **Smart LED display** with battery percentage display.
- Precision shaving.
- Hairdresser attachments included: lubricating oil, cleaning brush and charged charging cable.



EAN 8421078038306

8 UNITS



JBCP4000

Professional metal hair clipper 100 - 240 V

- Cordless precision machine with adjusting device.
- Professional hairdressing and barbershop machine.
- Smart design with a special look.
- High resistance stainless steel blades.
- Rechargeable 2000 mAh Li-ion battery
- Smart LED screen:
 - Battery remaining indicator.
 - Charging indicator.
- Cordless use: 2.5 hours
- Charging time 3 hours.
- Hairdresser attachments: lubricating oil, cleaning brush and comb.
- USB cable included.
- Blade control lever.
- 4 cutting guides: 1,5 - 3 - 6 - 9 mm.
- Precision shaving.
- Blade protection.
- On / off switch.
- Hanging ring.



EAN 8421078036555

4 UNITS

METAL



JBCP3315**Hair clipper**
100 - 240 V

- Modern design.
- LED digital display.
- Displays: remaining charge percentage
- Low battery / charge indicator.
- Dual use: connected to the network and with battery.
- Fast USB charge (cable included)
- High resistance stainless steel blade
- 600mAh rechargeable lithium battery
- 3 cutting guides: 1-2-3 mm
- 1,5h Charging Time
- On/Off switch
- 80 minute autonomy
- Accessories included: lubricating oil, brush for cleaning blades.
- Multi-current 100-240 V.
- Remaining charge indicator.
- Low Battery indicator
- Charging indicator.

**METAL**

EAN 8421078037323

6 UNITS

**JBCP3305****Hair clipper / Body trimmer 9 in 1**
100 - 240 V

- Fast USB charging, included in the case.
- Cordless working time 99 min.
- Charging time 1 hour.
- Safety wet shaving due to IPX6 protection. Suitable for use in the shower
- 9 interchangeable accessories:
 - 2 head trimmers.
 - Shaver.
 - Special trimmer for nose and ears.
 - 5 Multi-position cutting guide from 0 to 12 mm.
- Removable cutting unit for easy cleaning.
- Lithium battery.
- High resistance stainless steel blades.
- Dual use, cord and cordless use, to guarantee your shaving.
- On / Off switch.
- Smart LED screen:
 - Shows battery percentage.
 - Charging light indicator.
 - Safety lock.
 - Cleaning display.
- Precision shaving.
- Triple safety protection.
- Attachments included: comb, lubricating oil, cleaning brush.
- Tray support.



EAN 8421078036326

6 UNITS

**JBCP3310****Hair clipper / Body trimmer**
100 - 240 V

- 2 hours of cordless shaving.
- Fast charging via USB (cable included)
- Dual use: connected to the network and with battery. 2 charging options.
- 5 cutting guides from 0 to 5 mm.
- Charging time 2 hours.
- Lithium battery.
- Stainless steel blades.
- High cutting precision.
- 2 speeds.
- Smart LED screen:
 - Shows the battery percentage.
 - Charging indicator light.
 - Safety lock.
- Accessories included: lubricating oil, brush for cleaning blades.



EAN 8421078036333

6 UNITS



JBSE2102



Hair clipper / Trimmer 100 - 240 V

Hair clipper:

- Cordless. 90 minutes of use.
- Rotary control for different cutting lengths.
- 2 cutting guides: 1 - 15 mm. / 16 - 30 mm.
- Protected against water splashing (IPX4)
- High resistance stainless steel blades.
- Smart LED screen:
 - Safety lock indicator.
 - Remaining battery indicator.
 - Cutting length indicator.
 - Charging light indicator.
 - Low battery indicator.

- Charging time 120 min.
- On / off switch.
- Ergonomic and light design.

Trimmer:

- Cordless operation with up to 90 minutes of runtime
- Long-lasting lithium battery
- High-precision cutting performance
- Durable stainless steel blades
- On/off power button
- Includes 4 cutting guides: 3 to 12 mm
- Charging time: 120 minutes
- Lightweight and ergonomic design for comfortable handling



Hairdresser attachments included: lubricating oil, cleaning brush and USB cord.

||||| EAN 8421078036623

8 UNITS

JBCP3325



Professional hair clipper 100 - 240 V

- Dual use, cord and cordless use, to guarantee the shaving.
- 4 cutting guides from 3 to 13 mm.
- Long-lasting professional motor.
- 3 adjustable speeds.
- Lithium battery.
- Blade protector.

- Cordless use time: 4h minimum power, 3.5 h medium power and 3,20h maximum power.
- Charging time: 3.5 h
- ON /OFF switch.
- Charge / low battery indicator light.
- Accessories included: blade cleaning brush, protective cap and lubricating oil.



||||| EAN 8421078037330

6 UNITS

Hair clipper / Body trimmer 5 in 1

Multi-current from 100 - 240 V

- Cordless. 120 minutes of use.
- Rechargeable. USB Type C cable included.
- Quick charging battery: 2 hours.
- **5 interchangeable accessories:**
 - Hair clipper.
 - Trimmer.
 - Hair contour trimmer.
 - Special trimmer for nose and ears.
 - Shaver.
- 6 cutting guides: 1 - 2 - 3 - 6 - 9 - 12 mm.
- Removable cutting unit for easy cleaning.
- High resistance stainless steel blades.
- On / off switch.
- Charging light indicator.
- Attachments included: lubricating oil, cleaning brush.
- Tray support.



EAN 8421078039020

8 UNITS

JBCP3538**MP423**

Hair clipper

230 V

- Precision hair clipper with adjustment device.
- High resistance stainless steel blades.
- Accurate cutting.
- Adjustable trimming function.
- Hairdresser attachments: scissors, comb, lubricating oil, cleaning brush.
- 4 cutting guides: 3, 6, 9, 12 mm.
- Blade protection.
- On / off switch.
- Detachable head for easy cleaning.
- Hanging ring.

8 UNITS DISPLAY BOXES
16 x 22.5 x 31.5 cm

EAN 8421078034858

8 UNITS

**MP423**

JBCP3532 / JRCP3532



Face and body trimmer for precision trims

- Fast USB charge (cable included).
- Durable stainless steel tilting blade.
- 600mAh rechargeable lithium battery.
- 4 cutting guides: 1-2-3-5 mm.
- 2h Charging Time.
- Charging indicator light and failed battery.
- On/Off switch.
- 60 minutes autonomy.
- Accessories included: blade cleaning brush and USB type C cable.
- Multi-current 100-240 V.



INOX ALTA
RESISTENCIA



RECARGA
POR USB



60' DE
AUTONOMÍA



RECARGA
POR USB

JBCP3532


||||| EAN 8421078040217

📦 8 UNITS

JRCP3532 Head replacement

||||| EAN 8421078040347

📦 12 UNITS

AUTUMN **NOVELTY****JBDF1503**

2 in 1 women's facial mini hair remover

- Precision stainless steel blade for accurate and gentle trimming.
- Specific head for shaping and defining eyebrows with control.
- Protective cap with integrated mirror.
- USB-C charging cable (included) for added convenience.
- Cleaning brush to keep the blades like new.
- Up to 90 minutes of runtime on a single charge.
- LED indicators for operation and battery level.
- High-performance 300 mAh lithium battery.
- Compact and lightweight design. 11.1 x 2.4 cm.



11,1 x 2,4 cm

12 UNITS DISPLAY BOXES
15.2 x 24.2 x 12.6 cm

EAN 8421078041481

12 UNITS





JBCN1375

Nose trimmer

- Specially designed for nose and ear trimming.
- 2 cutting speeds.
- Stainless steel blade.
- Protected against water splashes (IPX4).
- On / off switch.
- Charging indicator light.
- Size: 3,2 x 2 x 8,3 cm
- Cleaning brush included.
- Protective cover.
- 150 mAh lithium battery.



12 UNITS DISPLAY BOXES
335 x 145 x 295 mm



EAN 8421078040248 2 x EXP / 12 UNITS TOTAL: 24 UNITS



CN12B

Nose trimmer

- For nose, sideburns and ears.
- Safe and clean cutting.
- Protected against water splashes (IPX4): Suitable for use in the shower.
- Removable cutting unit for easy cleaning.
- Integrated lighting for optimum vision.
- Ergonomic and light design.
- On / off switch.
- Accessories included: cleaning brush and base.
- Protective cover.
- Works with one "AA" battery of 1,5 V (not included).



EAN 8421078035763 12 UNITS



CN15B

Nose trimmer

- For nose, ears and eyebrows.
- Stainless steel blade.
- Protected against water splashes (IPX4).
- On / off switch.
- 2 comb guides for trimming.
- 2 cutting lengths.
- Cleaning brush.
- Protective cover.
- Works with one "AA" battery of 1,5 V (not included).



14 UNITS DISPLAY BOXES
16 x 22,5 x 31,5 cm



EAN 8421078031154 2 x EXP / 14 UNITS

Women's razor

100 - 240 V multi-voltage

- Double blade for excellent cutting performance.
- Wet and dry use. IPX5
- Dual use: connected to the network and with battery.
- Up to 90 min runtime.
- 3 cutting guides from 1-3-5 mm.
- 600 mAh lithium battery.
- Charging time 90 min.
- Stainless steel blades.
- Charging indicator light.
- Accessories included: Cleaning brush and USB Type-C cable.



JBRS1320

||||| EAN 8421078039839 10 UNITS

- Suitable for model JBRS1320.
- Approximate lifespan: 6-12 months.
- Double blade made of 420J2 stainless steel
- High cutting precision.

JRRS1320 Head replacement

||||| EAN 8421078039778 12 UNITS



Manicure / Pedicure set 6 in 1

- 6 professional accessories for manicure and pedicure.
- Progressive speed control.
- Double direction motor. Great power.
- Ergonomic and light design.
- Pilot lights.
- Rechargeable. USB cable included.
- Lithium battery.
- Magnetic box for storing and protecting accessories.



||||| EAN 8421078036340 6 UNITS





JBSC1195

Ionic hair dryer 230 V - Máx. 2.600 W.

- Great power.
- Universal air diffuser.
- Ionizer. Continuous ion generator.
- Overheating protection.
- Integrated independent knobs.
- Magnetic removable post filter.
- 3 speed positions 0 – 1 – 2.
- 3 heating positions: 1 – 2 – 3.
- Cold air button.
- Air flow 19.2 m/s
- Cord length: 2,80 m.
- Slim air concentrator.
- Hanging ring.



||||| EAN 8421078038382 6 UNITS



JBSC1065

Hair dryer 230 V - 2.200 W

- Great power.
- Air diffuser.
- Overheating protection.
- Integrated independent knobs.
- Removable filter.
- 3 speed positions 0 – 1 – 2
- 3 heating positions: 1 – 2 – 3.
- Cold air button.
- Slim air concentrator.
- Hanging ring.



||||| EAN 8421078036562 6 UNITS



JBSC1290

Ionic hair dryer 230 - Máx. 2.200 W

- High-performance AC motor.
- Universal air diffuser.
- Frizz reduction thanks to the continuous ion generator.
- Overheating protection.
- Integrated independent knobs.
- 3 speed positions 0 – 1 – 2.
- 3 heating positions: 1 – 2 – 3.
- Cold air button.
- Air flow 17,3 m/s.
- Cord length: 2,80 m.
- 2 air nozzles of varying sizes: 6 cm and 7.5 cm
- Hanging ring.



||||| EAN 8421078039037 6 UNITS

JBSC1600

Brushless Ionic Hair Dryer

230 V - Máx. 1.600 W

- High performance BLDC motor with 110,000 RPM
- Reduction in drying time and frizz thanks to its ion generator
- LED digital display.
- Air concentrator nozzle. Diffuser included.
- 3 speed positions 0 – 1 – 2.
- 4 temperature settings.
 - 1. Cold air 25°C.
 - 2. Hair care temperature 55°C.
 - 3. Heat 85°C.
 - 4. Oscillating temperature for hair protection and anti-frizz 25°C and 85°C.
- Constant and powerful airflow.
- Cord length: 1,8 m
- Compact and lightweight



||||| EAN 8421078040200 6 UNITS



JBSC1430



Foldable hair dryer

230 V~ 2.000 W máx.

- Ultra fast hair dryer.
- Folding handle system.
- Compact, light and powerful.
- Overheating protection.
- 3 switch positions: 0 – 1 – 2.
- Aesthetic and ergonomic design.
- Semi-rigid storage bag for transport.
- Includes microfiber turban towel.
- Cord length: 1,80 m.

INCLUDES
CARRYING
CASE
+ MICROFIBER TURBAN
TOWEL



||||| EAN 8421078037309

6 UNITS

JBSC1440



Hair dryer with wall mount

230 V~ 2.000 W máx.

- Ultra fast hair dryer.
- Compact, light and powerful.
- Power and safety button.
- 2 speed settings.
- 3 temperature levels.
- Removable filter for cleaning.
- Wall anchors.



||||| EAN 8421078039044

6 UNITS

SC56B**Tourmaline dryer**
230 V - 2.000 W

- Tourmaline technology for a healthier and more natural result.
- Overheating protection.
- Soft-touch finish.
- Integrated independent knobs.
- 3 speed positions 0 – 1 – 2.
- 3 heating positions 1 – 2 – 3.
- Air concentrator.
- Air diffuser.
- Cold air button.
- Rear grille with opening system.
- Hanging ring.



||||| EAN 8421078033110 6 UNITS

**SC43B****Compact hair dryer**
230 V - Máx. 2.200 W

- Compact design.
- Slim air concentrator.
- Overheating protection.
- 3 switch positions.
- Cold air button.
- Removable filter.
- Hanging ring.
- Air diffuser.



||||| EAN 8421078035688 6 UNITS

**SC47B****Travel hair dryer**
110 - 120 / 220 - 240 V~ 1.200 W

- Foldable handle.
- Overheating protection.
- 3 switch positions: 0 – 1 – 2.
- Air concentrator.
- Air diffuser.
- Dual voltage.




||||| EAN 8421078034261 12 UNITS



JBSC2656

AUTUMN NOVELTY



DC Motor hair dryer

230 V ~ Máx. 2.000 W

- Powerful 2,000 W DC motor for fast and efficient drying.
- 16 m/s airflow for professional results.
- Three airflow settings to adjust intensity.
- Three different temperature levels.
- Cool shot function to set the hairstyle.
- Thermal protection.
- Includes interchangeable concentrator and diffuser.
- Removable rear filter for easy cleaning.
- 1.8 m cord for greater reach and convenience.
- Hanging loop for easy storage.
- Voltage 230 V.



||||| EAN 8421078041504


6 UNITS

JBSC2211**3-in-1 Hair dryer brush:
Styling and voluminizing****230 V - Máx. 1200 W**

- 3 in 1: styler, volumizer and dryer.
- Ceramic coating.
- Ion generator that helps prevent frizz and add shine and softness to the hair.
- Overheating protection.
- 4 heating positions: 0- 1 – 2 – 3.
- Lightweight.
- Hanging ring.



EAN 8421078037354 6 UNITS

**JBSC2255****3 in 1 rotating hair dryer brush****230 V~ Máx. 1.200 W**

- Includes 3 interchangeable attachments:
 - 40 mm mixed-bristle thermal brush
 - 49 mm mixed-bristle thermal brush
 - Straightening brush.
- Overheating protection.
- 3 temperature levels: Cold - minimum - maximum.
- Left and right switches change the direction of rotation.
- 1,60 m. swivel cable.
- Hanging ring.



EAN 8421078040224 6 UNITS

**JBCA1901****Smoothing brush / Ionic curling iron****Multicorriente 110 - 230 V~ 50 W**

- Two-height bristle design to facilitate hair straightening.
- Designed to give shape and movement to the hair.
- Quick heat up.
- Ceramic-coated plate for intensive hair care.
- Ionic technology to avoid frizziness.
- LED indicator light with 4 temperature levels: 160° / 180° / 200° / 220°
- On switch.
- Protective cover.
- Temperature indicator light.
- Safety lock.
- Automatic sleep mode.
- Swivel cable. 2 meters.
- Hanging ring.



EAN 8421078036616 6 UNITS



JBPP1503



Ultra-fast heating Hair straighteners

100 - 240 V - 52 W

- Fast heat-up.
- Smoother, frizz-free hair thanks to its ion generator.
- Vibration function: Prevents hair damage during the straightening process.
- Smoother, shinier hair thanks to the tourmaline ceramic plates.
- Stainless steel outer plates designed to curl and wave hair.
- Temperature range: 120 - 250 °C.
- On/Off switch.
- Safety lock.
- Auto shut off.
- 2 meters swivel cable.
- Hanging ring.
- Multi-voltage.



EAN 8421078040262

6 UNITS

JBPP1588



Air hair straightener / Curler

100 - 240 V - 34 W

- Cool Air technology to fix and protect curls.
- Floating ceramic plates.
- LED indicator light with 4 temperature levels: 140/160/180/200 °C
- Air function switch.
- On/Off switch.
- Memory function: Remembers the last temperature setting used.
- Safety lock.
- Auto shut off.
- Swivel cable. 2,5 meters.
- Hanging ring.
- Multi-voltage.



EAN 8421078039051

6 UNITS

AUTUMN **NOVELTY****JBSC2605**

5 in 1 multifunction styler

230 V~ Máx. 1.000 W


- 5-in-1 for straightening, adding volume, curling, and styling with a single device.
- Includes a flat smoothing brush for a soft and polished finish.
- Round volumizing brush to add body and movement.
- Two symmetrical barrels for defined and natural curls, Coanda technology.
- Concentrator nozzle for precise drying.
- Thermal protection system to care for the hair.
- Three temperature levels to suit every hair type.
- 1,000 W power for fast and efficient styling.
- 1.98 m swivel cord for greater freedom of movement.
- Includes storage case.
- Voltage 230 V.



||||| EAN 8421078041498

4 UNITS

JBSE2101



Tourmaline ceramic hair straightener

100 - 240 V - 40 W

- Floating Tourmaline ceramic plates for intensive hair care.
- Single axis for a perfect alignment.
- Light on indicator and running.
- Metallic paint to provide a perfect glide.
- Quick heat up.
- Plates measures: 90 x 25 mm.
- 5 temperature positions.
Maximum temperature 230 °C.
- PTC heating element.
- On / off switch.
- Auto shut off.
- Swivel cable cord 1,90 meters.
- FREE facial brush
- 350,000 soft and delicate PBT filaments for all skin types, including sensitive skin.
- Silicone brush head for use as an exfoliant in the nasal area.
- The protective cap acts as a hand holder for convenient cleaning.
- Ideal design, suitable for travel.



||||| EAN 8421078036296 6 UNITS



HBAS1501

Body analyzer
180 KG - 7 functions

- **Analyses:**
 - Muscle mass. - Body water.
 - Body fat. - Bone density.
 - Body mass index.
- **Informes:**
 - Suggested daily calories.
 - Body weight.
- 6 mm. "temperit" safety glass base.
- Large "LCD" display. 4 digits.
- Touch sensor controls.
- 4 sensors. High precision.
- Automatic power on
- Automatic power off
- Kg / lb / st. conversion function.
- Low battery indicator.
- Overweight indicator.
- Powered by 1 long-life CR2032 lithium battery (included)



33 x 33 x 2 cm

EAN 8436584381785 6 UNITS



HBAS2531

Bathroom scale and body analyzer
180 KG - 8 functions

- Wireless connection compatible with iOS * and Android devices. OkOk International application.
- **Analyses:**
 - Muscle mass
 - Body water.
 - Fat %.
 - Body fat.
 - Bone mass.
 - Body mass index.
- **Informes:**
 - Suggested daily calories.
 - Body weight.
- 8 data memories.
- Capacity 180 kg.
- Room temperature measurement.
- Graduation: 100 g
- 4 mm. "temperit" safety glass base.
- Large 4-digit LCD display
- 4 sensors. High precision.
- Automatic power on
- Automatic power off
- Kg / lb. conversion function.
- Low battery indicator.
- Overweight indicator.
- Works with 2 AAA 1.5 V batteries (not included).



28 x 28 x 2,5 cm



HBAS2531

EAN 8436584385707 6 UNITS



HBAS2532

EAN 8436584385714 6 UNITS



532



Bathroom scale and body analyzer 180 KG - 6 functions



- **Analyses:**
 - Muscle mass. - Body water.
 - Body fat. - Bone density.
- **Inform:**
 - Suggested daily calories.
 - Body weight.
- 12 data memory slots
- 5 mm. "temperit" safety glass base.
- Large 4-digit LCD display 4 sensors
- Automatic power on / off.
- Kg / lb / st:lb. conversion function.
- Low battery indicator.
- Overweight indicator.
- Works with 2 "AAA" batteries of 1,5 V (not included).



28 x 28 x 2,3 cm

532

EAN 8436584380184 6 UNITS

80

Digital height measuring device with sensor Infrared sensor - 200 cm

- **Multi-function knob:**
 - On - Measuring.
 - Conversion function: cm. / in.
- 4-digit LCD display
- Low battery indicator.
- Automatic power off
- Works with 3 "AAA" batteries of 1,5 V (not included).

SENSOR
INFRARED



5 x 22 x 7 cm

8 UNITS DISPLAY BOXES
16 x 22.5 x 31.5 cm

EAN 8436017660104 9 UNITS



538

Rechargeable bathroom scale
and body analyzer

Rechargeable via USB

- 2 hours full charge provides up to 6 months of use. USB cable included.
- **Analyses:**
 - Muscle mass, body water, body fat, bone density, body mass index.
- **Informes:**
 - Suggested daily calories.
 - Body weight.
- 5 mm. tempered safety glass base.
- Touch sensor controls.
- Large 4-digit LED display.
- Automatic switch on and switch off.
- Kg / lb conversion function.
- Overweight and low battery indicators.



29 x 24 x 1,5 cm

EAN 8436584380603

4 UNITS



577

Body analyser
180 KG - 7 functions

- **Analyses:**
 - Muscle mass.
 - Body water.
 - Body fat.
 - Bone density.
 - Body mass index.
- **Informes:**
 - Suggested daily calories.
 - Body weight.
- 10 data memory slots
- Touch sensor controls.
- Backlit LCD display.
- Automatic shut off.
- Kg / lb / st. conversion function.
- Low battery indicator.
- Overweight indicator.
- Works with 2 "AAA" batteries of 1,5 V (not included).



34 x 27,5 x 3 cm

EAN 8436017658095

6 UNITS



HBAS1489

Electronic bamboo bathroom scale
28X28 180 KG

- Capacity: 180 kg
- Graduation: 100 g
- Sustainable bamboo production, 12 mm. thickness.
- Large 4-digit LCD display.
- 4 sensors. High precision.
- Automatic power on.
- Automatic power off.
- Room temperature measurement.
- Overweight indicator.
- Low battery indicator.
- Kg / lb conversion switch.
- Powered by 2 AAA 1.5 V batteries (not included)



28.1 x 28.1 x 3 cm

6 UNITS DISPLAY BOXES
30.5 x 26 x 30 cm

EAN 8436584385646

6 UNITS



HBAS1524



Smart body analyzer with App

180 Kg, 13 functions

- Wireless connection compatible with iOS* and Android devices.. OkOk International application.
- **Analyses:**
 - Muscle mass.
 - Body water.
 - Body fat.
 - Bone density.
 - Body mass index.
 - Visceral fat.
 - Basal metabolic index.
 - Low-fat body mass index.
 - Metabolic age.
 - Obesity index
 - Protein.
- **Informes:**
 - Weight.
 - Temperature.
- 8 data memory slots.
- 5 mm tempered safety glass base.
- Backlit LCD display
- Automatic power on and power off.
- Kg / lb conversion function.
- Overweight and low battery indicators.
- Works with 2 "AAA batteries of 1,5 V (not included).



28 x 28 x 2 cm

EAN 8436584384823

6 UNITS

HBAS1155



Smart body analyzer with App

180 Kg, 7 functions

- Compatible with devices supporting Bluetooth 4.0 or higher, Android 4.3 or later, and iOS 8.0 or later. Works with the 'Okok' app.
- **Analyses:**
 - Muscle mass.
 - Body water.
 - Body fat.
 - Bone density.
 - Body mass index.
- **Informes:**
 - Weight.
 - Temperature.
- 15 data memory slots.
- 5 mm. "temperit" safety glass base.
- Large 4-digit LCD display.
- 4 sensors. High precision.
- Automatic power on.
- Automatic power off.
- Kg / lb. conversion function.
- Low battery indicator.
- Overweight indicator.
- Works with 2 AAA 1.5 V batteries (not included).



28 x 28 x 2,3 cm

EAN 8436584385196

6 UNITS

HBAS2501

Digital body composition and muscle fat analyzer

180 KG - 7 functions

- Compatible with devices with wireless connection 6.0 or higher on Android or iOS 13.0 or higher.
- Synchronizes data with Ailink App.
- High precision.
- Analyses: Muscle mass, body water, body fat, bone mass, body mass index.
- Informs: Suggested daily calories, body weight.
- 8 data memory slots.
- Capacity 180 kg.
- Graduation 100 g.
- Tempered safety glass base 6 mm thick.
- Extra large LCD screen 9 x 6.4 cm.
- 8 sensors. High precision.
- Automatic power on.
- Automatic power off.
- Kg / st:lb / lb conversion function.
- Low battery indicator.
- Overweight indicator.
- Size: 34,5 x 34 x 2,5 cm.
- Rechargeable (works with USB type C cable).
- The radio frequency band in which this device works is 2402-2480 and the Maximum Power transmitted is -1,68 dBm.



34,5 x 34 x 2,5 cm

||||| EAN 8436584385783 3 UNITS

HBAS1907



Bathroom Scale and Body Analyzer 150 KG

- Battery-free technology.
- U-Power: Mechanical energy generation.
- 5 mm tempered safety glass base.
- 4 sensors. High precision.
- Large digital display.
- Automatic power-off.
- kg / lb conversion switch.
- Overweight indicator.



28 x 28 x 4,2 cm ① 6 UNITS DISPLAY BOXES 30 x 24 x 29 cm

EAN 8436584385042 6 UNITS



HBAS1499

U-POWER Battery-Free Bathroom Scale 150 KG

- Battery free technology.
- "U-Power": automatic energy generation.
- Capacity: 150 kg
- Graduation: 100 g
- 5 mm tempered safety glass base.
- 4 sensors. High precision.
- Large 4-digit LCD display.
- Automatic shut off.
- Kg / lb conversion switch.
- Overweight indicator.



32 x 26 x 4,5 cm

EAN 8436584382232 4 UNITS



HBAS1417

HBAS1499

Electronic glass bathroom scale
180 KG

- Large digits for easy reading of the measurement.
- LED display, red light.
- 4 sensors. High precision.
- Automatic power on.
- Automatic shut off.
- Overweight indicator.
- Low battery indicator.
- Kg / lb / st. conversion switch.
- Works with 3 AAA batteries (not included).



30,2 x 30,2 x 2,5 cm

EAN 8436584383697 6 UNITS



HBAS1499

Electronic glass scale
with marble pattern
180 KG

- 5 mm. tempered Temperit safety glass base.
- Large 4-digit LCD display.
- 4 sensors. High precision.
- Automatic power on.
- Automatic shut-off.
- Overweight indicator.
- Low battery indicator.
- Kg / lb. conversion switch.
- Works with 1 CR2032 long life lithium battery (included).



34 x 30 x 2 cm

EAN 8436584382645 6 UNITS





HBAS1424


Bathroom scale Tempered glass 180 KG

- 5mm Tempered Glass surface
- Large digits for easy reading of the measurement.
- Backlit LCD display.
- 4 sensors. High precision.
- Automatic power on, Step on technology.
- Automatic shut-off.
- Overweight indicator.
- Low battery indicator.
- Kg / lb conversion switch.
- Works with 3 AAA batteries (not included).



30 x 30 x 2,1 cm

EAN 8436584384694 6 UNITS



294K

294K / 295K

Bathroom scale Glass 150 KG

- 5 mm. tempered safety glass base.
- Large 4-digit LCD display
- 4 sensors. High precision.
- Automatic power on.
- Automatic shut-off.
- Overweight indicator.
- Low battery indicator.
- Kg / lb / st. conversion switch.
- Works with 1 CR2032 long life lithium battery (included).



30 x 30 x 2 cm

6 UNITS DISPLAY BOXES
31,6 x 17 x 32,1 cm

294K

EAN 8436584381013 6 UNITS

295K

EAN 8436584381020 6 UNITS



498

Bathroom scale
With Room Thermometer 150 kg

- **"HPL" surface:**
 - High resistance laminate.
 - Ideal for wet places.
- Informs: weight and room temperature.
- Backlight "LCD" display.
- 4 sensors. High precision.
- Overweight indicator.
- Low battery indicator.
- Kg. / lb. conversion switch.
- Works with 2 CR2032 long life lithium batteries (included).



29,5 x 29,5 x 2,2 cm

EAN 8436017659627 6 UNITS



496N

Bathroom scale
With room thermometer 150 kg

- Anti-fingerprint stainless steel surface.
- Informs: weight and room temperature.
- Backlit LCD display.
- 4 sensors. High precision.
- Automatic power on.
- Automatic shut-off.
- Overweight indicator.
- Low battery indicator.
- Kg. / lb. conversion switch.
- Works with 2 CR2032 long life lithium batteries (included).



29,5 x 29,5 x 2 cm

EAN 8436017659610 6 UNITS



290N

Bathroom scale
Tempered glass 150 kg

- 6 mm. tempered safety glass base.
- Large 4-digit LCD display.
- 4 sensors. High precision.
- Overweight indicator.
- Low battery indicator.
- Kg / lb / st. conversion switch.
- Works with 1 CR2032 long life lithium battery (included).



30 x 30 x 2 cm

6 UNITS DISPLAY BOXES
32,5 x 21,8 x 32,2 cm

EAN 8436017659962 6 UNITS



HBAS1291 / HBAS1292



Bathroom scale

Tempered glass 180 kg

- Thickness of glass plate: 5mm tempered glass
- Large 4-digit LCD display
- 4 sensors. High precision.
- Automatic power on, Step on technology.
- Automatic shut-off.
- Overweight indicator.
- Low battery indicator.
- Kg / lb / st. conversion switch.
- Works with 2 AAA batteries (not included).



28 x 28 x 2 cm 6 UNITS DISPLAY BOXES 30 x 20 x 29 cm

HBAS1291 - RED

EAN 8436584384977 6 UNITS

HBAS1292 - SILVER

EAN 8436584384984 6 UNITS





HBAS1492

Bathroom scale
USB Rechargeable 180 KG

- Battery-free.
- Rechargeable battery: 2-hour full charge for up to 3 months of use USB cable included.
- Thickness of glass plate: 5mm tempered glass
- No replaceable batteries required
- Kg / lb conversion switch.
- Backlit LCD display
- 4 sensors. High precision.
- Automatic power on and shut-off.
- Overweight and low battery indicators.



29 x 26 x 1,5 cm 6 UNITS DISPLAY BOXES
301 x 156 x 270 mm

EAN 8436584384700 6 UNITS



70
Mechanical bathroom scale
130 KG

- Large surface.
- High-resistance epoxy-painted body.
- Easy cleaning.
- Large, easy-to-read dial.
- Manual adjustment.



30 x 27,5 x 5,3 cm

EAN 8436584380627 6 UNITS



CT10 / CT20 / CT30



Electric heating pad

230 V - 100 W

- Electronic regulator knob with 6 heating levels.
- Safety auto shut off (90 minutes).
- Quick heating function.
- Fully flexible pad, soft and breathable.
- Removable and washable textile cover.
- Pilot light.

Especialmente indicadas para lesiones deportivas, dolores reumáticos, menstruales, etc.

Especialmente indicado para lesões desportivas, dores reumáticas, menstruais, etc.

Especially indicated for sports injuries, rheumatic pain, menstrual pain...



CT10

||||| EAN 8421078032205 6 UNITS 40 x 30 cm

CT20

||||| EAN 8421078032212 6 UNITS 50 x 40 cm

CT30

||||| EAN 8421078032229 6 UNITS 65 x 43 cm



CT10 / CT20



CT30

Jata



SEWING

SEWING



JSMC5217



MC695

MC695 / JSMC5217 Sewing machine 70 W

- 13 design patterns.
- Double needle.
- 8 accessories included: bobbin, seam ripper, spool pin disc, buttonhole foot, needles, twin-needle, spool spool pin, screwdriver.
- 4-step buttonholes.
- Oscillating hook system.
- Double height foot.
- Automatic bobbin winding.
- 2 spool pins.
- Free arm.
- "Z" stitch.
- Reverse function.
- Foot pedal included.
- Portable.
- Lamp included 15 W.
- Transport handle.
- Set of accessories included.
- Soft protective cover.



34 x 15 x 26 cm

5 Kg

JSMC5217

||||| EAN 8421078036432 1 UNITS

MC695

||||| EAN 8421078028864 1 UNITS

Genesis



MC740 Sewing machine 60 W

- 66 design patterns.
- 4-step buttonholes.
- Double height foot.
- 2 spool pins.
- Changing presser foot.
- Double needle.
- Selected stitch indicator.
- Automatic bobbin winding.
- Free arm.
- Reverse function.
- "Z" stitch.
- Built-in 70 W motor.
- Portable.
- Lamp included.
- Foot pedal included.
- Transport handle.
- Set of accessories included.



37,5 x 17 x 31 cm

5,95 Kg

||||| EAN 8421078032182 1 UNITS

Selección
740

JSMC1120

Electronic sewing machine

36 W*Stitch Master*

- Smart Electronic Function Control.
- 270 design patterns:
 - 100 alphanumeric stitches and signs.
 - 91 deco stitches.
 - 71 double stitches.
 - 8 automatic buttonholes.
- Sew button.
- Dual use: with or without foot pedal.
- Backlit "LCD" display.
- Auto Safety Shut-off
- Double needle.
- 2 spool pins.
- Sewing speed control.
- Needle position / reverse stitch button.
- Upper thread tension adjustment.
- Interchangeable presser feet.
- Double height foot.
- Dual Feed Dog System.
- Heavy-duty performance suitable for thick fabrics
- Auto Needle Threader.
- Free arm.
- Automatic bobbin winding.
- Reverse stitch button.
- Lamp included.
- Portable.
- Foot pedal included.
- Transport handle.
- Set of accessories included.



40 x 13 x 31 cm

4,885 Kg

EAN 8421078038993

1 UNITS



MC744

Sewing machine 60 W

- 66 design patterns.
- 4-step buttonholes.
- Double height foot.
- 2 spool pins.
- Interchangeable presser feet.
- Double needle function. Needle included.
- Selected stitch indicator.
- Automatic bobbin winding.
- Free arm.
- "Z" stitch.
- Reverse stitch function.
- Built-in motor 60 W.
- Lamp included.
- Portable.
- Foot pedal included.
- Transport handle.
- Set of accessories included.



39 x 17 x 30 cm

5,9 Kg

EAN 8421078033981

1 UNITS

Selección
744



OL902

Overlock / Sewing machine 90 W

- 2-, 3- and 4-thread stitch functions.
- 1 or 2 needles.
- Differential feed.
- Safety stitch feature
- Side cutting function
- Adjustable stitch width and length.
- Interchangeable presser foot
- Color-coded threading guides
- Free arm.
- Powerful built-in 90W motor
- Portable.
- Lamp included.
- Foot pedal included.
- Transport handle.
- Set of accessories included.
- Soft protective cover.



33 x 27 x 45 cm

6,4 Kg

EAN 8421078033998

1 UNITS

Solid
overlock
902



AC45

Sewing Accessory Case

- Accessories:
- 9 large thread spools.
- 150 cm measuring tape
- 1 needle threader.
- 1 thimble.
- 5 sewing machine needles.
- 5 plastic bobbins.
- 100 colored pins
- 1 seam ripper.
- 1 pair of scissors
- Compact size.
- Transport handle.
- Handle with inner compartment.
- Two stands for vertical storage.

29 x 20 x 3 cm

0,7 Kg

EAN 8421078032328

4 UNITS

Tata



HOME

HOME



PL120

Steam iron

230 V - Max. 2.200 W

- Stainless steel soleplate.
- Detachable anti-calc needle.
- Vertical steam.
- Adjustable steam.
- Independent buttons: steam burst / spray.
- Adjustable temperature thermostat.
- Translucent water tank with safety lid.
- Pilot light.
- 360° pivoting cord.



Steam rate 20-25 g/min

Steam burst 60 g/min

EAN 8421078033486

6 UNITS

SPRING NOVELTY



JEPL1120

Ceramic steam iron

230 V - Max. 2.200 W

- Ceramic soleplate.
- Vertical steam.
- Adjustable steam.
- Independent controls: steam burst / spray.
- Adjustable temperature thermostat.
- Removable anti-scale pin.
- Translucent water tank.
- Power indicator light.
- 360° swivel cord.



Steam rate 20-25 g/min

Steam burst 60 g/min

EAN 8421078040910

6 UNITS

PL225

Steam iron

230 V - Max. 2.200 W

- Stainless steel soleplate.
- Adjustable steam.
- Vertical steam.
- Anti-calc function.
- Anti-drip.
- Auto-cleaning.
- Independent buttons: steam burst / spray.
- Adjustable temperature thermostat.
- Translucent water tank with safety lid.
- Pilot light indicator.
- 360° pivoting cord.



Steam rate 20-25 g/min

Steam burst 160 g/min

EAN 8421078034841

6 UNITS



**PL221C****Ceramic steam iron****230 V - Max. 2.400 W**

- Ceramic soleplate.
- Vertical steam.
- Auto-cleaning.
- Anti-drip.
- Permanent anti-scale system.
- Adjustable steam control.
- Independent buttons: steam burst / spray.
- Adjustable temperature thermostat
- Indicator light.
- Water tank with safety lid.
- 350 ml water tank capacity.
- 360° pivoting cord.



Steam rate 20-30 g/min

Steam burst 160 g/min

EAN 8421078033493 6 UNITS

**JEPL1221****Ceramic steam iron****230 V - Max. 2.400 W**

- Ceramic soleplate.
- Vertical steam.
- Auto-shut off.
- Auto-cleaning.
- Anti-drip.
- Permanent anti-scale system
- Adjustable steam.
- Independent buttons: steam burst / spray.
- Adjustable temperature thermostat
- Indicator light
- Water tank with safety lid.
- 350 ml water tank capacity
- 360° pivoting cord.



Steam rate 20-30 g/min

Steam burst 160 g/min

EAN 8421078038337 6 UNITS



PL598C



PL598C

Ceramic steam iron 230 V - Max. 2.600 W

- Ceramic soleplate.
- Vertical steam.
- Auto-cleaning.
- Anti-drip.
- Permanent anti-scale system
- Adjustable steam.
- Independent buttons: steam burst / spray.
- Adjustable temperature thermostat
- Indicator light
- Water tank with safety lid.
- 350 ml water tank capacity
- 360° pivoting cord.



Steam rate 20-30 g/min

Steam burst 190 g/min

EAN 8421078035428 6 UNITS

PL618



PL618

Steam iron 230 V - Max. 2.600 W

- Stainless steel soleplate: uniform temperature, optimum steam.
- Anti-drip.
- Auto-cleaning.
- Permanent anti-scale system
- Vertical steam.
- Independent buttons: steam burst / spray.
- Adjustable steam.
- Rubberised handle.
- Adjustable temperature thermostat
- Indicator light.
- 300 ml water tank capacity
- Water tank with safety lid.
- Pivoting cord.



Steam rate 40 g/min

Steam burst 200 g/min

EAN 8421078032397 6 UNITS

JEPL3281**Ceramic steam iron**
230 V - Max. 3.000 W

- Maximum power of 3,000 W.
- Ceramic soleplate.
- Vertical steam.
- Spray function and steam burst with independent controls.
- Anti-drip system and self-cleaning function.
- Automatic shut-off for greater safety.
- Adjustable thermostat according to fabric type.
- 450 ml water tank with safety cap.
- Indicator lights for operation and auto shut-off.
- 360° swivel cord for greater convenience.



Steam rate 20,6 g/min

Steam burst 220 g/min

EAN 8421078041467

6 UNITS

AUTUMN **NOVELTY****JEPL3281****JEPL3601****Steam iron**
230 V - Max. 3.000 W

- Maximum power of 3,000 W for fast and efficient ironing
- Stainless steel soleplate for smooth and even gliding.
- Vertical steamer for hanging garments and quick touch-ups.
- 180 g/min steam boost to eliminate the toughest wrinkles.
- Continuous steam output of 23.8 g/min.
- Spray and steam burst functions with independent controls.
- Drip-stop system and self-cleaning function.
- Adjustable thermostat.
- 200 ml water tank with safety cap.
- Operating indicator light.
- 360° swivel cable for more comfortable handling.
- Nominal steam 23.8 g/min. = Extracted from the quality report.



Steam rate 23,8 g/min

Steam burst 180 g/min

EAN 8421078041474

6 UNITS

AUTUMN **NOVELTY****JEPL3601**

PL622C**PL622C**
Ceramic steam iron
230 V - Max. 3.000 W

- Ceramic soleplate.
- Vertical steam.
- Auto-cleaning.
- Anti-drip.
- Permanent anti-scale system
- Adjustable steam.
- Independent buttons: steam burst / spray.
- Adjustable temperature thermostat
- Indicator light
- Water tank with safety lid.
- 360° pivoting cord.



Steam rate 50 g/min

Steam burst 220 g/min

EAN 8421078035435

6 UNITS

PL1058C**PL1058C**
Ceramic steam iron
230 V - Máx. 3.000 W

- Ceramic soleplate.
- Auto-shut off.
- Anti-drip system
- Auto-cleaning.
- Permanent anti-scale system
- Vertical steam.
- Independent buttons: steam burst / spray.
- Adjustable steam.
- Rubberised handle.
- Adjustable temperature thermostat.
- Auto shut-off indicator light.
- Power-on indicator light.
- Water tank with safety lid.
- Pivoting cord.



Steam rate 50 g/min

Steam burst 220 g/min

EAN 8421078035381

6 UNITS

Garment Steamer

230 V - Máx. 1.630 W

- Ceramic soleplate.
- ON / OFF Switch
- Adjustable vertical steam.
- Removable 300 ml water tank
- LED side light indicator.
- Adjustable steam control with locking function.
- Constant steam 20 – 25g/min
- Ceramic steam head.
- Brush for thick fabrics.
- Fast heat-up: ready in 30 s.
- Safety auto shut-off.
- 1.8 m power cord.



||||| EAN 8421078036272

4 UNITS

JEPL7000


JEPL2810

Travel steam iron

110 / 230 V - 1.000 W

- Ceramic soleplate.
- Dual voltage.
- Steam burst.
- Foldable handle.
- Adjustable temperature thermostat.
- Water level display.
- Indicator light
- 1.9 m power cord.
- 75 ml plastic water container.



||||| EAN 8421078037101

10 UNITS



PL357N

Travel steam iron

230 V - 800 W

- Stainless steel soleplate.
- Dual voltage.
- Foldable handle.
- Adjustable temperature thermostat.
- Water level display.
- Indicator light.
- Includes textile travel bag.



||||| EAN 8421078027041

12 UNITS



JECP8522



Compact steam station

230 V - Máx. 3.200 W

- Same performance as 7 bar boiler system.
- Refillable water tank.
- Control panel with indicators for:
 - Auto power-off.
 - ECO steam.
 - Standard steam.
 - Self-cleaning.
 - Recharge indicator.
- Ceramic soleplate.
- Auto shut-off after 10 minutes of inactivity.
- Vertical ironing.
- Overheating safety device.
- Plate rest with safety lock.
- Integrated steam hose storage.
- 1.5 m steam hose length.
- Modern and compact design.
- Self-cleaning system.
- 1.7 l water tank capacity.
- 200 ml. Graduated container.



Continuous steam: 130 g/min 7-bar boiler system

||||| EAN 8421078037057 2 UNITS



AUTUMN **NOVELTY****JECP8526**

Compact steam station iron

230 V - Máx. 2.400 W

- Maximum power of 2,400 W for fast and efficient ironing.
- Sole with ceramic coating.
- Steam pressure of 5 bar
- Steam boost of up to 300 g/min.
- Continuous steam output of 60 g/min.
- Vertical steam.
- Fast heating.
- Adjustable thermostat according to fabric type.
- Drip-stop system and anti-limescale filter.
- Automatic safety shutdown.
- 1.5-liter translucent tank with flip-top lid.
- Steam hose holder.
- Heating, operation, and power indicator lights.
- 1.80 m steam hose and 1.60 m cable.



Continuous steam: 60 g/min

5-bar boiler system

||||| EAN 8421078041450

2 UNITS



**HPLA5211****Clothespin Bag**

- Capacity for 100/150 clothespins.
- Protects the clothespins from sunlight and rain.
- Perfect organizer, for indoor and outdoor use.
- Made of polyester, great weather resistance.
- Aluminium carabiner for hanging on ropes, clotheslines, or walls.
- Drawstring closure for easy opening and secure closing.
- Base opening to allow water drainage if needed.
- Dimensions: 16 cm x 20 cm.



||||| EAN 8436584382775 12 UNITS

**HPLA8020 / HPLA5212****Shoe Laundry Bag
For washing machine**

- Extra protective noise-reducing foam.
- Prevents friction and wear inside the washing machine.
- Suitable for all types of textile, leather, plastic, rubber, etc.
- Protects shoes during washing and drying, extending their lifespan.
- Zipper with handle compartment to prevent accidental opening, noise, and friction.
- High resistance padding.
- Dimensions: 36 x 16 x 16 cm.

**HPLA8020**

||||| EAN 8436584382096

6 UNITS

HPLA5212

||||| EAN 8436584382782

6 UNITS

**PT10****Protective ironing pad**

- Durable polyester bags.
- Protects clothing during ironing.
- Prevents shiny marks on fabrics.
- Washable.
- Dimensions: 60 x 39 cm.



||||| EAN 8436584380580 12 UNITS

SURFACE 60 x 39 cm

**HPLA5210****4 Mesh laundry bags
For delicate clothing**

- Mesh laundry bags for delicate garments
- 4 bags, 3 different sizes.
- Zipper closure.
- Highly resistant polyester bags.
- Protects clothes during washing and drying.



||||| EAN 8436584382768 12 UNITS

2 small bags: 33 x 26 cm
1 medium bag: 44 x 34 cm
1 large bag: 52 x 46 cm

HPLA8115

Iron and board caddy

- Ironing board and steam iron organizer.
- Suitable for hanging on the wall / door.
- Elastic cord to securely hold the iron.
- Universal use.
- Hanging accessories included.
- Easy to install.
- High resistance.



||||| EAN 8436584382089

6 UNITS



Elastic band



Door mount



Wall mount

HPLA8110

Silicone ironing pad

- High-resistance silicone.
- Universal use.
- Ironing board cover protection.
- Iron soleplate protection.
- Heat resistance.
- Non-slip surface.
- Hanging option.
- Dimensions: 27 x 14 cm



12 UNITS DISPLAY BOXES
15,0 X 7,5 X 28,0 mm

||||| EAN 8436584382072

12 UNITS



MOD 800

Easy-ironing Accessory With non-Stick surface

- Accessory for fast and agile ironing, glides smoothly to prevent friction and shine on delicate fabrics.
- Fits all iron soleplates.
- Designed for even steam distribution.
- Made of non-stick material resistant to temperatures up to 250°C (482°F).



Dimensions: 23.5 x 14 cm / Thickness: 0.55 mm.

||||| EAN 8436017650785

24 UNITS



HPLA8482

AUTUMN NOVELTY



848S



2 in 1 multifunctional ladder: ladder and ironing board



HPLA8482

||||| EAN 8436584386155

1 UNITS

- 3-step ladder with great stability (height 68 cm)
- Detachable; easy to store and transport.
- 2 in 1: converts easily from ironing board to ladder and vice versa.
- Ironing board with large ironing surface: 126 x 34 cm

HFUN8482 Cover replacement

||||| EAN 8436584386605

12 UNITS

- Ironing height: 85 cm
- 100% cotton cover with quick fitting system
- Heat-resistant parking zone for resting the iron
- 5 mm plush fleece for more efficient ironing
- Robust structure: Ø 22 mm steel tube



848S

||||| EAN 8436017653335

1 UNITS

- 3 steps ladder, high stability. Height 70 cm.
- Easy change ladder / ironing board.
- Ironing surface: 107 x 34 cm. Height ironing board: 85 cm.
- 100% cotton cover.

RF8N Cover replacement

||||| EAN 8436017658569

6 UNITS

- Stainless steel iron rest suitable for steam boilers with security rail of 32x21 cm.
- 5 mm. felt underlay thickness.
- 1,2 mm. mesh thickness.
- Tube diameter 22 mm.

**Optimized packaging.
Savings in transportation costs.**

	HPLA8482	848S	
+34% MORE UNITS PER CONTAINER			
20'	560	490	+70 units
40'	1,140	960	+180 units
40'HQ	1,340	1,000	+340 units



AUTUMN NOVELTY

HPLA8126 / HFUN8126

Ironing board

132 x 33,5 cm

- Ironing surface 110 x 32 cm.
- Structure with epoxy paint. High resistance to oxidation.
- Adjustable height with 3 positions, up to 92 cm.
- 100% cotton cover.
- Mesh thickness 0.8 mm.
- Tube diameter 19 mm.
- Pad thickness 3 mm.
- Non-slip feet.
- Ironing Iron rest. Dimensions 30 x 20 cm.
- Folded dimensions 150 x 40 x 7 cm.

COVER WITH ELASTIC RUBBER
ADJUSTMENT SYSTEMMADE IN
EUROPE**HPLA8126**

EAN 8436584386667

2 UNITS

HFUN8126 Cover replacement

EAN 8436584386674

6 UNITS

**HPLA8100**

Ironing board

110 x 32 cm

- Ironing surface 110 x 32 cm.
- Epoxy-painted structure, highly resistant to oxidation.
- 3 adjustable height positions, up to 92 cm.
- 100% cotton cover.
- Mesh thickness 0,8 mm.
- Tube diameter: 19 mm
- Foam padding thickness: 3 mm
- Non-slip feet.
- Iron rest. Measurements 30 x 20 cm.
- Folded dimensions: 150 x 40 x 7 cm

COVER WITH ELASTIC RUBBER
ADJUSTMENT SYSTEMMADE IN
EUROPE**HPLA8100**

EAN 8436584381655

2 UNITS

48 UNITS PER PALLET

HRF81 Cover replacement

EAN 8436584381662

6 UNITS



Vital



TP500

Ironing board
116 x 35 cm

MADE IN
EUROPE

- Ironing surface: 116 x 35 cm
- Thermo lacquered structure. Highly resistant to oxidation.
- Ergonomic mesh platform
- Multiple adjustable height positions up to 90 cm.
- Safety locking mechanism
- "Y" leg system that provides an optimum stability.
- 100% cotton adjustable bungee cover with integrated padding
- Tube diameters: 30 mm / 22 mm, thickness: 0.8 mm
- Mesh thickness: 0.9 mm
- 4 mm felt pad thickness.
- Non-slip feet.
- Iron rest. Measurements 29 x 20 cm.



COVER WITH ELASTIC RUBBER
ADJUSTMENT SYSTEM

||||| EAN 8436017659245

2 UNITS 36 UNITS PER PALLET

RF50 Cover replacement

||||| EAN 8436017659290

6 UNITS

Compact



TP520

Ironing board
124 x 40 cm

MADE IN
EUROPE

- Ironing surface: 124 x 40 cm.
- Thermo lacquered structure. Highly resistant to oxidation.
- Ergonomic platform in expanded metal.
- Multiple adjustable height positions up to 93 cm.
- Safety closing device.
- "Y" leg system that provides an optimum stability.
- 100% cotton bungee adjustable cover with integrated pad.
- Tube diameters 30 / 22 mm. Thickness 0,8 mm.
- Mesh thickness 0,9 mm.
- 4 mm felt pad thickness.
- Non-slip feet.
- Iron rest suitable for steam stations. Measurements 44 x 27 cm.
- Clothes hanger rack



COVER WITH ELASTIC RUBBER
ADJUSTMENT SYSTEM

||||| EAN 8436017659252

2 UNITS

24 UNITS PER PALLET

RF52 Cover replacement

||||| EAN 8436017659306

6 UNITS

Suprema



TP550

Ironing board
130 x 47 cm

MADE IN
EUROPE

- Ironing surface 130 x 47 cm.
- Thermo lacquered structure. Highly resistant to oxidation.
- Ergonomic platform in expanded metal.
- Multiple adjustable height positions up to 95 cm.
- Safety closing device.
- "Y" leg system that provides a great stability.
- Wheels for easy movement.
- Adjustable support to ensure optimum stability.
- 100% cotton bungee adjustable cover with integrated pad.
- Reinforced tube: 35 mm diameter, 1 mm thickness.
- Mesh thickness: 1 mm
- Felt pad thickness: 4 mm
- Non-slip feet.
- Iron rest suitable for steam stations. Measurements 44 x 27 cm.



COVER WITH ELASTIC RUBBER
ADJUSTMENT SYSTEM

||||| EAN 8436017659269

2 UNITS

24 UNITS PER PALLET

RF55 Cover replacement

||||| EAN 8436017659313

6 UNITS

HPLA8242

Ironing board

130 x 47 cm

- Ironing surface: 130 x 47 cm
- Lightweight and resistant anodized aluminium structure.
- Multiple adjustable height positions.
- 100% cotton bungee adjustable cover with integrated pad. Adjustable
- Clothes hanger rack
- "Y" leg system that provides an optimum stability.
- Mesh thickness: 0.8 mm
- Safety closing device.
- 2 wheels for easy transport and non-slip legs.
- Iron rest suitable for steam stations. Measurements 45 x 27 cm.
- Space saving thanks to folding armrest.
- Folded dimensions: 146 x 48 x 13 cm.
- Weight: 7,95 kg.



ESTRUCTURA ALUMINIO
LIGERA Y RESISTENTE



||||| EAN 8436584385325

1 UNIT

24 UNITS PER PALLET



Perfect

TP600

Ironing board

136 x 46 cm

- Aluminium structure with anti-corrosion treatment (cataphoresis).
- Foldable design for easy storage.
- Ergonomic platform in expanded metal.
- Multiple adjustable height positions up to 93 cm.
- High load capacity, up to 40 kg.
- Safety closing device.
- "Y" leg system that provides a great stability.
- Wheels for easy movement.
- Adjustable stabilizer for enhanced balance.
- 100% cotton cover with integrated pad.
- Reinforced tube: 50 x 25 mm – thickness: 12 mm
- Mesh thickness: 1 mm.
- Steam iron support: 38 x 34 cm.
- Removable iron rest.
- Non-slip feet.



COVER WITH ELASTIC RUBBER
ADJUSTMENT SYSTEM



RF60 Cover replacement

||||| EAN 8436017659276

1 UNIT

10 UNITS PER PALLET

||||| EAN 8436584383888

6 UNITS



Optima Pro

HPLA8241



Ironing board

125 x 41 cm wood

Maxima

- Ironing surface: 125 x 41 cm
- Wooden and aluminium legs
- Multiple adjustable height positions up to 90 cm.
- 100% cotton bungee adjustable cover with integrated pad. Adjustable
- Clothes hanger rack
- "Y" leg system that provides an optimum stability.
- Mesh thickness: 0.8 mm
- Safety closing device.
- 2 wheels for easy transport and non-slip legs.
- Iron rest suitable for steam stations.
Size: 43 x 26.4 cm
- Folded dimensions: 161 x 44,5 x 10 cm.
- Weight: 7.60 kg



PATAS DE
MADERA Y
ALUMINIO

MADE IN
EUROPE

||||| EAN 8436584385332

1 UNIT


24 UNITS PER PALLET



HPLA8214 / HPLA5213

Tabletop ironing board 75 x 34 cm tabletop

- Ironing surface: 75 x 34 cm
- Thermo lacquered structure. Highly resistant to oxidation.
- 100% cotton cover with elastic fit.
- Hanger hook.
- Non-slip feet.



HPLA8214

||||| EAN 8436584382904

6 UNITS

144 UNITS PER PALLET

HPLA5213

||||| EAN 8436584382799

6 UNITS

144 UNITS PER PALLET

HFUN8014 Cover replacement

||||| EAN 8436584383154

6 UNITS

TM200

Sleeve ironing board Foldable 50 x 10 cm

- Ironing surface: 50 x 10 cm
- Thermo lacquered structure. Highly resistant to oxidation.
- 100% cotton cover with pad.



ALSO AVAILABLE IN
INDIVIDUAL PACKAGING.



TM200

||||| EAN 8436017659320

6 UNITS

378 UNITS PER PALLET

TM200R


||||| EAN 8436584383086

1 UNITS

HTEN2370

Folding clothing dryer rack With foldable wings

- Made of painted steel.
- Wing lock system.
- Drying area: 20 m.
- Extended measurements: 180 x 55 x 108 cm
- Folded measurements: 131 x 55 x 4 cm
- Weight: 2,1 kg.



||||| EAN 8436584384595

6 UNITS

54 UNITS PER PALLET

HTEN2375

Aluminum clothes drying rack With foldable wings

- Made of aluminium with steel legs.
- Wing lock system.
- 12 side clips for hanging hangers.
- Drying area: 20 m.
- Extended measurements: 176 x 55 x 92 cm
- Folded measurements: 130 x 55 x 3.5 cm
- Weight: 1.7 kg



COMES IN INDIVIDUAL
CARTON BOX



||||| EAN 8436584384601


6 UNITS

54 UNITS PER PALLET

HTEN2402

Foldable, hanging, extendable clothes rack
Adjustable from 48 to 96 cm

- Made of 304 stainless steel and polypropylene.
- Sock hanging clip.
- Drying area: 6 m
- 20 clips included.
- Extendable from 58 to 96 cm
- Folded measurements: 58 x 32 x 4.7 cm
- Weight: 0.6 kg



96 CM X 6
SUPERFICIE
DE TENDIDO

0,6 KG

ACERO
INOX
304

||||| EAN 8436584385110  6 UNITS

 **x20**
PINZAS
INCLUIDAS



HTEN2403

Foldable, hanging, extendable
clothes rack

- Made of painted steel.
- Drying area: 3 m
- Adjustable suspension.
- Size: 50 x 33 x 16 cm
- Weight: 0.31 kg



3 METROS
SUPERFICIE
DE TENDIDO

0,31 KG

||||| EAN 8421078038627  6 UNITS





QP398N

||||| EAN 8421078033011

📦 12 UNITS



JEQP5218

||||| EAN 8421078036449

📦 12 UNITS

QP398N / JEQP5218

Lint shaver

- Easily removes fluff, lint, and pills from textiles
- High-cut accessory for delicate fabrics
- Safety system to prevent accidental use.
- Stainless steel blades. 50 mm diameter.
- Stainless steel grid.
- Compact and lightweight design
- On/off switch
- Cleaning brush.
- Removable lint container
- Works with 2 "AA" batteries of 1,5 V (not included).



QP620

Lint shaver

- Dual use: Adapter or 2 R20 batteries.
- Easily removes fluff, lint, and pills from textiles
- Safety system to prevent accidental use
- Stainless steel blades. 55 mm diameter.
- Stainless steel grid.
- Compact and lightweight design
- On/off switch
- Removable lint container
- Adapter included; batteries not included



||||| EAN 8421078030942

📦 12 UNITS



JEQP6688

Lint shaver

- Easily removes fluff, lint, and pills from textiles
- Stainless steel blades. 50 mm diameter.
- Stainless steel grid.
- Built-in clothes brush with cover.
- On/off switch
- Cleaning brush.
- Safety feature: automatic stop when blade cover is open.
- Removable lint container.
- Works with 2 "AA" batteries of 1,5 V (not included).



||||| EAN 8421078038979

📦 12 UNITS



JEQP1272

Rechargeable lint remover

- Easily removes fluff, pilling, and lint from fabrics.
- 6 stainless steel blades. 46 mm diameter.
- Stainless steel shaving grid.
- 3 speed settings.
- Digital LED display
- Cleaning brush.
- Removable lint container.
- Rechargeable 1200 mAh battery
- USB Type C cable included.



||||| EAN 8421078040057

📦 12 UNITS

AP999**Bagless multi-cyclone vacuum cleaner**
230 V - 700 W

- Energy Efficiency (EU): A.
- Multi-cyclone filtration system
- Bagless design
- Multi-cyclone filter system.
- Washable filters.
- Anti-mite, bacteria, and pollen filters
- Airflow: 20.3 L/s.
- Noise level: <85 dB
- Operation area 8 meters.
- Stainless steel telescopic tube.
- Brush suitable for all floor types
- Crevice nozzle with integrated brush.
- 2-liter tank capacity
- Start button.
- Automatic cable rewind
- Transport handle.



EAN 8421078033158

1 UNIT

JEAP1308**Vacuum cleaner – with bag**
230 V - 700 W

- No loss of suction.
- Washable filters. HEPA outlet filter against mites, bacteria, pollen, etc.
- Air flow: 20 L/s.
- Noise level: <80 dB.
- Operation area 7 meters.
- Full bag indicator.
- Includes 2 bags.
- Stainless steel telescopic tube.
- Brush for all floor types.
- Nozzle with integrated brush.
- Start button.
- Automatic cord rewind.
- Transport handle.



EAN 8421078039631

1 UNIT

RBA915 Replacement

EAN 8421078035183

30 UNITS



JEAP1640

AUTUMN NOVELTY



Cordless stick vacuum cleaner

250 W - 25,9 V

- Powerful high-performance, long-lasting Brushless motor.
- Large capacity transparent tank (800 ml) with easy emptying system.
- Maximum efficiency cyclonic technology.
- High power of 250 W.
- Integrated LED light to facilitate cleaning.
- Lightweight and ergonomic.
- Triple filtration system: HEPA filters, stainless steel filter, and outlet filter.
- 3 speeds.
- Charge percentage indicator.
- TURBO: 22 Kpa / 20 minutes of use.
- NORMAL: 12 Kpa / 35 minutes of use.
- ECO: 7 Kpa / 45 minutes of use.
- Charging time: 4-5 hours.
- Detachable, easy to clean.
- Rotating brush for enhanced performance. Suitable for all types of floors.
- Included accessories: charger, joint nozzle, upholstery brush, and wall mount accessory.
- Maximum 76 dB.
- You can vacuum for up to 45 minutes continuously without cables or hassle
- HEPA filter that captures up to 99.9% of dust. Washable.
- Voltage 230 V.



EAN 8421078041436

1 UNITS

JEAP1950**Cordless broom vacuum cleaner**
230 V - 250 W

- Great power 250 W
- Powerful brushless motor for high performance and long lifespan
- Maximum efficiency with cyclonic technology
- Integrated LED light for easier cleaning
- Large 800 ml tank with easy-emptying system.
- Lightweight and ergonomic design.
- Triple filtration system: HEPA filters, stainless filter and outlet filter.
- Charge percentage indicator.
- **3 speed levels:**
 - TURBO: 22 Kpa / 20 min use.
 - NORMAL: 12 Kpa / 35 min use.
 - ECO: 7 Kpa / 45 min use.
- Charging time: 4-5 hours.
- Detachable design for easy cleaning
- Rotary brush for enhanced performance, suitable for all floor types.
- Accessories included: charger, crevice nozzle, upholstery brush and wall mount.
- Low noise level: max. 76 dB
- Cordless vacuuming for up to 45 minutes
- HEPA filter that captures 99.9% of dust.



EAN 8421078038986

1 UNIT

**BLDC Cordless stick vacuum cleaner**
230 V - 160 W

- Powerful motor with high performance and long life.
- Maximum efficiency with cyclonic technology.
- Easy cleaning due to integrated LED.
- Large tank (800 ml) with easy emptying system.
- Light and ergonomic.
- Triple filtering system: HEPA filters, stainless filter and outlet filter.
- **2 speed levels:**
 - TURBO: 11 Kpa / 25 min use.
 - ECO: 7 Kpa / 40 min use.
- Charging time: 4-5 hours.
- Detachable for easy cleaning.
- Rotary brush for increased performance. Suitable for all types of floors.
- Accessories included: charger, crevice nozzle, upholstery brush and wall mount.
- Very quiet, maximum 68 dB.
- Vacuum up to 40 minutes uninterruptedly without cord.
- HEPA filter that captures 99.9% of dust.



EAN 8421078038597

1 UNIT



**HU992**
Mini humidifier
100 - 240 V - 15 W

- Humidifies and purifies the air from pollutants.
- Eliminates odors and prevents dry environments.
- Ultrasonic technology with cool mist
- Compact size.
- Effective range 20 m².
- Steam outlet max 120 ml/h.
- 1 adapter included for use with plastic bottles.
- 2 removable feet for an optimum stability.
- Automatic switch off.
- Indicator light.
- Steam regulator knob.
- Quiet.
- Cleaning brush.
- Multi-voltage adapter (100–240 V) included.

 ÁREA DE
ACCION
20 M²

15 W

 ULTRASONIDO
VAPOR FRIO

10,5 x 10,5 x 14 cm

EAN 8421078032410

8 UNITS

**JEHU5408**
Essential oil diffuser

- Neutralizes bad odours and prevents dry environments
- Portable design
- It can be used as a night light thanks to its 7 colors.
- Color therapy.
- Timer for 1 hour, 3 hours and 6 hours.
- Silent.
- Perfect use as an air freshener.
- Water level indicator.
- Auto shut-off safety feature.
- USB cable included.
- 300 ml. Capacity.
- Sizes: 17 x 21,4 cm

SILENCIOSO

 TEMPORIZADOR
1, 3, 6 h.

 0,3 L
CAPACIDAD

 LUZ NOCTURNA
+ COLOR TERAPIA

17 x 17 x 21,4 cm

EAN 8421078037408

4 UNITS

**JEGA1001**
Air purifier with UVC germicidal lamps
Cleans 99% of the air

- Safe for use around people
- Portable and easy to place
- Maintenance-free
- Sustainable
- 100% national manufacturing
- UVC lamp technology, completely safe for daily use
- Continuous air renewal even while the room is occupied.
- Product installation does not require professionals or maintenance.

MÓVIL

 TECNOLOGÍA
UVC

SOSTENIBLE

 RENOVACIÓN
CONTINUA

 FÁCIL
COLOCACIÓN

SEGURO

 MADE IN
SPAIN

79,5 x 16,5 x 16 cm

EAN 8421078035817

1 UNIT

20L Dehumidifier

230 V - 440 W

- Extracts 20 l of moisture from the air per day.
- Water tank capacity: 5,5 l.
- 2 speed levels.
- Airflow: 180 m³/h.
- Max. sound level 42 dB.
- Selectable relative humidity: 30% - 80 %.
- Area of action: 20 - 35 m²
- Suction pressure 1.2 MPa
- Discharge pressure 2.5 MPa
- Fan, defrost and clothes drying functions.
- Full tank warning function.
- Washable and easily removable air filter.
- Digital control panel. Option of manual or Wi-Fi control with the TUYA SMART application.
- Cable storage system.
- Programmable timer up to 24 hours.
- Caster wheels.
- Transport handles.
- External drain connector included.
- Refrigerant R290 / 60 g.
- Dimensions: 35 x20 x 60 cm
- Weight: 13 kg.



||||| EAN 8421078039143

1 UNIT



12 L Dehumidifier

230 V - 210 W

- Extracts 12 L of moisture from the air per day.
- Water tank capacity: 2 l.
- 2 speed levels.
- Airflow: 90 m³/h.
- Max. sound level 42 dB.
- Selectable relative humidity: 40% - 80 %.
- Area of action: 15 m²
- Suction pressure 0,6 MPa
- Discharge pressure 1,80 MPa
- Defrost function.
- Full tank warning function.
- Programmable timer up to 24 hours.
- Caster wheels.
- Transport handles.
- External drain connector included.
- Refrigerant R290/45 g.
- Dimensions: 27 x 20,5 x 40,8 cm
- Weight: 10,5 kg.



||||| EAN 8421078039402

1 UNIT



JEHU2421

AUTUMN NOVELTY



Dehumidifier

100 - 240 V - 25 W

- Removes up to 300 ml of moisture per day.
- Ideal for rooms from 5 to 25 m².
- 1.7-liter removable tank, easy to empty.
- Automatic full tank alert.
- Digital display and touch buttons.
- LED lighting with 10 colors.
- Silent. With Night mode. Max: 47 dB.
- 8, 12, and 24-hour timer.
- Compact design measuring 14 x 14 x 25.7 cm.
- Lightweight weight of 1.4 kg.
- AC Voltage 100-240 V 50-60 Hz.



||||| EAN 8421078041696

6 UNITS



Tata



KITCHEN



JEEX1549

Electric citrus juicer 230 V - 60 W

- Professional AC motor.
- Stainless steel pouring spout.
- Dual direction rotation.
- Two cones for maximum efficiency:
- Large cone: oranges, grapefruits, etc.
- Small cone: lemons, mandarins, etc.
- High-speed juice extraction.
- Unlimited extraction capacity.
- Detachable for easy cleaning.
- Transparent cover.
- Cord storage.



EAN 8421078038801

6 UNITS



JEEX1712

Manual lever citrus juicer 230 V - 120 W

- Maximum efficiency.
- Anti-drip system.
- Pressure lever for easy juice extraction.
- Unlimited extraction capacity.
- Includes two cones of different sizes for squeezing all kinds of citrus.
- Anti-slip base.
- Cord storage.
- BPA free.
- Detachable for easy cleaning.



EAN 8421078038542

6 UNITS



JEEX1059

Electric citrus juicer with lever 230 V - 160 W

- Continuous extraction and pouring system.
- Stainless steel filter.
- Automatic start when pressing the cone.
- High performance AC motor. Maximum efficiency.
- Extraction arm for easy juice extraction.
- 300 ml removable container.
- Quiet.
- Anti-drip system.
- Double cone:
- Large cone: oranges, grapefruits, etc.
- Small cone: lemons, mandarins, etc.
- Anti-slip base.
- Detachable for easy cleaning.



EAN 8421078036944

4 UNITS

JEEX1616

Press&Go

Automatic lifting and
removal system



Automatic citrus juicer

230 V ~ 300 W

- **Automatic:** With just the push of a button, the cone rises and presses the fruit against the top, extracting the juice automatically and hands-free in just **15 seconds**.
- **Powerful and efficient:** 300W motor for fast and optimal juice extraction.
- **Practical for everyday use:** 0.4-litre capacity, one-button activation and easy to store.
- **Robust and elegant:** Sleek design with a stainless steel body and filter, strong and durable.
- **Anti-Drip System:** Special spout prevents spills and splashes to keep your countertop and kitchen clean.
- **Easy to clean:** All parts are removable and easy to wash.
- **Safe and stable:** Non-slip base and power indicator light for added safety.
- BPA-free



||||| EAN 8421078040194 6 UNITS/BOX



EX1057

Stainless steel electric lever citrus juicer 230 V - 300 W

- Great power 300 W.
- Body, filter and spout in stainless steel.
- Professional AC motor.
- Maximum efficiency.
- Handle for easy juice extraction.
- Unlimited extraction.
- Quiet.
- Anti-drip system.
- Juicing cone included.
- Anti-slip base.
- Detachable parts for easy cleaning.



||||| EAN 8421078035398

4 UNITS



JEEX1046

Stainless steel electric lever citrus juicer 230 V - 350 W

- Stainless steel body and spout.
- High performance AC motor.
- High-speed juice extraction.
- Unlimited extraction capacity.
- Anti-drip system.
- Filter with pulp regulator.
- Two cones to get the maximum efficiency.
 - Large cone: oranges, grapefruits, etc.
 - Small cone: lemons, mandarins, etc.
- Detachable for easy cleaning.
- Anti-slip base.
- Transparent cover.



||||| EAN 8421078036227

6 UNITS



JEEX1058

Electric citrus juicer with lever 230 V - 350 W

- Handle for easy juice extraction.
- Professional 350 W AC motor.
- Unlimited extraction.
- Two interchangeable cones for maximum efficiency:
 - Large cone: oranges, grapefruits, etc.
 - Small cone: lemons, mandarins, etc.
- Detachable parts for easy cleaning.
- High-speed juice extraction.
- Anti-drip cover.
- Anti-slip base.
- Removable juicer for easier maintenance.
- Pulp regulator.



||||| EAN 8421078036364

6 UNITS

**JEEX1236**

Electric dual lever citrus juicer

230 V~ 550 W

- Double cone for squeezing two halves at the same time.
- Articulated arm for effortless extraction.
- Automatic start: activates when pressed.
- High-speed juice extraction.
- Drip-stop cap system.
- Removable juicer for easy cleaning.
- Anti-slip base.

INOX**550 W****DUAL****AC MOTOR**

EAN 8421078040040

4 UNITS

**JEEX1155**

Stainless steel electric lever citrus juicer

230 V - 600 W

- Great power 600 W.
- Professional AC motor.
- Body, filter and pouring spout in stainless steel.
- Maximum efficiency.
- Anti-drip system.
- Pressure lever for effortless juice extraction.
- Quiet.
- Unlimited extraction.
- Includes two cones of different sizes to squeeze all kinds of citrus.
- Anti-slip base.
- Detachable parts for easy cleaning.

INOX**BRAZO
EXTRACCIÓN****600 W****AC MOTOR**

EAN 8421078038177

4 UNITS





EX421

Stainless steel electric citrus juicer 230 V - 40 W

- Capacity: 700 ml
- Dual direction rotation.
- Two cones to get the maximum efficiency.
 - Large cone: oranges, grapefruits, etc.
 - Small cone: lemons, mandarins, etc
- Tank with handle.
- Stainless steel body.
- Detachable for easy cleaning.
- Transparent cover.
- Anti-slip base



||||| EAN 8421078034650

8 UNITS

AUTUMN NOVELTY



JEEX1423



JEEX1426

JEEX1426 / JEEX1423

Electric juicer 230 V - 40 W

- Capacity 700 ml.
- Dual direction rotation.
- Tank with handle.
- Protective cover
- Two cones for maximum efficiency.
- Large cone: oranges, grapefruits, etc.
- Small cone: lemons, mandarins, etc
- Detachable for easy cleaning.
- Anti-slip base.

JEEX1426

||||| EAN 8421078041399

8 UNITS

JEEX1423

||||| EAN 8421078038191

8 UNITS



JELI1201



Slow juicer for fruits and vegetables 230 V - 130 W

- New continuous-pressure technology.
- Slow extraction: liquefies and squeezes at low speed (60 rpm).
- Preserves more flavor, vitamins, and antioxidants.
- Suitable for juicing fruits and vegetables.
- Continuous blending.
- Silent.
- 3 position switch: Off / On / Reverse (anti-jam function).
- Stainless steel filter.
- Compact design for easy storage.
- 600 ml jug included.
- 800 ml pulp container.
- Detachable parts for easy cleaning. Brush included.
- Safety lock.
- Certified.
- Non-slip base.



Compact
COMPACTO
Y LIGERO

+ MORE TASTE
KEEPING
ALL THE
VITAMINS Y
ANTIOXIDANTS

||||| EAN 8421078036357

4 UNITS



Stainless steel juice extractor with extra-wide feeder 230 V - 800 W

- Extra-wide 8.5 cm feeding chute that allows fruit and vegetables to be inserted in large pieces or even whole.
- 1-litre juice jug and
- 2-litre pulp container.
- High-efficiency motor with 800 W and 12,000 RPM.
- Control with 2 speeds + + pulse function.
- Continuous juicing.
- Anti-drip system and safety microswitch.
- Noise level: 79 dB or lower.
- Detachable for easy cleaning.
- High-grip non-slip base providing stability during use.



||||| EAN 8421078040880 2 UNITS



AUTUMN **NOVELTY**

JELI1290

Wide feeder stainless steel juice extractor 230 V - 400 W

- 100% stainless steel body.
- Continuous extraction.
- 7 cm feeding tube: no need to cut fruits or vegetables.
- Stainless steel filter.
- 2 speed settings + Pulse function.
- 13.000 rpm.
- Maximum efficiency.
- 1,500 ml Pulp container
- 450 ml cup included.
- Drip-free design.
- Metallic safety lock.
- Detachable for easy cleaning.
- Non-slip base.
- Noise level <75 dB.
- Homologated safety system.



||||| EAN 8421078037538 4 UNITS



JELI1580

JEBT1001



Personal blender 230 V - 600 W

- Double function graduated glass (glass/bottle) with 600 ml capacity.
- Lightweight and portable design.
- Sports bottle with lid with carrying handle and spout.
- BPA-free.
- Bottle suitable for dishwasher.
- Approved safety lock system.
- 4 removable stainless steel blades for smooth, even blending.
- Two-speed settings + pulse function.
- Ideal for fruits, vegetables, ice, and nuts.
- Non-slip base.
- Size: 35 x 12.4 cm



||||| EAN 8421078037125

6 UNITS

JEBT1011

SPRING NOVELTY



Personal blender with two bottles 230 V - 350 W

- Includes a set of two bottles:
 - 600 ml Tritan sports bottle with airtight lid and carrying handle.
 - 435 ml stainless steel thermos bottle that keeps beverage temperature for 6 hours.
- 4 removable stainless steel blades, easy to clean.
- Ideal for fruit, vegetables, ice and nuts.
- Single start button.
- Approved safety locking system.
- BPA free.
- Non-slip base.
- Dimensions 128 x 12.8 x 40.5 cm



||||| EAN 8421078040811

6 UNITS

Double slot toaster with protective cover 230 V - 750 W

- Cool-touch body
- "High lift" system for easier removal of smaller slices.
- Two extra-wide slots – ideal for wide slices of bread.
- Automatic bread centering.
- 6 browning levels.
- Cancel function.
- Protective lid.
- Removable crumb tray.
- Cord storage.



25,5 x 15 x 17,5 cm



TT331 - BLANCO

EAN 8421078029397

8 UNITS

TT631 - NEGRO

EAN 8421078035039

8 UNITS

TT331 / TT631



Double slot toaster with protective cover 230 V - 750 W

- Two slots: 13.3 x 3.3 cm each.
- Automatic bread centering.
- Electronic power selector with 6 toasting levels.
- Cool-touch body.
- Cancel function.
- Protective dust cover.
- Easy cleaning: removable crumb tray.
- Automatic shut-off.
- Cord length: 95 cm.
- Cord storage.



26 x 12 x 17,5 cm



JETT1048

EAN 8421078038894

6 UNITS

JETT1668

AUTUMN **NOVELTY**



Double slot toaster with elevator 230 V - 700 W

- Two wide 35 mm slots for all types of bread.
- Electronic selector with 7 browning levels.
- Integrated rack for heating and defrosting.
- Automatic bread centering.
- Cancel button for immediate stop.
- Removable crumb tray.
- Cool-touch housing.
- Power indicator light.
- Integrated cord storage.



25 x 14 x 17 cm

EAN 8421078041429

6 UNITS

JETT1262



Electronic double slot toaster 230 V - 815 W

- Two slots: 13.3 x 3.3 cm each
- Cool-touch body
- Non-slip feet
- Automatic bread centering.
- Electronic power selector with 7 toasting levels.
- Cancel function.
- Defrost function.
- Protective dust cover.
- Easy to clean: removable crumb tray.
- Automatic shut-off.
- Reheat function.
- LED indicator light.
- Cord storage.



26 x 16 x 18 cm

EAN 8421078038900

6 UNITS

Extra-Long double slot toaster

230 V - 1.400 W

- Cool-touch body
- Non-slip feet
- Automatic bread centering.
- 7 browning levels.
- Two extra-wide slots: 25 x 3 cm
- Defrost and keep warm functions.
- Cancel button and automatic shut-off
- Removable crumb tray.
- LED indicator light.
- Cord storage.



38 x 15 x 17 cm

EAN 8421078038696

4 UNITS


JETT1584

Extra-long double slot toaster

230 V - 1.400 W

- Cool-touch body
- Non-slip feet
- Automatic bread centering.
- 7 browning levels.
- Two extra-large slots: 25 x 3 cm
- Defrost and keep warm functions.
- Cancel button and automatic shut-off
- Removable crumb tray.
- LED indicator light.
- Cord storage.



38,5 x 14,5 x 17 cm

EAN 8421078038207

4 UNITS


JETT1585

TT579



Wide single-slot toaster
230 V - Máx. 900 W

- Cool-touch body
- Wide 40 mm slot to toast all types of bread.
- Automatic bread centering.
- Electronic browning control with 6 settings.
- Defrost function.
- Reheat function.
- Cancel button to stop toasting cycle.
- Removable crumb tray.
- Indicator lights.
- Cord storage.



38 x 12 x 17,5 cm

EAN 8421078034476

4 UNITS

JETT1579



Wide single-slot toaster
230 V - 900 W

- Cool-touch body
- Indicator lights.
- Cancel button to stop toasting cycle.
- Removable crumb tray.
- Automatic bread centering.
- Electronic browning control – 6 settings.
- Wide 40 mm slot – suitable for all types of bread.
- Defrost function.
- Reheat function.
- Cord storage.



38,5 x 12 x 17,5 cm

EAN 8421078037927

4 UNITS

Single slot toaster with lifting accessory

230 V - Máx. 900 W

- 7-level electronic browning selector.
- Wide-mouth slot for all types of bread. Width 40 mm.
- Removable lifter for heating and defrosting.
- Automatic bread centering.
- Defrost function.
- Keep-warm function.
- Voluntary stop button.
- Removable crumb tray.
- Cool-touch body.
- Operation indicator lights.
- Built-in cord storage system.



||||| EAN 8421078040934 4 UNITS



Single slot electronic toaster

230 V - Máx. 900 W

- Cold touch body.
- Indicator lights.
- Cancel button to stop the toasting cycle.
- Crumb tray.
- Automatic bread centering.
- Wide slot to toast all types of bread. Width: 40 mm.
- Electronic browning control. 6 positions.
- Defrost function.
- Re-heat function.
- Cord storage.



||||| EAN 8421078041443 4 UNITS



JETT1146



Stainless steel electronic toaster with two long slots

230 V - 1.400 W

- Stainless steel body.
- Two extra-long slots: 255 mm length, 40 mm width.
- Width: 40 mm.
- Digital display.
- Automatic bread centering.
- Electronic browning control. 7 levels.
- Defrost function.
- Reheat function.
- Cancel button to stop the toasting cycle.
- Removable crumb tray.
- Indicator lights.



38,5 x 14,5 x 17 cm

EAN 8421078040149 4 UNITS



JETT1590

Digital flat toaster

230 V~ 1.000 W

- Touch control.
- Digital browning selector. 6 settings.
- Even toasting thanks to 3 quartz tubes.
- Stainless steel surface and grill.
- On / off switch.
- Automatic shut-off.
- Removable crumb tray.
- Indicator lights.
- Non-slip base.



||||| EAN 8421078040163 6 UNITS



TT589 - TT589NG**4-bar quartz flat toaster**
230 V - 550 W

- Stainless steel body and grill.
- Even toasting. 4 quartz tubes.
- Large toasting surface.
- Protective lid.
- On / off switch.
- Removable crumb tray.
- Enjoy the taste and aroma of freshly baked bread.



33,5 x 21,5 x 6 cm

TT589

EAN 8421078305897

6 UNITS

TT589NG

EAN 8421078034001

6 UNITS



TT589



TT589NG

JETT1587 / TT587**4-bar quartz flat toaster**
230 V ~ 400 W

- Stainless steel sides.
- Enjoy the taste and aroma of freshly baked bread.
- Large toasting surface.
- On / off switch.
- 2 quartz tubes.
- Removable crumb tray.



33,5 x 21,5 x 6 cm

JETT1587

EAN 8421078037996

6 UNITS

TT587

EAN 8421078032540

6 UNITS



TT587



JETT1587

TT591 / TT5016**XXL flat toaster with 3 quartz bars**
230 V - 1.000 W

- Large toasting surface. Size: 35 x 25 cm.
- Even toasting. 5 quartz tubes.
- Stainless steel body and grill.
- 2 switches. 3 heating powers: 400 W - 600 W - 1.000 W.
- Removable crumb tray.
- Taste and smell of freshly baked bread.



45 x 26 x 6 cm

TT591


EAN 8421078035350

4 UNITS


TT5016

EAN 8421078035794

4 UNITS



TT591



TT5016

JECA1750 / JECA1752



JECA1750



JECA1752

Drip coffee maker 230 V - 650 W

- Drip coffee maker for 2 to 8 cups.
- Maximum jug capacity: 770 ml.
- Removable filter holder.
- Anti-drip system.
- Measuring spoon included.
- Non-stick heating plate.
- Glass carafe with lid.
- Translucent and graduated water tank.
- On/off switch with indicator light.
- Front button for automatic on and off.
- Complies with ERP energy-saving standards.
- Auto shut-off.
- Non-slip base.



JECA1750

||||| EAN 8421078038658

6 UNITS

JECA1752

||||| EAN 8421078038672

6 UNITS



CA288N

Drip coffee maker 230 V - 550 W

- Drip coffee maker for 2 to 8 cups..
- Maximum jug capacity: 750 ml
- In compliance with ERP energy-saving standards.
- Auto shut-off.
- Swing-out permanent filter.
- Anti-drip system.
- Non-stick heating plate.
- Translucent and graduated water tank.
- Glass carafe with lid.
- On/off switch with indicator light.



||||| EAN 8421078026006

6 UNITS

Drip coffee maker

230 V - 680 W

- Drip coffee maker for 2 to 12 cups.
- Complies with ERP energy-saving standards.
- Auto-shut off.
- Swing-out filter holder.
- Permanent filter.
- Anti-drip system.
- Non-stick heating plate.
- Graduated water tank.
- Glass carafe with lid.
- On/off switch with indicator light.



||||| EAN 8421078032403 6 UNITS



Stainless steel drip coffee maker

230 V - 800 W

- Drip coffee maker for 6 to 18 cups.
- Maximum jug capacity 1.400 ml
- Capacity 1,5 l
- Permanent filter.
- Measuring spoon.
- Non-stick heating plate.
- Anti-drip system.
- Glass carafe with lid.
- Graduated water tank.
- On/off switch with indicator light.
- In compliance with ERP energy-saving standards.
- Auto-shut off.



||||| EAN 8421078038863 6 UNITS



SPRING NOVELTY



JECA5503

Drip coffee maker with stainless steel jug 230 V - 650 W

- Drip coffee maker 2 - 8 cups.
- 650 ml. Capacity
- Suspended filter with handle.
- Jug with anti-drip system.
- Removable and washable permanent filter.
- Measuring spoon.
- Graduated water tank.
- On/off switch with indicator light.
- Auto-shut off.



||||| EAN 8421078039723 8 UNITS



JECA1800

Drip coffee maker with thermal jug 230 V - 800 W

- Drip coffee maker for 2 to 12 cups.
- Double-walled thermal carafe.
- Maintains the temperature for 6 to 12 hours.
- 1 l Capacity
- Suspended filter holder with handle.
- Carafe with anti-drip system.
- Removable and washable permanent filter.
- Non-stick heating plate.
- Non-slip base.
- Measuring spoon included.
- Graduated water tank.
- On/off switch with indicator light.
- Auto-shut off.
- Complies with ERP energy-saving standards.



||||| EAN 8421078038870 4 UNITS



JECA2201

Steam Espresso Machine 230 V - 800 W

- 3.5-bar pressure
- Capacity to prepare 2 - 4 espresso coffees.
- Built-in steam wand and frother.
- 4-position rotary selector.
- Includes 350 ml glass carafe and measuring spoon.
- Water tank with safety cap.
- Stainless steel filter and drip tray.
- Removable drip tray for easy cleaning.
- Energy-saving. Compliant with ERP regulations..
- Automatic shut-off.



||||| EAN 8421078040064 4 UNITS

JECA2300

Espresso coffee maker

230 V - 1.360 W

- Pressure 20 bar.
- Touchscreen controls:
 - Power On/Off
 - 1-cup espresso
 - 2-cup espresso
 - Steam function
- Accessories included:
 - Filter holder.
 - Filter to make 1 - 2 espresso coffee cups.
 - Water dispenser.
- Energy-saving, compliant with ERP standards.
- Memorizes the quantity of coffee.
- Automatic shut-off.
- Steam regulator.
- Surface to keep cups warm.
- Removable drip tray for easy cleaning.
- Detachable water tank. 0,9 l capacity.



||||| EAN 8421078038092 2 UNITS



JECA2525

Espresso coffee maker

230 V - 850 W

- Built-in high-pressure heater and frother.
- Side-positioned frother for added comfort.
- 20-bar pressure with independent steam control.
- Removable water tank with 1.8 l capacity
- Automatic temperature control.
- Easy to use thanks to its 3 buttons: coffee preparation, heater/frother function, and on/off.
- Accessories included: portafilter, 1-cup and 2-cup filters, and measuring spoon.
- Automatic shut-off. ERP compliant.
- Heated surface to keep cups warm.
- Removable drip tray.



||||| EAN 8421078040170 2 UNITS



HCAF1135 / HCAF1160

French press coffee maker with milk frother

- Made of borosilicate, polypropylene and stainless steel.
- Complies with FDA and LFGB regulations.
- BPA free.
- Resistant to high and low temperatures: from -20 °C to 120 °C
- 3-tier stainless steel mesh filter.
- Perfect for preparing coffee, infusions, and frothing.
- Cool-touch handle.



IDEAL FOR PREPARING YOUR
COFFEES, INFUSIONS AND FROTTHINGS

HCAF1135 (350 ml)

HCAF1160 (600 ml)

||||| EAN 8436584385233

6 UNITS

||||| EAN 8436584385240

6 UNITS



JEML1150

65g Electric coffee grinder 230 V - 150 W

- Lid with safety lock system.
- Stainless steel container.
- Stainless steel blade.
- Transparent lid for grinding visibility.
- Push-to-grind button.
- Capacity 65 g.



||||| EAN 8421078039112

6 UNITS



JEML1820

150g Electric coffee grinder 230 V - 300 W

- Safety locking lid prevents accidental operation.
- Highly durable stainless steel blades.
- Fast and even grinding.
- Durable, hygienic, and easy-to-clean stainless steel container.
- Transparent lid allows you to monitor grinding without opening it.
- Ergonomic push-button start.
- 150g capacity.



||||| EAN 8421078040101

6 UNITS

ML132**65g Electric coffee grinder**
230 V - 160 W

- Lid with safety lock system.
- Stainless steel container.
- Stainless steel blade.
- Transparent lid for easy grinding view.
- Push-to-grind button.
- Capacity 65 g.



||||| EAN 8421078033806 6 UNITS

**ML133****55g electric coffee grinder**
230 V - 160 W

- Stainless steel body.
- Lid with safety lock system.
- Stainless steel container.
- Stainless steel blade.
- Transparent lid for easy grinding view.
- Push-to-grind button.
- Capacity 55 g.



||||| EAN 8421078033530 6 UNITS

**SPRING NOVELTY****JEES5504****Handheld electric milk frother**

- Get creamy foam quickly.
- Can be used with hot or cold drinks.
- Perfect for tea, coffee and milk.
- Rechargeable via USB Type-C cable, included.
- 3 speeds.
- 15 seconds to foam.
- Using time: 30 min.
- Charging time: 2 h.
- Stainless steel rod.
- Lithium battery 400 mAh.
- Measurements: 3 x 2,9 x 23,5 cm.
- Power 4 W.



||||| EAN 8421078039730 6 UNITS

**JEES1111****Milk frother and cappuccino mixer**

- Can be used with hot or cold milk.
- 6-8 seconds to foam.
- 12 seconds for cappuccino.
- Stainless steel rod.
- Silent engine.
- Storage stand included.
- Ergonomic design.



||||| EAN 8421078038320 8 UNITS



HCAF225_

SPRING NOVELTY



Italian stainless steel coffee maker with induction base

- Made of high-quality stainless steel, resistant and durable.
- Full induction diffuser base that ensures even heating.
- Suitable for all types of stoves, including induction.
- Solid handle that provides a firm and secure grip
- Available in three capacities to suit every need.



HCAF2254



||||| EAN 8436584386056

6 UNITS

Base diameter: 7,3 cm

HCAF2256



||||| EAN 8436584386063

6 UNITS

Base diameter: 8 cm

HCAF2259



||||| EAN 8436584386070

6 UNITS

Base diameter: 9 cm

CAX1_



Italian stainless steel coffee maker with induction base

Odin

- Manufactured in stainless steel.
- Polished, shiny finish.
- Solid handle.
- Suitable for all cookers, induction included.



CAX104



||||| EAN 8436017658163

6 UNITS

Base diameter: 10 cm

CAX106



||||| EAN 8436017658170

6 UNITS

Base diameter: 10 cm

CAX110



||||| EAN 8436017658187

6 UNITS

Base diameter: 11 cm

CAX112



||||| EAN 8436017659436

6 UNITS

Base diameter: 12 cm

CCA_
Italian aluminum coffee maker

- Inner polished finish.
- Solid handle.
- Silicone ring.
- Aluminium body.


CCA3


||||| EAN 8436017658583
 12 UNITS

CCA6


||||| EAN 8436017658590
 6 UNITS

CCA9


||||| EAN 8436017658606
 6 UNITS

CCA12


||||| EAN 8436017658613
 6 UNITS


CFI_
Italian aluminium coffee maker with full induction base

- Full induction bottom.
- Inner polished finish
- Solid handle.
- Aluminium body.
- Silicone ring.
- Suitable for all cookers, induction included.


CFI6


||||| EAN 8436017659825
 6 UNITS

Base diameter: 10 cm

CFI9


||||| EAN 8436017659832
 6 UNITS

Base diameter: 11 cm

CFI12


||||| EAN 8436017659849
 6 UNITS

Base diameter: 12 cm


HCAF20_
Italian aluminium coffee maker with full induction base

- Full induction bottom.
- Exterior coated with oven-baked red enamel at 280°C for high durability.
- Solid handle with anti-burn design.
- Aluminium body.
- Silicone ring.
- Suitable for all cookers, induction included.


HCAF2006


||||| EAN 8436584381907
 6 UNITS

Base diameter: 10 cm

HCAF2009


||||| EAN 8436584381914
 6 UNITS

Base diameter: 10,8 cm

HCAF2012


||||| EAN 8436584381921
 6 UNITS

Base diameter: 11,7 cm



HCAF24_



Italian aluminium coffee maker with full induction base

Bistrea

- Full induction bottom.
- Exterior painted oven-baked at 280 °C.
- Solid handle. Special anti-burn design.
- Aluminium body.
- Silicone ring.
- Suitable for all cookers, induction included.



HCAF2403



||||| EAN 8436584384991

6 UNITS

Base diameter: 9,80 cm

HCAF2406



||||| EAN 8436584384731

6 UNITS

Base diameter: 10,05 cm

HCAF2409



||||| EAN 8436584384748

6 UNITS

Base diameter: 10,15 cm

HCAF2412



||||| EAN 8436584384755

6 UNITS

Base diameter: 10,8 cm



JECL1900**Milk frother 150 ml and warmer 300 ml**
230 V - 550 W

- Power switch.
- Capacity: 150 ml for frothing, 300 ml for heating milk.
- Operation indicator light.
- Easy-to-clean non-stick jug.
- Internal min and max volume indicators.
- 3 functions: frothing (hot or cold milk), heating milk, and warming chocolate
- Auto shut off.
- Overheat protection.
- Maximum heating temperature: 65°C
- 360° swivel base.



EAN 8421078038146

6 UNITS

**SPRING NOVELTY****JECL5501****Electric milk frother and warmer**
230 V - 500 W

- Hot and cold froth.
- Heats milk to 65 °C in 2 minutes.
- Capacity: 150 ml for frothing and 300 ml for heating milk.
- 5 programs:
 - Heat milk with firm foam.
 - Heat creamy foam.
 - Heat with little foam.
 - Heat without foam.
 - Froth cold.
- Operation indicator light.
- Easy-to-clean non-stick jug.
- Internal min. and max. volume indicators.
- Non-slip base.
- Auto shut off.
- Overheating safety device.
- 360° swivel base.



EAN 8421078039709

8 UNITS

**CL819****Milk warmer 1l**
230 V - 400 W

- Ideal for heating milk and preparing chocolate..
- Inner non-stick coating free of PFOA.
- Cold touch body.
- Keeps the milk temperature at around 80 °C..
- Capacity 1 l.
- Hidden heating element. Easy cleaning.
- Overheating safety device.
- On / off switch.
- On indicator light.



EAN 8421078033776

4 UNITS





JEHA1723

2 L Stainless steel electric kettle 230 V - 1.500 W

- Stainless steel body.
- 2 l Capacity
- High speed boiling.
- Double safety system.
- Cordless.
- Easy cleaning.
- Stainless steel heating plate.
- Hinged lid.
- Auto shut-off.
- Overheat protection.
- Water level indicator.
- On/off switch with indicator light.
- 360° swivel base.
- Cord storage.



||| EAN 8421078038023

6 UNITS

SPRING NOVELTY



JEHA1576

Electric kettle 230 V - 1.500 W

- Capacity of 1.8 litres.
- Jug with stainless steel interior, cordless design, double thermal insulation, and cool-touch handle.
- 360° base allowing the jug to be placed from any angle.
- Simple and intuitive touch controls with LED digital display for temperature viewing.
- Five temperature levels 45–100 °C.
- Keep-warm function.
- Stainless steel plate and concealed heating element.
- Automatic shut-off and overheating protection.
- Integrated cord storage.



||| EAN 8421078040866

6 UNITS



JEHA1809

Electric kettle 230 V - Máx. 2.200 W

- Maximum boiling capacity.
- 1,7 L Capacity.
- Cordless jug.
- Water level indicator.
- Tip-up lid.
- Removable anti-scale filter.
- Stainless steel heating plate.
- On/off switch with indicator light
- Auto shut off.
- Overheat protection.
- 360° swivel base.
- Cord storage.
- BPA free.
- Hidden heating element.
- Easy cleaning.



||| EAN 8421078038832

6 UNITS

HA702

Borosilicate glass electric kettle
230 V - Máx. 1.500 W

- **Borosilicate jar:**
 - Exempt from heavy metals and toxic substances.
 - Made of high-quality, non-porous, neutral crystal (no odor or taste).
 - Maximum chemical and mechanical resistance.
- BPA free..
- Maximum boiling capacity.
- Stainless steel heating plate.
- Lid included.
- Auto shut-off.
- Overheating safety device.
- On/off switch.
- Cordless.
- 360° swivel base.
- Cord storage.
- Hidden heating element. Easy cleaning.



||||| EAN 8421078033912

6 UNITS



SPRING **NOVELTY**

JEHA1701

Electric kettle
230 V - Máx. 1.100 W

- Capacity of 1 litre.
- Maximum boiling speed.
- Cordless jug and 360° base for greater convenience.
- Water level window.
- Hinged lid.
- Stainless steel heating plate.
- Automatic shut-off and overheating protection.
- On/off switch with operating indicator light.
- Integrated cord storage.



||||| EAN 8421078040873

6 UNITS



HA701

Electric kettle
230 V - 900 W

- Rapid boiling.
- On / off switch.
- Stainless steel submerged resistance.
- Water level indicator.
- Flip-top lid.
- Auto shut off.
- Boil protection system.
- BPA free.



||||| EAN 8421078039686

6 UNITS



HA701

Electric kettle
230 V - 2.200 W

- Capacity: 1 L.
- Maximum boiling capacity.
- Cordless.
- Hidden heating element for easy cleaning.
- Stainless steel heating plate.
- Tip-up lid.
- Auto shut-off.
- Overheating safety device.
- Water level indicator.
- Removable filter.
- On / off switch.
- 360° swivel base.
- Cord storage.



||||| EAN 8421078032977

6 UNITS





JEHA1038

Electric kettle 230 V - 2.200 W

- Capacity 1 l.
- Maximum boiling capacity.
- Hidden heating element. Easy cleaning.
- Stainless steel heating plate.
- Internal water volume indicator.
- Tip up lid.
- Auto shut off.
- Overheating safety device.
- Heat insulating plastic handle
- On/off switch
- 360° swivel base.
- Cord storage.



||||| EAN 8421078037194 6 UNITS



JEHA1808

Digital electric kettle 230 V - 1.000 W

- Capacity 800 ml.
- BPA free.
- Maximum boiling capacity.
- Cordless.
- Anti-scale filter
- Hidden heating element.
- 304 Stainless steel heating plate.
- ON / OFF switch.
- Luminous operating display.
- Special wide mouth for easy cleaning.
- Auto shut-off.
- Overheating safety device.
- 360° swivel base.
- Cord storage.



||||| EAN 8421078039136 6 UNITS



JEHA1240

Electric kettle 230 V - 900 W

- Capacity 0,5 l.
- Compact design.
- Cool-touch handle.
- BPA free.
- Maximum boiling capacity..
- On / off switch.
- Hidden heating element. Easy cleaning.
- Stainless steel heating plate.
- Water level indicator.
- Tip-up lid with safety lock.
- Auto shut-off.
- Boil-dry protection system.
- Cord storage.




||||| EAN 8421078038825 8 UNITS

JEGR3000

Electric griddle with Excellence heating element

230 V - 2.700 W

- Excellence heating element uniform heat distribution across the entire surface.
- Electronic control panel with digital display.
- 5 adjustable temperature levels: 100 / 150 / 180 / 200 / 230 °C.
- Pfluo Granite Black non-stick coating: PFOA-free, highly durable, and scratch-resistant.
- SuperDiet System: Tilted surface design directs grease and sauces to the integrated drip tray for healthier cooking.
- Removable power connector.
- Cool-touch handles.
- Easy to carry to the table.
- Easy cleaning.



625 x 340 x 80 mm

480 x 320 mm

EAN 8421078039693 2 UNITS

JEGR2851



Stonite electric griddle 230 V - 2.600 W

- **Patented M-shaped** heating element. Even heat distribution across the entire surface for perfect cooking results.
- Electronic temperature control: Adjustable to 75 / 120 / 160 / 230 °C.
- Low temperature setting: Perfect for keeping plates warm without overheating.
- High-quality Stonite non-stick coating: PFOA-free, durable, and easy to clean.
- SuperDiet System: Tilted surface design directs grease and sauces to the integrated drip tray for healthier cooking.
- Removable cable cord.
- Cool-touch handles.
- Easy to clean.




595 x 300 x 80 mm

460 x 280 mm

EAN 8421078036388

2 UNITS



JT950



M-Magic electric griddle 230 V - 2.500 W

- "Granite" non-stick coating, PFOA-free..
- "Granite" great hardness and excellent scratch resistance with excellent heat distribution.
- M-shaped heating element ensures even cooking across the entire surface.
- Integrated sauce tray for collecting grease and juices.
- Cool-touch handles.
- Easy to carry to the table.
- Easy to clean. Dishwasher safe.
- SuperDiet System: Tilted surface design directs grease and sauces to the integrated drip tray for healthier cooking.
- Removable, adjustable temperature thermostat.



538 x 281 x 65 mm

460 x 280 mm

EAN 8421078033509

6 UNITS



M-Magic electric griddle
230 V - 2.500 W

- “Granite” PFOA-free non-stick coating.
- Highly scratch-resistant with excellent heat distribution.
- M-shaped heating element for even cooking.
- SuperDiet System: tilted surface directs grease and sauces to the drip tray.
- Removable adjustable thermostat.
- Sauce tray.
- Cool-touch handles.
- Easy to carry and clean. Dishwasher-safe.
- Made in Spain.



RESISTENCIA
PATENTADA

640 x 280 x 95 mm

460 x 280 mm



GR558

EAN 8421078032649

6 UNITS



GR600AM

EAN 8421078035718

1 UNIT REINFORCED BOX



GR558 / GR600AM

M-Magic electric griddle
230 V - 2.500 W

- “Stonite” non-stick coating, PFOA-free
- M-shaped heating element for even heat distribution across the entire surface
- SuperDiet System: Tilted surface design directs grease and sauces to the integrated drip tray for healthier cooking.
- Sauce tray.
- Cool-touch handles.
- Removable, adjustable temperature thermostat.
- Easy to clean and dishwasher safe.
- Easy to carry to the table.
- Manufactured in Spain.



RESISTENCIA
PATENTADA

640 x 280 x 90 mm

460 x 280 mm

EAN 8421078029991

6 UNITS



GR557A

GR555A / GR2500AM



M-Magic electric griddle 230 V - 2.500 W

- Non-stick ceramic coating, PFOA-free.
- M-shaped heating element for even heat distribution across the entire surface
- SuperDiet System: Tilted surface design directs grease and sauces to the integrated drip tray for healthier cooking.
- Cool-touch handles.
- Removable, adjustable temperature thermostat for precise control.



640 x 283 x 82 mm



460 x 280 mm



GR555A

||||| EAN 8421078026532

6 UNITS



GR2500AM

||||| EAN 8421078035701

1 UNIT REINFORCED BOX

JEGR1559R



Terracotta electric griddle 230 V - 1.600 W

- Terracotta fired at high temperatures for extreme hardness.
- Artisan craftsmanship.
- Durable and resistant to wear over time.
- Perfect for cooking all types of fish and meat.
- Preserves the unique, natural flavor of the food.
- Knife-resistant surface that won't scratch or damage.
- Removable, adjustable temperature thermostat for precise control.
- Cool-touch handles.
- Designed for easy transport and table serving.
- Easy to clean.
- Manufactured in Spain.



535 x 285 x 80 mm



460 x 280 mm

||||| EAN 8421078040798

1 UNIT REINFORCED BOX

JEGR0550

Electric griddle

230 V - 2.500 W

- Designed and manufactured in Spain.
- **Patented “M-Magic”** heat resistance technology.
- Heats and cooks evenly across the entire surface.
- High-quality cast aluminium construction.
- Triple-layer Terrastone CopperMax non-stick coating for superior durability.
- PFOA-free.
- SuperDiet System: Tilted surface design directs grease and sauces to the integrated drip tray for healthier cooking.
- XL sauce collecting tray included.
- Adjustable and removable temperature thermostat.
- Cool-touch handles for safe handling and easy transport to the table.
- Easy to clean.
- Slim design for easy storage.



550 x 280 x 90 mm

EAN 8421078037293

4 UNITS



GR195R



Electric griddle 230 V - 2.200 W

- Non-stick coating free of PFOA. Whitford Xylan® Plus.
- High scratch resistance.
- Cooking surface dimensions: 460 x 250 mm.
- Removable and adjustable temperature thermostat.
- Cool-touch handles.
- Designed for easy table carrying.
- Sauce tray.
- Easy to clean.



620 x 255 x 90 mm



460 x 250 mm



EAN 8421078036180



1 UNITS

JEGR1603



XXL Electric Griddle 230 V - 2.400 W

- Patented M-Magic resistance for even cooking across the entire surface.
- Large cooking surface measuring 60 x 35 cm.
- PFOA-free non-stick coating.
- Cool-touch handles.
- Easy to carry to the table.
- Highly scratch-resistant surface.
- Included sauce collecting tray.
- Adjustable and removable temperature thermostat.
- Easy to clean.



744 x 370 x 80 mm



600 x 350 mm



EAN 8421078038122



2 UNITS

Design meets tradition
in one grill plate.

Jata
SINCE 1943



JEGR1246 EAN 8421078039600 1 U(R)



JEGR1245 EAN 8421078039679 3 UDS



New JEGR1246 / JEGR1245

- Whitford's Xylan® PFOA-free non-stick coating.
- Surface area 35.6 x 25.4 cm / 50.8 x 25.4 cm
- Built-in drip tray collects excess fat or liquids.
- Removable and adjustable thermostat.
- Cool-touch handles with fingerprint-resistant stainless steel.
- 2000 W and 2200 W power.



www.jata.es





JEGR1241

Electric griddle

230 V - 2.200 W

- PFOA-free non-stick coating with Whitford Xylan® Plus.
- Highly scratch-resistant surface.
- Cooking surface dimensions: 500 x 250 mm.
- Anti-fat system designed to capture excess fat and liquids.
- Removable and adjustable temperature thermostat.
- Cool-touch handles for safe handling.
- Easy to carry to the table.
- Includes sauce collecting tray.
- Easy to clean.



570 x 332 x 74 mm



500 x 250 mm



EAN 8421078038931



4 UNITS



GR204N

Electric griddle

230 V - 2.000 W

- PFOA-free non-stick coating with Daikin Silkware®.
- Highly scratch-resistant surface.
- Removable and adjustable temperature thermostat.
- Cool-touch handles for safe handling.
- Easy to clean. Dishwasher safe.
- Easy to carry to the table.
- Includes sauce tray.



545 x 335 x 85 mm



445 x 300 mm



EAN 8421078030850



4 UNITS



GR205

Electric griddle

230 V - 1.000 W

- Smooth, PFOA-free non-stick coating.
- Highly scratch-resistant surface.
- Removable and adjustable temperature thermostat.
- Cool-touch handles for safe handling.
- Easy to clean. Dishwasher safe.
- Easy to carry to the table.
- Includes sauce tray.



350 x 215 x 75 mm



280 x 220 mm



EAN 8421078029854



6 UNITS

Electric paella pan

230 V - 1.900 W

- Diameter 55 cm. Special for large paellas, stews, etc.
- Even heat distribution across the entire surface
- PFOA-free non-stick coating.
- 2 switches, two powers.
- Metal and glass lid with steam vent valve.
- Removable power cord.
- Cool-touch handles.
- Easy to carry to the table.
- Easy to clean.



Ø 55 mm

EAN 8421078033325

1 UNIT


PE550

Electric paella pan

230 V - 1.500 W

- Diameter of 38 cm and depth of 9 cm, ideal for preparing paellas, stews, and all types of recipes.
- PFOA-free non-stick coating.
- Removable thermostat adjustable up to 240 °C.
- Glass lid.
- Handles with thermal insulation and non-slip feet.
- Suitable for serving directly at the table.



Ø 38 mm

Dimensions without lid: 47 x 47 x 15 cm
Dimensions with lid: 47 x 47 x 21 cm

EAN 8421078041078

2 UNITS


AUTUMN NOVELTY
JEPE1642



JEPE1639

Electric paella pan 230 V - 2.000 W

- 43 cm diameter and 50 mm depth; ideal for large paellas and stews.
- PFOA-free non-stick coating.
- Adjustable and removable temperature thermostat.
- Indicator light for reached temperature.
- Tempered glass lid with steam valve and metal body.
- Insulated cool-touch handles.
- Suitable for serving directly at the table.
- Easy cleaning.



Ø 43 mm

||||| EAN 8421078040903

2 UNITS



*Includes spatula
for free*



JEPE1639

Electric paella pan 230 V - 2.000 W

- Diameter: 38 cm
- Depth: 50 mm
- PFOA-free non-stick coating.
- Textured surface for improved non-stick performance and even heat distribution.
- Removable and adjustable temperature thermostat.
- Glass lid with steam outlet valve.
- Cool-touch handles.
- Easy to carry to the table.
- Easy to clean.
- Spatula included.



Ø 38 mm

||||| EAN 8421078037729

2 UNITS



*Includes spatula
for free*



PE640

Electric paella pan 230 V - 1.600 W

- PFOA-free non-stick coating.
- Textured surface for improved non-stick performance and even heat distribution.
- Removable and adjustable temperature thermostat.
- Glass lid with integrated steam outlet valve.
- Cool-touch handles.
- Easy to carry to the table.
- Easy to clean.
- Spatula included.



Ø 34 mm

||||| EAN 8421078035473

2 UNITS

Freestanding electric barbecue

230 V - 2.200 W

- Fully detachable for easy handling and storage.
- Dual-level grill for cooking both meat and fish.
- Durable stainless steel tray.
- "Long Life" shielded heating element.
- Cooking surface: 400 x 230 mm.
- Lower tray and support structure included.
- Two cooking modes: tabletop or standing use.
- Standing height: 80 cm.
- Smoke- and odor-free cooking.
- Adjustable temperature thermostat.
- Power indicator light.
- Easy to clean.



||||| EAN 8421078035992 4 UNITS

JEBQ1001


Electric barbecue with stand

230 V - 1.800 W

- Removable aluminum plate with PFOA-free non-stick coating.
- Fully detachable design for easy assembly and storage.
- Durable stainless steel tray.
- "Long Life" shielded heating element.
- Cooking surface: 400 x 240 mm.
- Lower tray and support structure included.
- Two cooking modes: table-top or standing use.
- Two side panels for expanded working area.
- Windproof panel with upper grill.
- Standing height: 80 cm.
- Smoke- and odor-free cooking.
- Adjustable temperature thermostat.
- Power indicator light.
- Easy to clean.



||||| EAN 8421078036166 2 UNITS

JEBQ1002


BQ95



Electric indoor barbecue

230 V - 2.000 W

- Fully detachable design for easy cleaning and storage.
- Dual-level grill: ideal for cooking both meat and fish.
- Durable stainless steel tray.
- "Long Life" shielded heating element for extended durability.
- Smoke- and odor-free cooking.
- Power indicator light.
- Easy to clean.



*Special for
interiors*



COCINA SIN
HUMOS/OLORES



DOS ALTURAS
DE COCINADO



2000 W

||||| EAN 8421078033233

4 UNITS



BQ101 / BQ5101AM

Smokeless Indoor Electric Barbecue

230 V - 2.400 W

- Fully detachable design for easy cleaning and storage.
- Dual-level grill, perfect for cooking meat and fish.
- High power performance.
- Durable stainless steel tray.
- Shielded heating element for safety and longevity.
- Smoke- and odor-free cooking.
- Easy to clean.
- Manufactured in Spain.



*Special for
interiors*



BQ101/ BQ101R



BQ5101AM

BQ101

||||| EAN 8421078022343 4 UNITS

BQ101R

||||| EAN 8436584382218 1 UNITS

BQ5101AM

||||| EAN 8421078035800 1 UNITS

JEGR1266 / GR266



3-in-1 Contact grill

230 V - 1.000 W

- "Daikin" PFOA-free non-stick coating.
- Adjustable upper plate, ideal for hamburgers, entrecôte, sandwiches and fish.
- Opens 180° to function as a grill.
- Uniform roasting pressure for even cooking.
- Perfect for all types of fish and meat.
- Cool-touch handle for safe handling.
- Two independent indicator lights: power on and ready.
- Includes sauce tray.



PLACAS: 270 x 140 mm



JEGR1266

AUTUMN NOVELTY

||||| EAN 8421078041030

📦 2 UNITS



GR266

||||| EAN 8421078029731

📦 2 UNITS



AC266

Accessory for grill GR266

||||| EAN 8421078032465 📦 4 UNITS



R266

Replacement set of two pans

||||| EAN 8421078032816 📦 8 UNITS

JEGR1107**Compact Contact Grill with 180° Opening**
230 V - 1.000 W

- PFOA-free non-stick coating.
- Floating hinge system for even cooking.
- Cool-touch handle.
- Uniform roasting pressure.
- Suitable for all kinds of fish and meat.
- Two independent indicator lights: power on / ready.
- Opens 180° to function as a grill.
- Skid-resistant feet for stability.
- Overheating safety device.
- Secure closing clip.



230 x 145 mm

EAN 8421078037989

6 UNITS

**JEGR1124****Compact Contact Grill with 180° Opening**
230 V - 1.000 W

- Floating hinge system for even cooking.
- Uniform roasting pressure.
- PFOA-free non-stick coating.
- Opens 180° to use as a grill.
- Cool-touch handle for safe handling.
- Sauce collecting tray included.
- Two independent indicator lights: power on / ready.
- Secure closing clip.
- Skid-resistant feet for stability.
- Overheating safety device.



230 x 145 mm

EAN 8421078039204

6 UNITS



JEGR1183



Compact contact grill with 180° opening 230 V - 1.500 W

- Floating hinge system.
- Uniform roasting pressure.
- PFOA-free non-stick coating.
- Opens 180° to use as a grill.
- Cool-touch handle.
- Sauce collecting tray.
- 2 independent indicator lights: power on/ready.
- Vertical storage.
- Locking knob / opening feet.
- Skid-resistant feet.
- Overheating safety device.



260 x 165 mm

EAN 8421078039846 4 UNITS

JEGR1529



Digital double-plate contact grill 230 V - 2.000 W

- Opens 180° to use as a grill.
- Digital control panel with:
 - On/Off button.
 - Temperature/time selector.
 - +/- selectors.
- Special floating hinge system on the upper plate for perfect cooking of thicker foods.
- Uniform grilling pressure.
- Overheat safety protection.
- Closing clips for storage.
- Cool-touch handles.
- Sauce collecting tray.
- Built-in timer.



290 x 235 mm

EAN 8421078040095 2 UNITS

GR1100

Double-plate contact grill – Opens flat to 180°

230 V - 2.000 W

- Die-casting aluminium body.
- Floating hinge system.
- Stainless steel handles.
- PFOA-free non-stick coating.
- Opens 180° to use as a grill.
- 6-position adjustable upper plate, ideal for hamburgers, entrecôte, sandwiches, and fish.
- 2 independent pilot lights: on / ready.
- Sauce tray.
- Closing clip for storage.



 275 x 240 mm

 EAN 8421078021285

 2 UNITS

JEGR1450



Contact grill with detachable ribbed plates

230 V - 2.000 W

- Opens 180° to use as a grill.
- Special floating hinge system on the upper plate for perfect cooking of thicker foods.
- Uniform grill pressure.
- Adjustable temperature thermostat.
- PFOA-free non-stick coating.
- Overheat safety protection.
- Cool-touch handles.
- 2 independent pilot lights: On / Ready.
- Sauce collecting tray.
- Skid-resistant feet.



296 x 218 mm

EAN 8421078038917

2 UNITS

Grill / sandwich maker**230 V - 750 W**

- Top grill plate, bottom flat plate.
- PFOA-free non-stick coating.
- Cool-touch opening handle.
- Uniform grilling pressure.
- Locking clip.
- Suitable for vertical storage.
- Non-slip base.
- Overheating protection.
- Built-in cord storage.

DOS
PLACAS
210 x 140

750 W

LIBRE DE
PFOAPLACA
PROFUNDA
1 Cm

210 x 140 mm

EAN 8421078040125 6 UNITS

**JEGR1165****Double sandwich maker****230 V - 750 W**

- Cooks 2 whole sandwiches.
- Perfect sealing.
- Fast and even toasting.
- Plates with PFOA-free non-stick coating.
- Locking clip.
- 2 independent indicator lights: power on / ready.
- Built-in cord storage system.
- Vertical storage.
- Easy cleaning.

2
SANDWICHES
SIN CORTE

750 W

DOS
PLACAS
215x125

215 x 125 mm

EAN 8421078040927 6 UNITS

SPRING **NOVELTY****JESW1108**

JESW1232 / JESW1231



Sandwich maker

230 V - 750 W

- Fits 2 full sandwiches.
- Plates with PFOA free non-stick coating.
- Perfect sealing.
- Quick and even toasting.
- 2 independent pilot lights: on / ready.
- Suitable for vertical storage.
- Closing clip for storage.
- Easy to clean.



JESW1232



JESW1232

||||| EAN 8421078036982
6 UNITS

JESW1231

||||| EAN 8421078036715
6 UNITS



JESW1231

Family-size 4-sandwich maker

230 V - 1.400 W

- Fits 4 sandwiches.
- Plates with PFOA-free non-stick coating.
- Perfect sealing.
- Quick and uniform toasting.
- Closing clip for storage.
- 2 independent pilot lights: on / ready.
- Suitable for vertical storage.
- Built-in cord storage.
- Easy to clean.



SW551

||||| EAN 8421078035466 4 UNITS

JESW1551

||||| EAN 8421078038214 4 UNITS



Family-size 4-sandwich maker

230 V - 1.500 W

- Fits 4 sandwiches.
- Plates with PFOA-free non-stick coating.
- Perfect sealing.
- Quick and uniform toasting.
- 2 independent pilot lights: on / ready.
- Suitable for vertical storage.
- Closing clip for storage.
- Easy to clean.



||||| EAN 8421078032007 4 UNITS



JESW2010



3-in-1 Sandwich maker with interchangeable plates

230 V - 750 W

- 3 removable and interchangeable plates for triangular sandwiches, waffles, and grilling.
- Perfect sealing.
- Quick and even toasting.
- Plates with PFOA-free non-stick coating.
- 2 independent pilot lights: on / ready.
- Suitable for vertical storage.
- Closing clip.
- Built-in cord storage.
- Non-slip feet.



||||| EAN 8421078039624

4 UNITS



milker
Jata

PATENTED IN
SPAIN
PATENTED IN

Prepare your
PLANT-BASED DRINK
in less than a minute!

Watch the
RECIPE

Prepare your
PLANT-BASED DRINK fast,
simple and nutritious

- No additives
- No sugars
- Freshly extracted
- 100% to your liking
- 100% natural

JELV2350

Milker and hand blender set

230 V - 400 W

- **Set includes:**
 - Graduated transparent beaker with 0.5 L and 1 L measurement marks
 - Ergonomic mortar for pressing ingredient extracts
 - Measuring spoon.
 - Stainless steel filter grid.
 - Includes 5 sheets of easy and quick recipes.
 - BPA free.
 - Manufactured under the EP2814362 license.
- **Hand blender:**
 - 4 stackable pieces: filter, mortar, measuring spoon and container.
 - Ergonomic handle
 - Detachable arm
 - Highly durable stainless steel blades.
 - On button.

EAN 8421078038443

4 UNITS

4 UNITS DISPLAY BOXES
26,5 x 40 x 42,5 cm

**JELV2300**

Milker

- Graduated transparent beaker with 0.5 L and 1 L measurement marks.
- Ergonomic mortar for pressing ingredient extracts.
- Stainless steel filter grid.
- Measuring spoon.
- 4 stackable pieces: filter, mortar, measuring spoon and container.
- Includes 5 sheets with easy and quick recipes.
- BPA-free.
- Compatible with all blenders (not included).
- Manufactured under the EP2814362 license

EAN 8421078038450

4 UNITS

4 UNITS DISPLAY BOXES
27 x 26,5 x 29,5 cm



JEEM2450



5 year
warranty
✓
5 ans de
garantie

PATENTED
since 2020
EMULSION
SYSTEM


Emulsifier

Unscrewable stainless steel emulsifier filter with interchangeable discs. Designed to prepare thicker emulsions, ensure efficient pulp pressing, and simplify cleaning.

- **Prepares all kinds of emulsions:**

- | | |
|--------------|---------------|
| - Sauces | - Seeds |
| - Purées | - Vegetables |
| - Creams | - Tubercles |
| - Fish stock | - Spices, etc |

- This product is an upgrade of Jata's Milker, allowing you to create unique textures thanks to its interchangeable discs.
- Perfect for chefs and food lovers.



||||| EAN 8421078039075

4 UNITS

Contains:

- Filter with unscrewable base, 300 μ steel tube mesh and 3 interchangeable steel discs:
 - One solid disc.
 - One perforated disc (300 μ).
 - One perforated disc (500 μ).
 - One perforated disc (1000 μ).
- Top-quality bamboo mortar.
- Borosilicate glass jar.
- Bamboo lid.



Stainless steel blender with glass jug 230 V - 1.500 W

- Large-capacity glass jar of 1.75 litres.
- Powerful two-speed motor and Pulse function.
- Stainless steel body and serrated blades.
- Ice crushing function.
- Automatic shut-off system integrated into the lid for greater safety.
- Graduated jar, practical and easy to disassemble.
- Operating indicator light.
- 17.000 RPM



||||| EAN 8421078040781 3 UNITS



SPRING NOVELTY

JEBT1604

Stainless steel blender with glass jug 230 V - 1.500 W

- Professional AC motor.
- Stainless steel body.
- 1.5 L glass jar
- 2 speeds + turbo.
- Wide filling mouth with transparent stopper.
- High-performance serrated stainless steel blade.
- Ice-crushing.
- Non-slip base.
- Homologated safety lock system.
- Precision-marked, detachable glass jug.
- Indicator light.
- 17.000 RPM



||||| EAN 8421078036241 2 UNITS


JEBT1500

BT795



Glass jug blender

230 V - 1.200 W

- Professional AC motor.
- 6 extra-large serrated stainless steel blades.
- 1.5 L glass jar.
- 3 speeds + pulse.
- Ice-crushing.
- Precision-marked, detachable jar.
- Homologated safety system.
- Anti-slip base.
- 30.000 RPM



||||| EAN 8421078035510

2 UNITS

JEBT1241



Stainless steel blender with glass jug

230 V - 1.200 W

- Professional AC motor.
- 6 durable stainless steel blades.
- 1.75 L graduated glass jug with pouring spout and 50 ml transparent measuring cap.
- 4 speed levels + pulse.
- Ice-crushing.
- Overheating safety device.
- Homologated safety system.
- Non-slip feet.
- 20.400 RPM



||||| EAN 8421078037705

2 UNITS

**NEW
CLOSING
SYSTEM**



JEBT3866

AUTUMN **NOVELTY**



Stainless steel blender with glass jug 230 V - 1.000 W

- 1.75-liter BPA-free glass pitcher.
- Maximum power of 1,000 W.
- Two speeds and Pulse function to adjust the power to each recipe.
- 4 serrated stainless steel blades for more consistent results.
- Ice crushing function for preparing smoothies, slushies, and cocktails.
- High-performance copper motor.
- Hermetic lid for more comfortable and secure use.
- Automatic shut-off system integrated into the lid.
- Detachable graduated jug for easy use and cleaning.
- Operating indicator light.
- 15000 RPM
- High-performance AC motor.



||||| EAN 8421078041368 3 UNITS

JEBT3855



Stainless steel blender with glass jug 230 V - 1.500 W

- Powerful 1,500 W motor.
- High-performance AC motor.
- 1.80 L graduated glass jug with pouring spout and 45 ml transparent measuring cap.
- 4 resistant stainless steel blades.
- Ice-crushing.
- 2 speed levels + pulse.
- Overheating safety device.
- Homologated safety system.
- Non-slip feet.
- Wide filling mouth.



||||| EAN 8421078039587 2 UNITS

Blender with glass jug 230 V - 1.300 W

- Great power 1.300 W.
- Professional AC motor.
- 1.5 L glass jar.
- 2 speeds + pulse.
- Homologated safety system.
- Precision-marked, detachable jar
- Ice-crushing.
- High resistance stainless steel blade.
- Anti-slip base.
- 17.000 RPM.



JEBT1265

||||| EAN 8421078037699 4 UNITS

BT265

||||| EAN 8421078035077 4 UNITS



JEBT1265

BT265



JEBT1265 / BT265

Stainless steel blender with glass jug 230 V - 1.300 W

- Glass jar 1,5 l.
- 2 speeds + pulse.
- Stainless steel body.
- Stainless steel serrated blade.
- Ice-crushing.
- Homologated safety system.
- Indicator light.
- Speed: 17000 RPM.



||||| EAN 8421078034698 3 UNITS



BT797

JEBT1124



Hand blender 230 V - 400 W

- Removable stainless steel stick.
- Stainless steel double blade.
- 2 speed settings with 2 push buttons.
- Ergonomic handle.
- Hanging ring.
- 15.000 RPM



||||| EAN 8421078038788 9 UNITS

JEBT1906



Hand blender 230 V - 500 W

- Ergonomic handle.
- 2 push buttons, 2 speeds.
- Removable stainless steel stick.
- Beats, chops, and crushes.
- 4 high-strength stainless steel blades.
- RPM: 17,000



||||| EAN 8421078038764 9 UNITS

JEBT0126

Hand blender 230 V - Máx. 600 W

- Simplicity and efficiency for your daily cooking.
- 2 buttons, 2 speed levels.
- Turbo function.
- Removable stainless steel foot.
- Sturdy double stainless steel blade.
- RPM: 15000±10%



||||| EAN 8421078040187

9 UNITS



JEBT1127

Hand blender 230 V - 600 W

- Lightweight and easy-to-handle blender.
- 2 buttons, 2 speeds.
- Turbo function.
- Detachable stainless steel shaft.
- Double high-strength stainless steel blade.
- Accessories included: stainless steel whisk, chopper, and 500 ml measuring cup.
- RPM: 15000±10%



||||| EAN 8421078040828

4 UNITS



SPRING **NOVELTY**

JEBT1818

Hand blender 230 V - Máx. 700 W

- Electronic speed control knob.
- Turbo function.
- High-strength stainless steel double blade.
- Ergonomic handle.
- Hanging ring.
- Beats, chops, and crushes
- Removable stainless-steel stick.
- 600 ml measuring cup included.
- RPM: 10000-14000-14500 ±10%.



INCLUDES
600 ml
MEASURING GLASS

||||| EAN 8421078039570

8 UNITS





JEFT1945

Stainless steel hand blender 230 V - 800 W

- Electronic speed control knob.
- High-strength stainless steel double blade.
- Removable stainless steel stick.
- 2 push buttons.
- Turbo function.
- Ergonomic handle.
- Hanging ring.
- Storage box included.
- Anchorage system.
- Anti-splash design.
- Ergonomic design.

① 6 UNITS DISPLAY BOXES
30 x 39 x 40 cm



||||| EAN 8421078036210

6 UNITS



JEFT1795

Hand blender with accessories 230 V - Máx. 800 W

- Electronic speed control knob.
- High-strength stainless steel double blade.
- Removable stainless steel stick.
- 2 push buttons.
- Accessories included:
- - 600 ml. measuring cup.
- Turbo function.
- QuickClick.
- Ergonomic design.
- RPM: 15000
- - 400 ml. chopper.



||||| EAN 8421078039983

4 UNITS



JEFT1852

Hand blender 230 V - Máx. 900 W

- High-strength stainless steel double blade.
- Beats, chops, and crushes
- Electronic speed control knob.
- Safety push button.
- Ergonomic handle.
- Removable stainless-steel stick.
- 700 ml measuring cup included.
- Speed: 15000 +/- 10% RPM.



INCLUDES
700 ml
MEASURING GLASS

||||| EAN 8421078037217

6 UNITS

BT175

Hand blender 230 V - Máx. 900 W

- Electronic speed control knob.
- Safety push button.
- Removable stainless-steel stick.
- High-strength stainless steel double blade.
- Ergonomic handle.
- 700 ml measuring cup included.



INCLUDES
700 ml
MEASURING GLASS

||||| EAN 8421078034452

6 UNITS



JEFT1853

Stainless steel hand blender 230 V - 1.000 W

- Spiral cable for greater autonomy.
- Removable stainless steel stick.
- 4 high-strength stainless steel blades.
- 2 push buttons, 2 speeds.
- Ergonomic handle.
- 700 ml measuring cup included.
- Speed: 15000 +/- 10% RPM.



INCLUDES
700 ml
MEASURING GLASS

||||| EAN 8421078037972

6 UNITS



BT185

Stainless steel hand blender 230 V - 1.000 W

- Electronic speed control knob.
- High-strength titanium double blade.
- Removable stainless steel stick.
- 2 push buttons
- Stainless steel front panel.
- 600 ml measuring cup with lid.
- Indicator light.
- Soft-touch ergonomic handle.
- Hanging ring.



INCLUDES
600 ml
MEASURING GLASS

||||| EAN 8421078033639

6 UNITS



BT199 - JEFT5026



Stainless steel stick blender 230 V - 1.000 W

- High-strength titanium double blade.
- Electronic speed control knob.
- Removable stainless steel stick.
- Soft touch ergonomic handle.
- Stainless steel front panel.
- **Accessories included:**
 - 600 ml measuring cup with lid.
 - Whisk.
 - Chopper.
- Indicator light.
- Hanging ring.
- 2 push buttons.



BT199

||||| EAN 8421078033646 4 UNITS

JEFT5026

||||| EAN 8421078035749 4 UNITS



BT199

JEFT5026

JEFT1855



Stainless steel hand blender with extra-long shaft 230 V - Máx. 1.200 W

- Extra-long stainless steel arm.
- 4 high-strength stainless steel blades.
- Beats, chops, and crushes.
- Spiral cable for greater autonomy.
- Electronic speed control knob.
- TURBO button.
- Detachable arm for easy cleaning
- Quickclick anchoring system for safer and easier use.
- Ergonomic handle.
- Cord length: 1.50 m.
- Maximum speed button.



||||| EAN 8421078038030 6 UNITS



AUTUMN **NOVELTY**

JEBT1703



Electronic Stainless steel hand blender with accesories

230 V - 1.200 W

- Speed up to 17.000 rpm.
- Electronic speed controller with Up & Down Technology that improves mixing and reduces splashes.
- Turbo function for instant maximum power.
- 4 stainless steel blades.
- Detachable stainless steel foot.
- Ergonomic design.
- Includes: whisk attachment, chopper, and 600 ml measuring cup.



||||| EAN 8421078041351 3 UNITS



JEBT1159

AUTUMN **NOVELTY**



Electronic hand blender 230 V - 1.800 W

- Electronic speed regulator.
- 2 buttons with TURBO function.
- 4 highly durable stainless steel blades.
- QuickClick.
- Detachable stainless steel shaft.
- Hanging loop
- LED operation indicator.
- RPM: 16500±10%
- 800 ml measuring cup included.



INCLUDES
800 ml
MEASURING GLASS

||||| EAN 8421078041337

6 UNITS

JEBT1788/JEBT1789



Stainless steel hand blender 230 V - 1.200 W

- Turbo Power hand blender.
- Adjustable speed selector and Turbo function.
- Ergonomic design.
- Easy attachment and detachment system.
- Removable stainless-steel stick.
- Hanging ring.
- 4 high-strength stainless steel blades..
- Beats, chops, and crushes.
- Accessories included: stainless steel whisk, chopper, and 500 ml measuring cup.
- RPM: 17000 +/-10%



INCLUDES
500 ml
MEASURING GLASS

Without accessories:
JEBT1788

||||| EAN 8421078038771

6 UNITS



With accessories:
JEBT1789

||||| EAN 8421078039563

6 UNITS



BT159

Stainless steel hand blender with gift container 230 V - 1.200 W

- Electronic speed control knob.
- Stainless steel double blade.
- Removable stainless-steel stick.
- 2-speed push buttons.
- Ergonomic handle.
- 2 L container.

① 6 UNITS DISPLAY BOXES
37,8 x 27,8 x 24 cm



||||| EAN 8421078035374

6 UNITS



2 in 1 container
Mixing and storage
container



JEET1851

Stainless steel hand blender 230 V - Máx. 1.500 W

- High power Max. 1500 W.
- Ergonomic handle.
- Electronic speed control knob.
- Turbo function.
- Hanging ring.
- Beats, chops, and crushes
- Removable stainless-steel stick.
- 4 high-strength stainless steel blades.
- 600 ml measuring cup included.
- RPM: 9000-13002



INCLUDES
600 ml
MEASURING GLASS

||||| EAN 8421078037095

6 UNITS



JEET1791

Electronic stainless steel hand blender 230 V - Máx. 1.500 W

- Electronic speed control knob.
- 4 high-strength stainless steel blades.
- Removable stainless-steel stick.
- 2 speed buttons.
- Ergonomic handle.
- Hanging ring.
- **Accessories included:**
 - Chopper.
 - 700 ml measuring cup with lid.



INCLUDES
700 ml
MEASURING GLASS

||||| EAN 8421078038047

4 UNITS



JEFT1854



Stainless steel hand blender

230 V - 1.500 W

- Electronic speed control knob.
- High-strength stainless steel double blade.
- Removable stainless steel stick.
- 2 push buttons.
- Turbo function.
- QuickClick.
- Anti-scratch foot.
- Ergonomic design.
- RPM: 14.500



||||| EAN 8421078040118

6 UNITS

JEFT1166



Stainless steel hand blender in three colors

230 V - 1.500 W

- Electronic speed control knob.
- Turbo function.
- High-strength stainless steel double blade.
- Ergonomic handle.
- Removable stainless-steel stick.
- 700 ml measuring cup included.
- RPM: 18.000+/- 10%
- Beats, chops, and crushes.



① 9 UNITS DISPLAY BOXES
33.2 x 33.6 x 39.5 cm



||||| EAN 8421078039990

9 UNITS



3 ASSORTED COLOURS





Electronic hand blender

230 V - 1.500 W

- Speed control + TURBO function.
- 6-blade titanium system
- Metal gears for enhanced durability
- Detachable stainless steel shaft
- QuickClick: quick and easy attachment system to secure and release the arm.
- Ergonomic design
- Includes 800 ml measuring cup
- Scratch-resistant base
- 15,000 RPM



||||| EAN 8421078041344 6 UNITS



JEMA1240



Kneader / Mixer

230 V - 400 W

- 5 speeds + turbo.
- **Interchangeable accessories.**
 - 2 spirals for kneading.
 - 2 rods for mixing.
- Energy efficiency thanks to its copper motor.
- Easy to clean.



||||| EAN 8421078038818

6 UNITS

BT575

Hand blender / Mixer / Kneader
230 V - 400 W

- 5 speeds + turbo.
- Easy to clean.
- **Interchangeable accessories.**
 - 2 spirals for kneading.
 - 2 rods for mixing.
 - Stainless steel stick blender.



||||| EAN 8421078033967

6 UNITS

DRINK NATURAL, GO PLANT-BASED.

OR DID I GET IT BACKWARDS?

PREPARE YOUR OWN
100% NATURAL
PLANT-BASED DRINK

FRESHLY
EXTRACTED

NO ADDED
SUGARS

WITHOUT
ADITIVES

OATS · SOJA
ALMONDS · RICE
COCONUT
OR WHATEVER YOU PREFER



With the
MILKER by JATA
you can prepare your own
plant-based drink easily,
quickly, and healthily.



www.jata.es

JEFR1221



1,5 l Air fryer 230 V - 1.000 W

- Oil-Free Cooking; Enjoy tasty, crispy results without compromising your health.
- Oil-free air fryer with 1000 W power.
- Adjustable temperature control from 80 to 200°C
- Consistent temperature maintained by rapid air circulation.
- 1.5 L capacity with a frying basket for up to 300 g of food.
- Serves 2–3 people quickly and efficiently.
- Non-stick, dishwasher-safe basket.
- Compact and smart design.
- 30-minute timer.
- 2 independent indicator lights: ON/OFF.
- Automatic shut-off.
- Overheating protection device.
- BPA free.
- Basket with handle.
- Bowl dimensions: Diameter: 15.5 cm - Height: 9.5 cm



||||| EAN 8421078036265 2 UNITS

JEFR1222



2 l Air fryer 230 V - 1.000 W

- Oil-free air fryer with 1000 W power.
- High speed air circulation technology.
- 2 L capacity.
- 30-minute timer.
- Adjustable temperature control from 80 to 200°C.
- Bowl dimensions:
Diameter: 16 cm - Height: 9.5 cm
- Non-stick coated basket.
- Automatic shut-off.
- BPA free.
- Basket with handle.



||||| EAN 8421078036661 2 UNITS

JEFR1226**4 l Air fryer**
230 V - 1.400 W

- Cook with 80% less fat.
- High speed circulation technology.
- Adjustable temperature control up to 200 °C.
- Smart digital screen:
 - ON /OFF switch.
 - Time / temperature selector.
 - Temperature selectors.
- Indicator lights.
- 4 l. capacity.
- Non-stick basket for easy cleaning.
- Non-stick grid.
- Compact and smart design.
- 60-minute timer.
- Non-slip feet.



EAN 8421078037385

2 UNITS

**JEFR1225****5 l Air fryer**
230 V - 1.300 W

- No oil.
- Adjustable temperature control up to 200 °C.
- Smart digital screen:
 - ON /OFF switch.
 - 8 cooking programs.
 - Time / Temperature selector.
- 5 L capacity
- Non-stick basket with handle.
- Compact and smart design.
- 30-minute timer.
- Constant temperature by rapid air circulation.
- BPA free.



EAN 8421078036654

2 UNITS

**JESA2090****6-Piece air fryer accessory set**

- **6-piece set consisting of:**
 - 11 cm high stainless steel cake barrel.
 - Stainless steel pizza pan.
 - Platinum silicone mold for cupcakes and flans.
 - Platinum silicone glove.
 - Tongs.
 - Platinum silicone mat.
- Perfect for air fryers from 4-8 L.
- Items diameter: 20-21 cm
- Non-stick, highly heat-resistant, and easy to clean.
- Made with BPA free materials.



EAN 8421078037682

4 UNITS

All our **recipes** are available to download at:**www.jata.es**

JEFR1229



5 l Air fryer 230 V - 1.450 W

- Oil-free cooking.
- 5 L capacity.
- Adjustable temperature control up to 200 °C.
- Compact and smart design.
- Control panel:
 - ON /OFF switch.
 - Time / Temperature selector.
 - Time indicator.
 - Temperature indicator
- Non-stick basket.
- Constant temperature by rapid air circulation.
- 60-minute timer.
- Basket dimensions: Diameter 23 cm, Height 13 cm
- BPA free.



||||| EAN 8421078037712

2 UNITS

JEFR1230



6,2 l Air Fryer with See-Through Window 230 V - 1.700 W

- Oil-free cooking.
- Adjustable temperature control from 60 up to 200 °C
- Large multifunction LED touch panel.
- 6.2 L large capacity basket.
- Basket dimensions: 21 x 21 x 13 cm
- Non-stick basket with handle.
- Transparent viewing window to monitor cooking progress.
- 12 preset cooking programs.
- Cord length: 1 m
- Vintage design.
- Overheating protection device.
- Non-slip feet.
- Constant temperature by rapid air circulation.
- BPA free.
- Overall dimensions: 26,5 x 32,5 x 32,5 cm.



||||| EAN 8421078038313

2 UNITS

JEFR1270

7 l Air Fryer with See-Through Window

230 V - 1.600 W

- Smart digital screen.
- Transparent window, perfect for checking the cooking status at any time.
- Non-stick basket with handle.
- 7L Capacity
- Elegant design.
- 60-minute timer.
- 6 preset cooking programs.
- Cook with 80% less fat.
- Constant temperature by rapid air circulation.
- Adjustable temperature control up to 200 °C
- Anti-slip base.
- BPA free.



||||| EAN 8421078038665

2 UNITS



FR326E / FR5600



Stainless steel deep fryer

230 V - 1.000 W

- PFOA & PTFE-free ceramic non-stick coating.
- 1.3 L capacity.
- 100% metal body with anti-fingerprint finish.
- Anti-fingerprint metallic body.
- Adjustable temperature thermostat.
- Glass lid with handle.
- Built-in heating element.
- Basket with handle.
- Side handles.
- Indicator light.
- Easy to clean.



FR326E



FR326E

||||| EAN 8421078021742

4 UNITS

FR5600

||||| EAN 8421078035787

4 UNITS



FR5600

FR278**Deep fryer**
230 V - 2.000 W

- Immersed stainless steel heating element.
- Removable enamelled oil tank.
- Fully detachable for easy cleaning.
- Adjustable Temperature Thermostat.
- "Cool zone" system to prevent flavor mixing.
- Safety system to prevent accidental use.
- Cool-touch housing.
- Large capacity basket with foldable handle.
- Filter on lid.
- Power and ready indicator lights.
- Lid with handle and window, designed to be placed during frying.
- Side handles.



EAN 8421078031000

4 UNITS

**JEFR1680****Stainless steel deep fryer "Filtra Plus"**
230 V - 2.000 W

- Immersed stainless steel heating element.
- Stainless steel body.
- "Filtra Plus", special mesh for oil filtering.
- Large capacity basket with foldable handle.
- Removable enamelled oil tank.
- Fully detachable for easy cleaning.
- Adjustable Temperature Thermostat.
- Anti-flavour-mixing "cool zone" system.
- Overheating protection.
- Power and ready indicator lights.
- Lid with handle and window. Suitable for placing during frying.
- Side handles.



EAN 8421078040088

2 UNITS

**JEFR1678****Stainless steel deep fryer**
230 V - 2.000 W

- 3 L capacity.
- Immersed stainless steel heating element.
- Stainless steel body.
- Large-capacity basket with foldable handle.
- Removable enamelled oil tank.
- Fully detachable for easy cleaning.
- Adjustable temperature thermostat.
- Anti-flavour-mixing "Cool Zone" system.
- Overheating protection.
- Power and ready indicator lights.
- Stainless steel lid with handle, suitable for use during frying.
- Side handles.
- Skid-resistant feet.



EAN 8421078040071

2 UNITS



FR700



Stainless steel deep fryer 230 V - 2.000 W

- Stainless steel body and immersed heating element.
- 2 medium baskets and 1 big basket.
- Enamelled oil tank with capacity for:
1 basket of 27 x 22 cm. or 2 baskets of 12,5 x 20 cm.
- Simultaneous use of the 2 medium baskets for cooking different foods.
- Fully detachable for easy cleaning.
- Adjustable temperature thermostat.
- "Cool zone" system to prevent flavor mixing.
- Safety system to prevent accidental use.
- Removable and washable filter.
- Power and ready indicator lights.
- 3 baskets and 2 handles included.
- Stainless steel lid with handle and viewing window.
- Side handles.



||||| EAN 8421078030775 2 UNITS

JEFR1700

AUTUMN NOVELTY



Stainless steel deep fryer 230 V - 2.000 W

- Stainless steel submerged heater.
- Stainless steel body.
- Includes 3 baskets; 2 medium and 1 large.
- Use both medium baskets simultaneously with different foods.
- Removable enameled tub.
- Filter with removable and washable lid.
- Stainless steel lid with handle and window.
- Operating indicator lights.
- 100% detachable for easy cleaning.
- Adjustable temperature thermostat.
- "Cool zone" system prevents flavor mixing.
- Overheating protection.
- Side handles.
- Non-slip feet.



||||| EAN 8421078041320 2 UNITS

**JEFR1816**

16 l Multifunctional oven/air fryer

230 V - 1.400 W

- 4 functions: rotisserie, oven, grill and convection.
- 60-minute timer.
- Inner working light.
- Adjustable Temperature Thermostat.
- Accessories included: Baking tray, fryer basket, oven rack.
- Drop-Down Door.
- Indicator light.
- External dimensions: 34 x 33.7 x 33.8 cm
- Inner dimensions: 26.6 x 26.5 x 21.8 cm
- Non-slip feet.
- BPA free.



||||| EAN 8421078039129 1 UNIT

JEHN0910 / HN916 / HN921 / HN928



Electric Ovens

- Oven, grill.
- Stainless steel heating elements.
- Adjustable Temperature Thermostat.
- Removable tray.
- Wire rack.



JEHN0910
230 V - 800 W

10 L	GRILL	800 W	TEMPORIZADOR 30 MIN
EX 37 x 27 x 23 cm		IN 25 x 22 x 15 cm	
EAN 8421078036012		2 UNITS	

HN921
230 V - 1.380 W

21 L	GRILL	1380 W	TEMPORIZADOR 60 MIN
EX 44,5 x 31 x 28,5 cm		IN 30,5 x 27 x 14 cm	
EAN 8421078033684		1 UNIT	

HN916
230 V - 1.200 W

16 L	GRILL	1200 W	TEMPORIZADOR 60 MIN
EX 48 x 39 x 31 cm		IN 26,5 x 25,5 x 14 cm	
EAN 8421078033677		1 UNIT	

HN928
230 V - 1.500 W

28 L	GRILL	1500 W	TEMPORIZADOR 60 MIN
EX 39 x 29 x 25 cm		IN 33,5 x 31,5 x 17 cm	
EAN 8421078033691		1 UNIT	



Electric ovens

- 3 functions: oven, grill and convection.
- Rotisserie: accessory for roasting chicken.
- Stainless steel heating elements.
- Adjustable Temperature Thermostat.
- Handle for tray and rack.
- Rotisserie tray.
- Drop-Down Door.
- Removable tray for easy cleaning.
- Indicator light.



HN936

230 V - 1.500 W



||||| EAN 8421078033714

1 UNIT

HN945

230 V - 2.000 W



||||| EAN 8421078033721

1 UNIT



TRAY HANDLE

HN966

230 V - 2.200 W



||||| EAN 8421078033738

1 UNIT



Download our special oven
recipes in
www.jata.es



JEHN2645 / JEHN2660

AUTUMN NOVELTY



Electric oven

230 V - 2.000 W

- Different cooking modes.
- Grill function for browning and gratinating food.
- Convection system for more even cooking.
- Adjustable thermostat from 100 °C to 230 °C
- Timer of up to 60 minutes.
- Stainless steel resistors.
- Interior light to monitor cooking without opening the door.
- Swing door with easy access.
- Removable tray and grill for easier cleaning.
- Operating indicator light.
- Weight: 8.9 Kg.



JEHN2645

230 V~ 2.000 W



EX 40,5 x 33,8 x 30,8 cm **IN** 56 x 41,7 x 35 cm

||||| EAN 8421078041313

1 UNITS

JEHN2660

230 V~ 2.000 W



EX 46,5 x 35,5 x 36 cm **IN** 62,5 x 46,2 x 41,5 cm

||||| EAN 8421078041580

1 UNIT

20 L Microwave oven**230 V - 700 W**

- 20-liter capacity.
- 5 power levels and defrost function.
- Adjustable timer up to 35 minutes.
- Push-button opening.
- Interior light.
- 245 mm turntable.
- Practical and easy-to-use design.
- External dimensions: 447 x 340 x 247 mm.
- Interior dimensions: 313 x 310 x 207 mm.
- Weight: 10 kg.
- Input power of 1,100 W.
- Output power of 700 W.



EAN 8421078041290

1 UNIT

**20 L Digital microwave oven with grill****230 V~ 800/1.000 W**

- Grill function for cooking, roasting, or browning quickly and easily.
- Electronic control with rotary knob.
- 5 power levels and defrost function.
- 8 preconfigured cooking programs.
- Adjustable timer up to 60 minutes.
- Includes grill for gratinating and browning.
- Side opening with handle.
- Interior light.
- 255 mm turntable.
- Control panel lock function.
- External dimensions: 456 x 326 x 263 mm
- Interior dimensions: 301.5 x 302 x 219 mm.
- Approximate weight: 10.8 kg.
- Input power of 1,280 W
- Microwave power of 800 W and grill of 1.000 W



EAN 8421078041306

1 UNIT





V531

Electric ceramic hob

230 V - 1.200 W

- Stainless Steel Housing.
- 1 Ceramic Glass Heating Plate 1.200 W, Ø 180 mm
- Adjustable Temperature Thermostat.
- Pilot Light.
- Slim Design.
- Overheat Protection.



||||| EAN 8421078029571 4 UNITS



V532

Double electric ceramic hob.

230 V - Máx. 2.400 W

- Stainless steel housing.
- 2 Ceramic Glass Heating Plates 2 x 1.200 W, Ø 180 mm
- Adjustable Temperature Thermostat.
- Indicator lights.
- Slim Design.
- Overheat Protection.



||||| EAN 8421078029595 3 UNITS



VIN145

Electric Induction Cooker

230 V - 2.100 W

- 1 induction heating plate.
- 4 mm glass surface.
- 8 programmed functions.
- Tactile switches:
- On / off.
- Function selector.
- Preset timer.
- Pause.
- Power and temperature slide regulator.
- Operating diameters: from 120mm to 260 mm.
- LED display.
- Indicator lights.
- Overheat protection.



||||| EAN 8421078032878 3 UNITS

Portable induction cooker

230 V - 2.000 W

- Portable induction cooktop with easy operation
- Cooking diameter of 175 mm
- Touch control with on/off and temperature adjustment
- Security lock for greater peace of mind
- Timer up to 180 minutes
- 10 power levels
- Adjustable temperature from 60 to 240 °C
- Overheat protection
- 4-digit LED Display
- 4 mm glass surface, durable and easy to clean
- Dimensions 262 x 326 x 60 mm



||||| EAN 8421078041603

3 UNIT



Double Induction Cooker with Grill Plate

230 V - 2.800 W

- **Total power: 2.800 W**
 - Left plate power: 1.500 W
 - Right plate power: 1.300 W
- 4 mm glass surface.
- Removable non-stick tray/grill with extra large cooking area.
- Anti-splash metal lid.
- Independent buttons and knobs: On / off.
- Rotary power selectors.
- Safety lock.
- 99-minute timer.
- Indicator lights.
- Maximum temperature 230 °C
- Overheat protection.
- 2 LED Displays.
- Easy to clean.



||||| EAN 8421078038115

1 UNIT



JECE1251



Single Electric Hot Plate 230 V - 1.000 W

- Heating plate: 1.000 W – Ø 155 mm
- Adjustable Temperature Thermostat.
- 5 power levels.
- Indicator light.
- Portable.
- Non-slip feet.
- Overheating protection.



||||| EAN 8421078039976 4 UNITS

JECE1252



Double electric hot plate 230 V - 2.000 W

- Double heating plate: 1000 W – Ø 155 mm each.
- 2 independent adjustable thermostats.
- 5 power levels.
- Indicator lights.
- Portable.
- Non-slip feet.
- Overheating protection.



||||| EAN 8421078039969 3 UNITS

Electric ceramic hob**230 V - 2.000 W**

- Metallic housing.
- 1 vitroceramic heating plate: 2.000 W – Ø 180 mm
- Adjustable temperature thermostat.
- Indicator light.
- Overheating protection.



||||| EAN 8421078033547 4 UNITS

V139**Dual Ceramic Glass Electric Cooktop****230 V - 2.400 W**

- Metallic housing.
- 2 vitroceramic heating plates: 2 x 1.200 W – Ø 165 mm
- Indicator lights.
- 2 adjustable temperature thermostats.
- Overheating protection.



||||| EAN 8421078032601 3 UNITS

V142



JECG2721

Single-Burner Gas Cooker

- Portable gas cooker.
- 1 burner.
- Durable epoxy paint body.
- Equipped with grill.
- Complies with specific gas standards.
- Suitable for liquefied propane and butane gases.
- Removable protective lid.
- For outdoor use only.



TAPA PROTECTORA
EXTRAIBLE



||||| EAN 8421078039099

3 UNITS



JECG2702

Two-Burner Gas Cooker

- Portable gas cooker.
- 2 burners.
- Durable epoxy paint body.
- Removable protective lid.
- Equipped with grill.
- Suitable for liquefied propane and butane gas.
- Complies with specific gas standards.



TAPA PROTECTORA
EXTRAIBLE



||||| EAN 8421078037026

3 UNITS



JECG2703

Three-Burner Gas Cooker

- Portable gas cooker.
- 3 burners.
- Durable epoxy paint body.
- Removable protector lid.
- Equipped with grill.
- Suitable for liquefied propane and butane gas.
- Complies with specific gas standards.



TAPA PROTECTORA
EXTRAIBLE



||||| EAN 8421078037033

3 UNITS

SPRING NOVELTY

JECG2138

Portable gas stove

- Portable 1-burner gas stove, lightweight, practical and easy to use.
- Ideal for use in camping, excursions and travel.
- Automatic ignition and flame intensity selector for optimal control.
- Compact and lightweight design with carrying case included.
- Compatible with BTN-250 butane gas cartridge (not included).
- Recommended for use only in well-ventilated areas.



EAN 8421078041092 3 UNITS

CV200



Food steamer 230 V - 400 W

- Healthy cooking.
- Retains all properties and vitamins.
- Preserves the natural taste of food.
- 60-minute timer.
- Automatic switch off.
- Water tank capacity 500 ml.
- 2 transparent stacked bowls.
- Grids with holders for boiling eggs.
- Rice or sauce bowl included.
- Indicator light.
- Transparent lid.



||||| EAN 8421078029472

6 UNITS



Download our **special oven**
recipes in
www.jata.es



CV623



Food steamer 230 V - 800 W

- Healthy cooking.
- Retains all properties and vitamins.
- Preserves the natural taste of food.
- 60-minute timer.
- Automatic shut-off.
- Glass cover.
- 2 transparent stacked bowls. Capacity: 6,8 l.
- Removable stainless steel grids.
- Grids with holders for boiling eggs.
- Water tank capacity 1,2 l.
- Continuous refill.
- Water level indicator.
- Rice or sauce bowl included.



||||| EAN 8421078035213

2 UNITS

Digital slow cooker

230 V - 210 W

- Slow cooker to prepare all kinds of dishes.
- Capacity: 5 L
- Terracotta oval ceramic bowl for healthy, traditional cooking.
- 20-hour timer.
- Warming function.
- Multifunction LCD information display.
- Oven-safe bowl (max 250°C).
- Removable bowl for easy cleaning, dishwasher safe.
- 3 heat levels: high, low and warming.
- Glass cover.
- Side handles.



||||| EAN 8421078036548

2 UNITS



Slow cooker

230 V - 180 W

- Slow cooker for preparing all kinds of dishes.
- Capacity: 3.5 L
- Ceramic oval bowl in terracotta for healthy, traditional cooking.
- Oven-safe bowl (max 250°C).
- Removable bowl for easy cleaning, dishwasher safe.
- 3 heat levels: high, low and warming.
- Glass cover.
- Side handles.
- Indicator light.



||||| EAN 8421078036531

2 UNITS



Download our **special oven recipes** in
www.jata.es





JEAR25_

Electric rice cooker

230 V - 400/900/1.000 W

- Capacity: 1, 2,2 y 2,8 L
- Program selector: cooking / warm.
- Automatic switch from cooking to warm function.
- Cooking and warm indicator lights.
- Removable aluminium tank with non-stick coating.
- Tempered glass lid with steam release valve.
- Transport handle
- Easy to clean
- On / Off switch.
- Overheating protection.
- Spatula and measuring cup included.



JEAR2510

||||| EAN 8421078039785 4 UNITS



JEAR2522

||||| EAN 8421078039792 4 UNITS



JEAR2528

||||| EAN 8421078039808 2 UNITS



AR394

Electric rice cooker

230 V - 400 W

- Capacity: 1 L
- Tempered safety glass lid.
- Program selector: cooking / warm.
- Automatic switch from cooking to warm function.
- Cooking and warm indicator lights.
- Removable aluminium tank with non-stick coating.
- Overheating protection.
- Steam release valve.
- Easy to clean
- On / Off switch.
- Transport handle
- Spatula and measuring cup included.



||||| EAN 8421078035497 2 UNITS

JEYG2266

Yogurt maker

230 V - 20 W

- 7 glass pots with lids (180 ml each).
- Dishwasher-safe.
- 1,26 L Capacity
- BPA free.
- Non-slip feet.
- Stainless steel base.
- ON/OFF switch.
- Power indicator light.
- Cord length: 0,80 m
- Dimensions: 24 x 12,5 cm


JEYG2266

EAN 8421078037118

4 UNITS


JRC12266 3 Replacement jars

EAN 8421078037378

15 UNITS


PAL97

Popcorn maker

230 V - 1.200 W

- Oil-free popcorn in 3 minutes.
- 60 g. corn capacity.
- On / off switch.
- Non-slip base.
- Dispenser.
- Easy to clean.



EAN 8421078035565

6 UNITS





JEPC1123

Electric food chopper 230 V - 500 W

- 1, 2, 3-step chopping system. Chop, mix, and slice in seconds.
- Suitable for chopping all kinds of food.
- 250 g capacity
- Secure locking system.
- Push-button lid operation.
- Safety switch.
- Removable stainless steel blade.
- Detachable for easy cleaning.
- Max power 500 W.



||||| EAN 8421078039761

6 UNITS



JEPC1250

Electric food chopper with glass bowl 230 V - 400 W

- Suitable for chopping all kinds of food, including ice.
- Glass bowl with 1.5 L capacity.
- Start button with 2 speeds.
- Safety switch.
- 4 stainless steel blades.
- Detachable for easy cleaning.
- Non-slip base.



||||| EAN 8421078036883

4 UNITS

AUTUMN NOVELTY



JEPC1262

Stainless steel Electric Food Chopper 230 V - 350 W

- Chops and grinds meat, vegetables, nuts, ice, and much more in seconds.
- 2-liter stainless steel bowl, durable and large capacity.
- Two speeds for a more precise cut.
- 3 stainless steel blades.
- Includes accessory for kneading light doughs.
- Safety system with integrated lock.
- Detachable design for quick and easy cleaning.
- Non-slip base for greater stability during use.



||||| EAN 8421078041702

4 UNITS

JECF1054

Metal food slicer

230 V - 200 W

- Sturdy and solid metal construction.
- Removable 220 mm Stonite stainless steel disc.
- PFOA-free non-stick coating.
- Sliding carriage with stainless steel surface and hand protection system.
- Precision slicing regulator from 0 to 15 mm.
- On/off switch.
- Non-slip base.
- Detachable for easy cleaning.



||||| EAN 8421078040033 2 UNITS



JECF1200

Food slicer 230 V - 200 W

- Detachable 190 mm stainless steel blade.
- Safety system to prevent unintentional use.
- Carriage with hand protection system.
- Thickness adjustment from 0 to 15 mm
- Non-slip base.
- Detachable for easy cleaning.



||||| EAN 8421078038580 2 UNITS



JECF0300

Compact Foldable Food Slicer 230 V - 100 W

- Detachable 170 mm stainless steel blade
- Double safety system to prevent unintentional use.
- Thickness adjustment from 0 to 15 mm
- Folding housing.
- Non-slip base.
- Detachable for easy cleaning.



||||| EAN 8421078036234 4 UNITS



JECF1820

Compact Foldable Food Slicer 230 V - 120 W

- Stainless steel cutting area.
- Metalized housing.
- Detachable steel blade.
- Double safety system to prevent unintentional use.
- Thickness adjustment from 0 to 15 mm
- Folding housing.
- Cord storage.
- Non-slip base.
- Detachable for easy cleaning.



||||| EAN 8421078038641 4 UNITS

EV1026**Vacuum sealer**
230 V - 130 W

- Vacuum pressure: max. 0,85 bar
 - Pump capacity: 12 l/min
 - Only seal function.
 - Soft seal function to protect delicate foods from crushing.
 - **Sealing time:**
 - 6 seconds for dry food
 - 9 seconds for sauces
 - Marinate function.
 - Vacuum bowl function.
- **Includes:**
 - Hermetic bowl with vacuum date indicator. Capacity 1 l. Dishwasher and microwave safe.
 - Dimensions: 16 x 16 x 6 cm
 - Vacuum tube.
 - 2 wine stoppers.
 - 1 roll of 22 x 3 m
 - 1 roll of 28 x 3 m
 - Cord storage.



EAN 8421078029656

2 UNITS

**AUTUMN NOVELTY****JEEV2260****Vacuum packer / sealer**
230 V - 130 W

- Keeps food fresh for longer while maintaining its flavor and texture.
- Easy-to-read smart display.
- Automatic vacuum and sealing system.
- Sealing, vacuum, automatic vacuum and sealing, and marinating functions.
- External vacuum function with included suction tube.
- Suction power of up to 0,80 bar.
- Pumping capacity of 12 liters per min.
- Sealing time from 6 to 14 seconds.
- Compatible with bags up to 30 cm wide and vacuum containers.
- Includes a 20 x 300 cm roll.
- Integrated cutter to adjust the size of the bags.
- 80 cm detachable cable for more convenient storage.
- Overheat protection.
- Dimensions 37 x 19,3 x 9,8 cm

**INCLUDES**
700 ml
MEASURING GLASS

EAN 8421078041405

2 UNITS

**JEEV2240****Vacuum sealer**
230 V - 120 W

- Extends food life up to 5 times while preserving nutritional properties.
- Vacuum pressure: max. 0,70 bar
- Pump capacity: 4 l/min
- "Only seal" function. Suitable for use with rolls.
- Sealing time: 6 seconds.
- External vacuum function (vacuum tube included).
- Size: 37,2 x 11,6 x 5,7 cm.
- Suitable for bags up to 30 cm wide.
- 5 bags included, (20 x 25 cm).
- Cord storage.
- Integrated cutting blade for plastic rolls.
- LED indicator lights.
- Overheating safety device.



EAN 8421078038573

4 UNITS





JEEV2210

Vacuum sealer 230 V - 90 W

- Extends food life up to 5 times while preserving nutritional properties.
- Vacuum pressure: max. 0,60 bar
- Pump capacity: 4,5 l/min
- "Seal only" function - suitable for use with rolls.
- Sealing time 7-10 seconds.
- Vacuum bowl function. Vacuum tube included.
- Dimensions: 37,3 x 7,7 x 5,6 cm
- Suitable for bags of 30 cm width max.
- Elegant, lightweight, and compact design.
- Built-in magnets to attach to the fridge.
- Integrated cutting blade for plastic rolls.
- Operation indicator lights.
- Removable 1,4 m cable for easy storage.

0,60 bar
POTENCIA
SUCCION

EXTRAIBLE
1,4 m.

90 W

APTO PARA
BOLSAS/
ROLLOS

4,5 l/min
CAPACIDAD
BOMBA

TUBO
ASPIRADOR

INCLUDES
10 GIFT BAGS

||||| EAN 8421078037187

6 UNITS

BUY
SPARE
PARTS
www.jata.es



EV109

Vacuum sealer 230 V - 85 W

- Vacuum pressure: max. 0,60 bar
- Pump capacity: 4,5 l/min
- "Only seal" function. Suitable for use with rolls.
- Sealing time 10 seconds.
- Vacuum bowl function. Vacuum tube included.
- Suitable for bags up to 28 cm wide.
- Elegant, lightweight, and compact design.

APTO PARA
BOLSAS/
ROLLOS

4,5 l/min
CAPACIDAD
BOMBA

TUBO
ASPIRADOR

0,60 bar
POTENCIA
SUCCION

85 W

CONTAINER
NOT INCLUDED

||||| EAN 8421078033943

6 UNITS

BUY
SPARE
PARTS
www.jata.es



R22x6 - R28x6

Rolls replacements

- Original Replacement plastic rolls for JATA Vacuum Sealer.

x2

R22x6 22 cm

||||| EAN 8421078029915 15 UNITS

R28x6 28 cm

||||| EAN 8421078029939 15 UNITS



B22x30 - B28x40

Bags replacements

- Original Replacement Bag for JATA Vacuum Sealer.

x50

B22x30 22 x 30 cm

||||| EAN 8421078029953 15 UNITS

B28x40 28 x 40 cm

||||| EAN 8421078029977 15 UNITS



Tata



NON ELECTRIC
KITCHENWARE

**NON ELECTRIC
KITCHENWARE**

HJAR1001



Water Filter Jug 2,5l

+ 6 filter

- Exclusive JATA HOGAR ionic filter.
- Improves water quality and taste while retaining essential minerals.
- Reduces chlorine by up to 80%.
- Reduces limescale by up to 95%.
- Reduces copper by up to 50%.
- Adjusts the pH value to 7-8.
- Filters 150-180 L of water or lasts 30-45 days.
- Manual tracking system for filter replacement.
- Suitable for fridge door storage.
- Non-slip base.
- Ergonomic handle



25 x 10,5 x 28 cm

DISPLAY BOX MOCKUP PRESENTATION SUGGESTION
580 x 390 x 130 mm

EAN 8436584382461

6 UNITS



**HJAR1003**

Water Filter Jug 3,5 l + 6 Filter

- Manual filter control indicator.
- Ionic filter.
- Improves water quality and taste while retaining essential minerals.
- Reduces chlorine by up to 80%.
- Reduces limescale by up to 95%.
- Reduces copper by up to 50%.
- Adjusts the pH value to 7-8.
- Filters 150-180 L of water or lasts 30-45 days.
- Manual tracking system for filter change.
- Suitable for fridge door storage.
- Non-slip base.
- Flip-top lid.
- Ergonomic handle



25,5 x 12 x 28 cm

EAN 8436584382478

6 UNITS

RE123X4

Pack of 4 ionic filters For water filter Jug

- Exclusive Ionic Jata filters.
- Improve water quality and taste while retaining essential minerals.



EAN 8436017654523

6 UNITS





55K

Luggage scale Battery-free

- "U-Power": automatic energy generation.
- "LCD" screen.
- Net weight function.
- Kg/lb conversion switch.
- Automatic switch off.
- Overweight indicator.



U-POWER
Scale without batteries

3,1 x 4 x 14,7 cm

12 UNITS DISPLAY BOX
32 x 18,8 x 24 cm

EAN 8436017659597

12 UNITS



775

Rechargeable kitchen scale Battery-free - 5 KG

- Battery free technology.
- "U-Power": energy generation by rotation.
- Displays weight, water volume, and milk volume.
- Tempered safety glass base.
- Touch sensor knob with net weight function.
- 4-digit LCD display.
- Automatic shut-off.
- G / oz / lb:oz / ml conversion switch.
- Overweight indicator.



19 x 24,7 x 3,3 cm

U-POWER
Scale without batteries

EAN 8436017659887

6 UNITS



HBAL1204

Electronic kitchen scale 20 Kg USB Powered - Battery-Free

- Rechargeable battery: 2 for a full charge for up to 6 months of use.
- USB cable included.
- Large tempered glass surface: 30 x 22,5 cm.
- High electronic accuracy.
- Large "LCD" display.
- Net weight function.
- Lock weighing function for large volumes.
- Kg / lb conversion function.
- Optional wall-mount.
- Automatic shut-off.
- Low battery indicator.
- Overload indicator.



22,5 x 30 x 2 cm

EAN 8436584382225

6 UNITS

HBAL1300**Smart Kitchen Scale with Nutritional Analysis**

- Analyses 7 nutritional values: Calories, Protein, Fat, Carbohydrates, Fiber, Vitamins and Minerals, with nutritional information on over 10,000 foods and ingredients via the free "AIFRESH" app, compatible with iOS and Android.
- Automatic shut-off, overweight and low battery indicators, and optional wall-mount.
- Powered by 2 "AAA" 1.5 V batteries (not included).
- Anti-fingerprint stainless steel surface with high electronic accuracy, net weight function and g / oz / lb:oz conversion.



14 x 20,5 x 2 cm

6 UNITS DISPLAY BOX
19 x 17 x 22.5 cm

EAN 8436584384489

6 UNITS

**HBAL1211****Electronic kitchen scale****5 KG**

- Stainless steel surface.
- Capacity: 5 kg
- Graduation: 1 g
- High weighing accuracy.
- LCD display.
- Touch sensor knobs.
- Net weight function.
- g / lb:oz / oz / ml / fl:oz conversion function.
- Automatic shut-off
- Low battery indicator.
- Overload indicator.
- Powered by 1 CR2032 long-life lithium battery (included).




14,5 x 20 x 1,4 cm

6 UNITS DISPLAY BOX
19 x 17 x 22.5 cm

EAN 8436584385639

6 UNITS

**719 / HBL0300****Electronic kitchen scale****15 KG**

- Stainless steel surface.
- High electronic accuracy.
- Backlit LCD display.
- Clock function.
- Net weight function.
- Timer function.
- Conversion functions: g / Kg / oz / lb / fl.oz.
- Low battery indicator.
- Overload indicator.
- Powered by 2 "AAA" 1.5 V batteries (non-included).



17,8 x 21,6 x 1,6 cm

6 UNITS DISPLAY BOX
20.5 x 19 x 23.5 cm

EAN 8436017659351

6 UNITS

**HBL0300**

EAN 8436584381365

6 UNITS



720 / HBL0310



Electronic kitchen scale

15 KG

- 5 mm-thick bamboo surface.
- High electronic accuracy.
- Backlit LCD display.
- Clock function.
- Net weight function.
- Timer function.
- Conversion functions: g / kg / oz / lb:oz / fl oz.
- Low battery indicator.
- Overload indicator.
- Powered by 2 "AAA" 1.5 V batteries (non-included).



18,5 x 22,5 x 2,3 cm

6 UNITS DISPLAY BOX
20,5 x 18,5 x 24 cm

720

EAN 8436017659580

6 UNITS



HBL0310

EAN 8436584381372

6 UNITS



HBAL1710**Stainless steel electronic kitchen scale****5 Kg**

- 1 g graduation.
- 20 cm 304 stainless steel bowl suitable for solids and liquids.
- Bowl capacity of 2 litres.
- Easy-to-read LCD display.
- Non-slip base for greater stability.
- Tare function for precise measurement.
- Low battery indicator.
- Overload indicator.
- Unit conversion: g / lb:oz / fl:oz / ml.
- Automatic shut-off.
- Operates with 2 AAA 1.5 V batteries (not included).



16,8 x 20,3 x 11,2 cm

EAN 8436584386407

6 UNITS

**AUTUMN NOVELTY****HBAL1709****Electronic kitchen scale with bowl****5 Kg**

- LED display.
- Transparent BPA-free bowl, 1 L capacity.
- Option to use with different containers, according to weighing needs.
- Net weight function.
- Low battery indicator.
- Overload indicator.
- Conversion functions: g / ml / oz.
- Automatic shut-off.
- Powered by 2 "AAA" batteries of 1.5 V (non-included).



19 x 20 x 8,5 cm

EAN 8436584384496

6 UNITS

**HBAL1610****Mechanical kitchen scale with bowl****3 kg**

- Capacity 3 kg.
- Graduation 40 g.
- Easy reading dial.
- 2 weighing units: kg / lb.
- 18 cm diameter bowl suitable for solids and liquids. 1.3 l capacity.
- Net weight function.
- Non-slip base.
- Minimum storage space.
- Suitable for food use.
- Dimensions: 18 x 18 x 13 cm



18,2 x 18,2 x 12,6 cm

EAN 8436584385684

6 UNITS





762

Smart kitchen scale 14 foods - 5 Kg

- Analyzes calories and carbohydrates of 14 foods.
- Tempered safety glass base.
- High electronic accuracy.
- Touch sensor knobs.
- Backlit LCD display.
- Automatic shut-off.
- Overweight indicator.
- Low battery indicator.
- Net weight function.
- G / oz / ml conversion function.
- Works with 2 CR2032 long life "lithium" batteries (included).
- Especially designed for diabetics and celiacs.



15 x 22 x 2 cm

DIETARY

EAN 8436017659078

8 UNITS



HBAL1775

Precision Kitchen Scale USB Powered, Battery-Free - 3 KG

- High weighing accuracy.
- Charge indicator light.
- Rear magnet to attach it to the fridge.
- Backlit LCD display.
- Acoustic ON touch button.
- Low battery indicator.
- Overload indicator.
- Net weight function.
- Timer up to 99 min and 60 seconds.
- G / oz / oml. conversion function.
- Automatic shut-off.
- USB cord included.



11,5 x 18 x 2,5 cm

EAN 8436584383918

8 UNITS



HBAL0370

High-Precision Kitchen Scale

- 3 kg capacity.
- 0,1 g Precision.
- Graduation 1 g.
- Measures:
 - Weight.
 - Water volume.
 - Milk volume.
- High electronic accuracy.
- Touch-sensitive buttons.
- Net weight function.
- Tempered safety glass surface.
- 4-digit LCD display.
- Conversion functions:
 - g / lb:oz / ml / fl.oz.
- Automatic shut-off.
- Overweight and low battery indicators.
- Powered by 2 CR2032 long-life lithium batteries (included).
- Timer included as a gift:
 - Up to 100 minutes with alarm.
- Hanging options: magnetic and wall mount.
- Memorizes the last record.
- Works with 1 x AAA 1.5 V Battery (not included).



10,5 x 13 x 2,5 cm

EAN 8436584381761

8 UNITS



HBAL1774**High-precision scale**
0,1 g to 100 g

- Capacity 100 g.
- Precision: 0,01 g
- Stainless steel surface 6,5 x 7 cm.
- Backlit LCD display.
- ON button.
- Calibration function.
- Lock weighing function.
- Low battery indicator.
- Automatic shut-off after 65 seconds.
- Net weight function.
- Conversion functions: Ct / dwt / ozt / g / oz / gn.
- Powered by 2 "AAA" 1.5 V batteries (not included).



9 x 2 x 12,5 cm

EAN 8436584383680

12 UNITS

**LID AND PROTECTIVE COVER****DOUBLE SEALED BLISTER****HBAL1776****Precision scale**
0,1 g to 2 kg

- High precision: 0.1 g graduation, up to 2 kg.
- 10 x 10 cm stainless steel surface.
- Backlit LCD display.
- Tare and counting functions.
- Unit conversion: g, oz, ozt, dwt, ct, gn and tl.
- Auto shut-off.
- Low battery indicator.
- Protective cover.
- Powered by 2 AAA 1.5 V batteries (not included).



10,7 x 1,8 x 1,8 cm

 8 UNITS DISPLAY BOX
22.6 x 13.3 x 16.7 cm

EAN 8436584386414

8 UNITS

**AUTUMN NOVELTY****721 / HBAL1220****Electronic kitchen scale**
5 KG

- Informs: Weight, Water volume, Milk volume.
- Stainless steel platform.
- High electronic accuracy.
- Backlit LCD display.
- Net weight function.
- Conversion functions: g / ml / oz / lb
- Low battery indicator.
- Overload indicator.
- Optional wall-mount.
- Powered by 3 "AAA" 1.5 V batteries (not included).



14,5 x 22 x 4 cm

721

EAN 8436017659993

8 UNITS

HBAL1220

EAN 8436584381679

8 UNITS





HBAL1254

Electronic kitchen scale

Double platform 1 - 5 Kg

- Stainless steel with anti-fingerprint coating.
- Large LED display.
- Net weight function.
- Automatic shut-off
- Low battery indicator.
- Overload indicator.
- High electronic accuracy.
- **Large platform:**
 - Maximum capacity 5 Kg.
 - Precision: 1 g
 - g / oz / Kg / lb:oz / ml. / fl:oz conversion function.
- **Small platform:**
 - Maximum capacity 500 g
 - Precision: 0.1 g
 - g / oz / ml. / fl:oz conversion function.



23 x 16,5 x 3 cm

6 UNITS DISPLAY BOX
19.2 X 22.8 X 24 CM

EAN 8436584385011

6 UNITS



HBAL1207

Electronic kitchen scale

5 kg

- Capacity: 5 kg
- Precision: 1 g
- High electronic accuracy.
- Touch-sensitive buttons.
- Net weight function.
- LCD display.
- Conversion functions: g / kg / lb:oz / fl:oz / ml
- Automatic shut-off.
- Optional wall-mount.
- Non-slip base.
- Low battery indicator.
- Overload indicator.
- Powered by 2 "AAA" 1.5 V batteries (not included).



15 x 21,5 x 4,5 cm

EAN 8436584382492

6 UNITS

HBAL1202

Electronic kitchen scale

With lid 5 Kg design

- Stainless steel surface.
- High weighing accuracy.
- Large LCD display.
- Touch-sensitive buttons.
- Net weight function.
- G / lb:oz / fl'oz / ml. conversion function.
- Automatic shut-off.
- Low battery indicator.
- Overload indicator.
- Protective cover with tray function.
- Works with 1 CR2032 long life lithium battery (included).



13,5 x 17,5 x 3,5 cm

EAN 8436584381839

8 UNITS



HBAL1751 / HBAL1752**Kukuxumusu electronic kitchen scales****5 Kg**

- High-precision electronic system.
- Touch buttons and 4-digit LCD display
- Unit conversion g, ml, lb:oz and fl:oz
- Tare function.
- Tempered glass surface (Temperit), durable and easy to clean.
- Automatic shut-off to save battery.
- Low battery indicator.
- Operates with 2 AAA batteries, 1.5 V (not included)



① 6 UNITS DISPLAY BOX
20,8 x 16,5 x 23,1 cm

HBAL1751

12,2 x 22 x 1,8 cm

EAN 8436584386438

6 UNITS

**HBAL1752**

12,2 x 22 x 1,8 cm

EAN 8436584386421

6 UNITS

**AUTUMN NOVELTY**

HBAL1751



HBAL1752

HBAL0350 / HBAL1203**Electronic kitchen scales****5 Kg**

- High electronic accuracy.
- Touch-sensitive buttons.
- Net weight function.
- LCD display.
- G / kg / lb/ oz. conversion function.
- Automatic shut-off.
- Optional wall-mount.
- Low battery indicator.
- Overload indicator.
- Powered by 2 "AAA" 1.5 V batteries (not included).



① 6 UNITS DISPLAY BOX
18,5 X 16,5 X 21 CM

HBAL0350

17 x 19,5 x 1,8 cm

EAN 8436584381846

12 UNITS

**HBAL1203**

17 x 19,5 x 1,8 cm

EAN 8436584381754

12 UNITS



HBAL0350

HBAL1203

**729R / HBAL7292 / HBAL7293****Electronic kitchen scales****5 Kg**

- Informs: Weight - Water volume - Milk volume.
- High electronic accuracy.
- Touch-sensitive buttons.
- Net weight function.
- Tempered safety glass surface.
- 4-digit backlit LCD display.
- Kg / g / lb:oz / ml conversion function.
- Automatic shut-off.
- Low battery indicator.
- Overload indicator.
- Works with 1x 3 V CR2032 battery (included).



① 6 UNITS DISPLAY BOX
20 x 16 x 21 cm - 729R
17 x 17,8 x 23 cm - HBAL7292/93

729R

18 x 20 x 2 cm

EAN 8436017659092

6 UNITS

HBAL7292 AUTUMN NOVELTY HBAL7293

15,4 x 21,8 x 2,2 cm

EAN 8436584386384

6 UNITS

15,4 x 21,8 x 2,2 cm

EAN 8436584386391

6 UNITS

HBAL7292
729R

HBAL7293

AUTUMN NOVELTY

722 / 722P



Electronic kitchen scale

5 KG

- Informs: Weight - Water volume - Milk volume.
- High electronic accuracy.
- Touch-sensitive buttons.
- Net weight function.
- Tempered safety glass surface.
- 4-digit backlit LCD display.
- G / lb / ml conversion function.
- Automatic shut-off.
- Low battery indicator.
- Overload indicator.
- Works with 1x 3 V CR2032 battery (included).



19 x 19 x 1,5 cm



Mod.722

8 UNITS DISPLAY BOX
20,5 X 15 X 19 CM

722
Shrink-wrapped.

||||| EAN 8436017655865

8 UNITS

AVAILABLE IN 4 COLORS



(2 units of each color)




Mod.722P

722P
Individual box.

||||| EAN 8436017656619

12 UNITS ASSORTED COLOURS



HBAL7230**Round electronic kitchen scale**
5 KG

- Precision: 1 g
- Informs: Weight - Water volume - Milk volume.
- High electronic accuracy.
- Touch-sensitive buttons.
- Net weight function.
- Tempered safety glass surface.
- 4-digit LCD display.
- G / lb / ml conversion function.
- Automatic shut-off.
- Low battery indicator.
- Overload indicator.
- Works with 1 CR2032 long life lithium battery (included).



19 x 19 x 2 cm 8 UNITS DISPLAY BOX 22 X 21 X 20 CM

EAN 8436584382249 8 UNITS

**HBAL7240****Round electronic kitchen scale drawings**
5 KG

- Capacity 5 Kg
- Precision: 1 g
- Informs: Weight - Water volume - Milk volume.
- High electronic accuracy.
- Touch-sensitive buttons.
- Net weight function.
- Tempered safety glass surface.
- 4-digit LCD display.
- G / lb / ml conversion function.
- Automatic shut-off.
- Low battery indicator.
- Overload indicator.
- Works with 1 CR2032 long life lithium battery (included).



19 x 19 x 2 cm 8 UNITS DISPLAY BOX 22 X 21 X 20 CM

EAN 8436584382256 8 UNITS

**HBAL1110****Electronic kitchen scale**


- 5 mm surface sustainably produced pressed bamboo.
- Capacity 5 kg
- Precision: 1 g
- High weighing accuracy.
- LCD display.
- Touch-sensitive buttons.
- Net weight function.
- G / kg / lb:oz / ml / fl:oz conversion function.
- Automatic shut-off.
- Low battery indicator.
- Overload indicator.
- Works with 1 CR2032 long life lithium battery (included).



18,5 x 18,5 x 2 cm 6 UNITS DISPLAY BOX 20.5 X 17 X 20 cm

EAN 8436584384687 6 UNITS





4 security systems

HOLL22_

Classic pressure cooker

4 / 6 / 8 / 10 l · Stainless steel

- High security.
- Pressure: 100 kPa
- Pressure control valve: Position 1: 100 kPa
- Safety valve pressure: 130-170 kPa
- Safety window pressure: 180-300 kPa
- SUS304 stainless steel.
- Diameter 24 cm (6L/8L/10L) 22 cm(4L).
- 1,2 mm. thickness body.
- 5 mm. sandwich base.
- Suitable for all cookers, induction included.



HOLL2224

4 L ø 22cm

||||| EAN 8436584385745

2 UNITS

HOLL2226

6 L ø 24cm

||||| EAN 8436584381860

2 UNITS

HOLL2228

8 L ø 24cm

||||| EAN 8436584381877

2 UNITS

HOLL2230

10 L ø 24cm

||||| EAN 8436584381884

2 UNITS



Includes a pressure cooker lid.

Includes a heat-resistant glass lid with steam vent.

HOLL2547

2-Piece pressure cooker set

4 + 7 l · Stainless steel

- Triple safety system.
- 2 pressure levels.
- Progressive closing system by rotary handle.
- Includes:
 - 1 pressure cooker lid.
 - 1 heat-resistant glass lid with steam vent.
- SUS304 stainless steel.
- Diameter: 22 cm
- Forged diffuser base for even heat distribution.
- 1 mm thick pot body for long-lasting durability.
- 5 mm sandwich base.
- Side handles.
- Suitable for all cookers, induction included.



4-7 L ø 22cm

||||| EAN 8436584385752

2 UNITS

AUTUMN **NOVELTY****HOLL2604 / HOLL2606 / HOLL2608 / HOLL2610**

Classic pressure cooker

4 / 6 / 8 / 10 l · Stainless steel

- 3 safety systems for greater peace of mind.
- Progressive closing system with rotary knob.
- Made of high-quality SUS304 stainless steel, resistant and durable.
- Two pressure levels: 90 kPa and 100 kPa.
- 5.65 mm base for uniform heat distribution.
- Foldable side handles to save space.
- Compact and lightweight design.
- Diameter of 20 cm.
- Suitable for all types of cooktops, including induction.



HOLL2604

4 L ø 20cm
 EAN 8436584386469
 2 UNITS

HOLL2606

6 L ø 22cm
 EAN 8436584386476
 2 UNITS

HOLL2608

8 L ø 24cm
 EAN 8436584386483
 2 UNITS

HOLL2610

10 L ø 26cm
 EAN 8436584386490
 2 UNITS

OPC_



Classic pressure cooker 4 / 6 / 8 / 10 / 12 l · Stainless steel

Express

- 3 safety systems.
- Progressive closing system by rotary handle.
- SUS304 stainless steel.
- 1 mm body thickness.
- 5 mm sandwich base.
- Side handles.
- Suitable for all cooktops, including induction.



OPC4

4 L ø 20cm
EAN 8436017657685
4 UNITS

OPC6

6 L ø 22cm
EAN 8436017657692
4 UNITS

OPC10

10 L ø 26cm
EAN 8436017657722
2 UNITS

OPC8

8 L ø 24cm
EAN 8436017657715
2 UNITS

OPC12

12 L ø 26cm
EAN 8436584385769
1 UNITS



OSR_



Fast pressure cooker 4 / 6 / 8 l · Stainless steel

- 4 safety devices.
- Sealed pressure valve. Odor prevention.
- Silent, safe and attractive design.
- Top-level safety features.
- Cooks up to one-third faster than traditional pressure cookers.
- SUS304 stainless steel.
- Advantages of pressure steam cooking:
- Fast: reduces cooking time by up to 70%.
- Healthy: retains vitamins and minerals.
- Energy efficient.
- Silicone sealing ring.
- Suitable for all cooktops, including induction.



OSR4

4 L
EAN 8436017658255
1 UNIT

OSR6

6 L
EAN 8436017658262
1 UNIT

OSR8

8 L
EAN 8436017658279
1 UNIT



Cast Iron Grill Pans

Roogo

- Especially for meats and vegetables.
- **Enamelled cast iron:**
 - Perfect heat distribution
 - Fast temperature conduction.
 - Maintains maximum heat.
 - Resistant and durable.
 - Enamelled inside and outside.
- Perfect for healthy and natural cooking.
- Side handles.
- **Suitable for:**
 - Oven and barbecue.
 - All types of cooktops: induction, gas, vitroceramic, electric.
- Easy to clean.



Ø 25 cm
 EAN 8436017659672
 4 UNITS

GR25



Full induction grill Wooden foldable handle

Kilimanjaro

- Full induction bottom.
- Pfluo "Stonite" non-stick coating, PFOA-free.
- Die-casting aluminium body.
- Perfect heat performance.
- Wavy surface design for fat-free roasting.
- Wooden foldable handle.
- Two pouring spouts.
- Suitable for all cookers, induction included.



GMA28

28 x 48,3 x 6,9 cm
 28 x 28 cm

Ø 20,2cm
 EAN 8436017658910
 6 UNIT



GP35

36,1 x 46,1 x 8,1 cm
 25 x 35 cm

Ø 17,6cm
 EAN 8436017658927
 6 UNIT

GMA28 / GP35



HCAZ26_ HSAR26_

Aluminium Cookware Collection

- Whitford QuanTanium® 3-layer non-stick coating, PFOA-free.
- Full induction bottom. Diameter 130 mm.
- Perfect heat performance.
- 3 mm forged aluminum body.
- Fire-resistant handle.
- Suitable for all cookers, induction included.



AUTUMN NOVELTY



HCAZ2608

Full induction cast aluminum low saucepan

HCAZ2608 3,9 l Ø 28 cm ↓ 7,5 cm 22,4 cm 1 Kg 3 8436584386537



HCAZ2620 / HCAZ2624 / HCAZ2628

Full induction cast aluminum saucepans

HCAZ2620 2,6 l Ø 20 cm ↓ 10 cm 14,7 cm 650 g 3 8436584386506

HCAZ2624 4,4 l Ø 24 cm ↓ 11,5 cm 17,7 cm 900 g 3 8436584386513

HCAZ2628 6,7 l Ø 28 cm ↓ 13 cm 20,6 cm 1160 g 3 8436584386520



HCAZ2616

Full induction cast aluminum saucepan

HCAZ2616 1,3 l Ø 16 cm ↓ 8 cm 12 cm 381 g 6 8436584386612



HSAR2620 / HSAR2624 / HSAR2628

Full induction cast aluminum frying pans

HSAR2620 Ø 20 cm 14,7 cm 6 8436584386544

HSAR2624 Ø 24 cm 17,7 cm 6 8436584386551

HSAR2628 Ø 28 cm 20,6 cm 6 8436584386568



HCAZ262001 / HCAZ26XX01

Removable Silicone Handles

- Soft-touch and highly heat-resistant.
- Comfortable and easy to use.

HCAZ262001

Set of 2 Silicone Handles

Compatible: HCAZ2620

EAN 8436584386698

20 UNIT

HCAZ26XX01

Set of 2 Silicone Handles

Compatible: HCAZ2624, HCAZ2628 Y HCAZ2608

EAN 8436017658927

20 UNIT





TAAL SERIES

Taal series

- Whitford QuanTanium® 3-layer non-stick coating, PFOA-free.
- Full induction bottom. Diameter 130 mm.
- Perfect heat performance.
- 3 mm forged aluminum body.
- Fire-resistant handle.
- Suitable for all cookers, induction included.



SF9_

Full induction fry pans

SF918	Ø 18 cm	13,5 cm	6	8436584381075
SF920	Ø 20 cm	15,5 cm	6	8436584381082
SF922	Ø 22 cm	17 cm	6	8436584381099
SF924	Ø 24 cm	19 cm	6	8436584381105
SF926	Ø 26 cm	20,5 cm	6	8436584381112
SF928	Ø 28 cm	22 cm	6	8436584381129
SF930	Ø 30 cm	23,5 cm	6	8436584381136



CF916

Full induction sauce pan

- Tempered glass lid.
- Height: 7 cm
- 16 cm saucepan.
- Capacity: 1.1 L

CF916	1,1 l	Ø 16 cm	13 cm	6	8436584381167
-------	-------	---------	-------	---	---------------



TF92_

Shallow Casserole

- Tempered glass lid.

TF924	4 l	Ø 24 cm	19,5 cm	3	8436584381143
TF928	3,6 l	Ø 28 cm	21,5 cm	3	8436584381150



CF9_

Full induction pot

- Tempered glass lid

CF920	2,4 l	Ø 20 cm	15,7 cm	3	8436584381174
CF922	2,6 l	Ø 22 cm	18,5 cm	3	8436584381181
CF924	4 l	Ø 24 cm	19,5 cm	3	8436584381198



HSAR25_ HCAZ25_ HTAR25_**TACANÁ SERIES**

- 3.5 mm Full Induction diffuser base (2.8 mm aluminium and 0.7 mm 410 stainless steel).
- PFOA-free non-stick coating.
- Forged aluminium body.
- Excellent heat distribution.
- Suitable for all types of hobs, including induction.
- Available in various diameters.

**SPRING NOVELTY****HSAR_****Tacaná full induction frying pan****HSAR2518** Ø 18 cm 6 8436584386162**HSAR2520** Ø 20 cm 6 8436584386179**HSAR2522** Ø 22 cm 6 8436584386186**HSAR2524** Ø 24 cm 6 8436584386193**HSAR2526** Ø 26 cm 6 8436584386209**HSAR2528** Ø 28 cm 6 8436584386216**HSAR2530** Ø 30 cm 6 8436584386223**HCAZ_****Saucepan**

- Highly resistant forged aluminium saucepan and casserole.
- Tempered glass lid.

HCAZ2516 1,4 l Ø 16 cm 7 cm 6 8436584386117**HCAZ2520** 2,8 l Ø 20 cm 9 cm 3 8436584386124**HCAZ2524** 4,5 l Ø 24 cm 10 cm 3 8436584386148**HTAR_****Shallow casserole**

- Highly resistant forged aluminium saucepan and casserole.
- Tempered glass lid.

HTAR2524 2,9 l Ø 24 cm 6,5 cm 3 8436584386230**HTAR2528** 4,5 l Ø 28 cm 7,5 cm 3 8436584386247

HSAR21_



Stainless steel fry pan Full induction

La Garrotxa

- Whitford Xylan Plus non-stick coating, PFOA-free.
- Stainless steel body AISI-304
- Full induction bottom. Perfect heat performance.
- 3.5 mm thick bottom (3 mm aluminium + 0.5 mm steel 430).
- Suitable for all cookers, induction included.
- Hollow stainless steel handle for better hygiene and heat dissipation.
- Oven-safe due to metallic components.



HSAR2118 Ø 18 cm 12,5 cm 6 8436584382805

HSAR2120 Ø 20 cm 14,5 cm 6 8436584382812

HSAR2122 Ø 22 cm 17,2 cm 6 8436584382829

HSAR2124 Ø 24 cm 18,7 cm 6 8436584382836

HSAR2126 Ø 26 cm 19,8 cm 4 8436584382843

HSAR2128 Ø 28 cm 21,7 cm 4 8436584382850

HSAR2130 Ø 30 cm 21,7 cm 4 8436584382867

HPAE21_



Stainless steel paella pan Full induction

La Garrotxa

- Full induction bottom.
- Whitford's Xylan Plus non-stick coating free of PFOA.
- Perfect heat performance.
- Stainless steel body AISI-304
- Bottom thickness:
 - 4 mm (3.5 mm aluminium + 0.5 mm steel 430) for 32 cm
 - 4.1 mm (3.5 mm aluminium + 0.6 mm steel 430) for 38 cm
- Suitable for all cookers, including induction.
- Oven-safe thanks to metallic components.



HPAE2132 Ø 32 cm 24,9 cm 5-6 4 8436584382737

HPAE2138 Ø 38 cm 31,0 cm 8-9 4 8436584382744

HSAR24_**Stackable Pan Sets**
Forged aluminium

- PFOA-free Pflun non-stick coating.
- 3003 aluminium body
- Induction diffuser base. Perfect heat distribution.
- Suitable for all stoves, including induction.
- 3.4 mm diffuser bottom (2.8 mm aluminium and 0.6 mm SUS410 steel).
- Compact stackable storage, thanks to the handle design.



DISEÑO
APILABLE
MAYOR AHORRO
DE ESPACIO

**HSAR2402**

Set 2 - 20 cm 24 cm
EAN 8436584384953
6 UNITS

HSAR2403

Set 3 - 18, 22 y 26 cm
EAN 8436584384960
4 UNITS

**SMH14****Frying pan**
Non-stick

- Dyflon non-stick coating free of PFOA.
- Ø 14 cm
- Aluminium body.
- Silicone handle.
- Easy to clean.
- Suitable for gas, electric, vitroceramic, and halogen cookers.
- Available in different colours.



FRIED EGG

12 UNITS DISPLAY BOX
31.7 X 28.8 X 46 cm



EAN 8436584381211

1 EXP. 12 UNITS



SEW_



Wok - frying pan

Aluminium forged - Full induction

Fuji

- "Stonite" ceramic non-stick coating, free of PFOA and PTFE.
- Silicone exterior coating:
- Anti-rust protection.
- Perfect heat performance.
- Forged aluminum body.
- Soft-touch handle.
- Easy to clean.
- Suitable for all cookers, induction included.



SEW20M Ø 20 cm ↑ 6,2 cm 12 cm 6 8436017656633

SEW24M Ø 24 cm ↑ 7,2 cm 15,5 cm 6 8436017656657

SEW28M Ø 28 cm ↑ 7,5 cm 18,3 cm 6 8436017656671

SF1_



Full induction frying pans

Aluminium forged - Full induction

- Full induction bottom.
- "Stonite" Whitford Xylan Plus non-stick coating, free of PFOA.
- Perfect heat performance.
- 3 mm forged aluminum body.
- Fire-resistant handle.
- Suitable for all cookers, including induction.



SET SF1 2024

Set 2 - 20 cm 24 cm
EAN 8436017658712
4 UNITS



SET SF1 182226

Set 3 - 18, 22 y 26 cm
EAN 8436584380641
4 UNITS



SF118 Ø 18 cm 13,5 cm 6 8436017658439

SF120 Ø 20 cm 15,7 cm 6 8436017658446

SF122 Ø 22 cm 17,4 cm 6 8436017658453

SF124 Ø 24 cm 18,8 cm 6 8436017658460

SF126 Ø 26 cm 20,6 cm 6 8436017658477

SF128 Ø 28 cm 22,3 cm 6 8436017658484

SF130 Ø 30 cm 24 cm 6 8436017658491

BC3

Forged aluminum cookware set
Full induction

Fuji

- Full induction bottom
- "Stonite" Whitford's Xylan® Plus non-stick coating free of PFOA.
- Forged aluminium body.
- 3 mm sandwich base for heat retention, control, and perfect diffusion.
- Suitable for all cookers, induction included.



||||| EAN 8436017659856 2 UNITS

Saucepan Ø 16 cm 1,1 l 7 cm

Casserole Ø 20 cm 2,4 l 9,5 cm

Casserole Ø 24 cm 4,2 l 12 cm



HBAT2552

Stackable stainless steel pot set
3 Pieces with glass lids

- Save space with the stackable design and folding handles.
- Made of high-quality 304 stainless steel
- Tempered glass lids.
- Set dimensions and capacities:
- 16 cm pot
Height: 9 cm
Capacity: 1.7 liters
- 24 cm pot
Height: 15.5 cm
Capacity: 6.8 liters
- 26 cm pot
Height: 7.5 cm
Capacity: 3.9 liters
- Suitable for all cookers, including induction.
- Ergonomic folding handles with silicone grips.



||||| EAN 8436584385776 1 UNITS

Saucepan Ø 16 cm 1,7 l 9 cm

Casserole Ø 24 cm 6,8 l 15,5 cm

Casserole Ø 26 cm 3,9 l 7,5 cm



BC8 / BC10



Stainless steel Cookware sets

- Impact Bounding base for perfect control and diffusion of heat.
- Tempered glass lid.
- Stainless steel handles and knobs with silicone protection.
- Suitable for all cookers, induction included.



BC8 Set 4

||||| EAN 8436017659221 2 UNITS

Saucepan Ø 16 cm 1,8 l 9 cm

Saucepan Ø 18 cm 2,5 l 10 cm

Casserole Ø 22 cm 4,5 l 12 cm

Fry pan Ø 24 cm 3 l 6,5 cm

BC10 Set 5

||||| EAN 8436017659238 2 UNITS

Saucepan Ø 16 cm 1,8 l 9 cm

Saucepan Ø 18 cm 2,5 l 10 cm

Saucepan Ø 20 cm 3,2 l 11 cm

Casserole Ø 24 cm 6 l 13 cm

Fry pan Ø 26 cm 3,5 l 6,5 cm

T16 / T20 / T26**Universal Glass and Silicone Lids**

- Free of metallic components, safe for microwave and dishwasher use.
- Versatile design: suitable for fry pans, pots, pans, and more.
- Hygienic and healthy, complies with FDA regulations.
- Equipped with a steam release valve.
- Fits cookware with diameters of 16, 18, and 20 cm.
- Suitable for diameters of: 16 – 18 – 20 cm.
- T16: Suitable for diameters of: 16 – 18 – 20 cm.
- T20: Suitable for diameters of: 20 – 22 – 24 cm.
- T26: Suitable for diameters of: 26 – 28 – 30 cm.

**T16**

||||| EAN 8436584380276 6 UNITS

T20

||||| EAN 8436584380283 6 UNITS

T26

||||| EAN 8436584380290 6 UNITS

**HACC4546****Magnetic silicone trivet**

- Magnetized: sticks securely to the bottoms of pans, pots, and other metal surfaces like refrigerators.
- 20x20 cm silicone surface.
- Heat resistant up to 230°C
- Flexible and non-slip.
- Scratch-resistant.
- Easy to clean and store.



① 12 UNITS DISPLAY BOX
18.5 X 10.8 X 28 CM



||||| EAN 8436584384809 12 UNITS



Jata | CHEF BOSQUET



HSET1234

Mini blender with chopper and mould set

- 2 stainless steel whisks included.
- Comfortable, cordless, USB rechargeable, included.
- 300 ml capacity mini chopper.
- 5 adjustable power levels.
- Charge indicator light.
- Power: 45 W.

Dinosaur-Shaped pastry mould:

- Silicone mould, non-stick, flexible and easy to unmold.
- Suitable for oven, freezer, microwave and dishwasher.
- Resistant to temperatures from -40°C to 230°C
- Ensures uniform cooking.
- Perfect for baking.
- Capacity: 950 ml
- BPA-free.



26 x 10,5 x 28 cm

Molde: 27 x 17 x 6 cm

EAN 8436584384212


6 UNITS



HMOL521_

Kitchen Molds by "Chef Bosquet"

- Silicone mould, non-stick, flexible and easy to unmold.
- Suitable for baking and cooking.
- BPA-free.
- Safe for use in oven, freezer, microwave, and dishwasher.
- Resistant to extreme temperatures, from -40 °C up to 220 °C
- Ensures uniform cooking.




HMOL5211 Chocolate bars

29 x 18 cm 3,1 cm 60 ml x 12 8 x 3 x 3 cm 6 8436584382973

HMOL5212 Doughnut mould

34 x 26,5 cm 2,9 cm 100 ml x 12 7,5 x 2,5 x 3 cm 6 8436584382980



HMOL5213 kitchen mould - savarin

34 x 24 cm 2,7 cm 70 ml x 12 6,5 x 2,2 x 3 cm 6 8436584382997

HMOL5216 / HMOL5214

Kitchen moulds

- Platinum silicone mould, non-stick, flexible and easy to unmold.
- BPA-free.
- Suitable for oven, freezer, and microwave use.
- Resistant to extreme temperatures: from -50 °C up to 240 °C
- Ensures uniform cooking.



HMOL5216

Ø 26 cm
 ↑ 3 cm
 EAN 8436584383024
 6 UNITS

HMOL5214

Ø 24 cm
 ↑ 10 cm
 EAN 8436584383000
 6 UNITS

HMOL5216



HMOL5214



HMOL1124 / HMOL1324

Springform silicone mould Tempered glass base

- Silicone mould, non-stick, flexible and easy to unmold.
- Suitable for baking and cooking.
- BPA-free.
- Suitable for oven, freezer and dishwasher.
- Resistant to extreme temperatures: from -20 °C up to 230 °C



HMOL1124

EAN 8436584385288
 4 UNITS

HMOL1324

EAN 8436584385301
 4 UNITS

Ø26 cm x 6,4 cm



26,5 x 13,2 x 6,2 cm



AC40

Silicone ice cube tray

- Silicone ice cube tray with 21 cubes (3 x 3 cm each).
- Made from 100% platinum silicone.
- Flexible design for easy demoulding.
- Protective cover allows stacking, prevents spills, and keeps contents isolated.
- Perfect for freezing fruit, herbs, coffee, and cocktail ingredients.
- Also ideal for freezing sauces, soups, chocolate, and jelly.
- Safe for oven (defrost), microwave, freezer, and dishwasher use.



Essential



EAN 8436584380689

12 UNITS

HACC4540

Silicone ice cube tray

- 100% paraffin-coated silicone tray for 15 cubes.
- Non-stick and flexible for easy demoulding.
- Suitable for oven, microwave, and dishwasher use. Temperature resistant from -40 °C to 230 °C
- Ideal for freezing stocks, chocolate, jelly, sauces, or creating fruit and aromatic herb cubes for cocktails and mixes.
- Protective cover allows stacking, prevents spills, and keeps contents isolated.



12 UNITS DISPLAY BOX
 26 X 21 X 19,5 CM

EAN 8436584384816

12 UNITS

HACC4624



7-Piece kitchen utensil set

- Nylon and Stainless Steel kitchen utensil
- Hygienic and safe, compliant with FDA and LFGB standards.
- Non-scratch design.
- Max. temperature 210 °C
- Includes non-slip hook for convenient storage.



EAN 8436584385080 6 UNITS



SOUP LADLE



LADLE WITH HOLES



SKIMMER



PASTA SERVER



TURNER



SPATULA WIHT HOLES

PBT Kitchen utensils with silicone edge

SPRING NOVELTY

- Ergonomic handle.
- Hygienic and safe, complied with FDA and LFGB standards.
- Heat resistance over 200 °C.
- Suitable for the dishwasher.


HACC4351 Saucepan 32 cm

EAN 8436584386018 12 UNITS

HACC4352 Spatula 34 cm

EAN 8436584386025 12 UNITS

HACC4353 Skimmer 34 cm

EAN 8436584386032 12 UNITS



Kitchen basics utensil set with stand by chef Bosquet

- Includes 6 high-quality silicone and stainless steel utensils.
- Practical and convenient storage solution.
- Non-stick surface.
- Includes exclusive stickers for customization.
- BPA-free.



EAN 8436584384151 6 UNITS

Lata | CHEF BOSQUET

WHISK

SPATULA

LADLE

TURNER

SOUP LADLE

SKIMMER

AC_

Essential Series kitchen utensils

- Nylon pasta server, soup ladle and spoon.
- Ergonomic handle.
- Hygienic and safe, compliant with FDA and LFGB standards.
- Heat resistance up to 200 °C.
- Suitable for the dishwasher.



Essential



SOUP LADLE

AC1

||||| EAN 8436584380382



PASTA SERVER

AC3

||||| EAN 8436017660166



PIZZA CUTTER

AC21

||||| EAN 8436584380436

- Stainless steel blade.
- Diameter 65 mm



MULTI-FUNCTION PEELER

AC23

||||| EAN 8436584380450



**Y-PEELER SPAGHETTI
JULIENNE**



HACC4520

||||| EAN 8436584382263



Y-PEELER



AC24

||||| EAN 8436584380467

Specially designed for peeling tomatoes and thin-skinned, soft-fleshed fruits.



STAINLESS STEEL STRAINER

AC25

||||| EAN 8436584380474



EGG WHISK



AC26

||||| EAN 8436584380481



THIN ETCHED GRATER

CUTTING PROTECTOR INCLUDED



AC31

||||| EAN 8436584380535

Cutting protector.



MELON BALLER



AC28

||||| EAN 8436584380504

Stainless steel baller.



SILICONE SPATULA



AC33

||||| EAN 8436584380559



ETCHED GRATER

CUTTING PROTECTOR INCLUDED



AC30

||||| EAN 8436584380528

Cutting protector.



KITCHEN BRUSH



AC34

||||| EAN 8436584380207



THICK ETCHED GRATER

CUTTING PROTECTOR INCLUDED

AC32

||||| EAN 8436584380542

Cutting protector.



KITCHEN TONGS

AC35

||||| EAN 8436584380214



SPRING NOVELTY

GARLIC PRESS



HACC2505

||||| EAN 8436584386001

① 12 UNITS DISPLAY BOX
33.7 x 13.5 x 30.2 cm



DETACHABLE KITCHEN SCISSORS

AC36

||||| EAN 8436584380221



HACC4541



Roughing

Sharpening

Polishing

HACC4541

3-Step knife sharpener

- Three-stage sharpening process: Roughing with tungsten, sharpening with diamond, and polishing with ceramic.
- Use by swiping in one direction, then backward.
- Non-slip handle and base for safety.
- Suitable for knives of all sizes.
- Easy and comfortable to use.
- Provides effective sharpening results.



AFILADO EFECTIVO



PROCESO DE AFILADO



SENCILLO Y CÓMODO



21,5 x 5 x 6,6 cm



EAN 8436584383789



12 UNITS



HACC4522

Silicone kitchen tongs set

- BPA free.
- Silicone outside - Stainless steel inner.
- Ideal for use in toasters and on electric heating elements.
- Complies with FDA and LFGB regulations.
- Safe for non-stick surfaces – prevents scratching.
- Heat resistant up to 230 °C.
- Flexible and easy to handle..
- Large tong size: 29,30 cm
- Small tong size: 17 cm.



LIBRE DE BPA



T° MÁXIMA 230 °C

12 UNITS DISPLAY BOX
26,5 X 33,0 X 32,0 cm



EAN 8436584384373



12 UNITS



29 cm

17 cm



HRAL3248 / HRAL3269**4-Sided and 6-Sided stainless steel graters**

- 4 grating surfaces: rolling, scraping, coarse, and fine.
- Sharp AISI 430 stainless steel blades.
- Includes polypropylene container with integrated lid to store grated food.
- Non-slip handle and base.
- Weight: 259 g



10,5 x 10,5 x 25 cm

14,5 x 12 x 29 cm

HRAL3248

0.250 kg

EAN 8436584385509

6 UNITS

HRAL3269

0.350 kg

EAN 8436584385516

12 UNITS

**HACC2502****Conical nutcracker**

- Suitable for a variety of nuts.
- Made of aluminium with a wooden handle.
- Adjustable design..
- Ribbed interior surface for better grip.
- Weight: 157 g.



17 x 8,6 x 6 cm

12 UNITS DISPLAY BOX
32 x 18 x 48 cm

EAN 8436584385844

12 UNITS

**HPRE2544****Burger press**

- Made of food-grade stainless steel and silicone.
- Ensures even burger shaping and distribution.
- Ergonomic design.
- Easy to clean.
- Weight: 375 g.



14,5 x 14 x 7,5 cm

EAN 8436584385523

6 UNITS





HACC4502

5-Piece knife set With magnetic holder

- The five essential knives in the kitchen:
 - Paring.
 - Utility knife
 - Santoku.
 - Chef's (onion) knife.
 - Bread.
- Magnetized stand for visible and organized knife storage.
- Food-safe polypropylene handles
- Made of 3Cr13 stainless steel: strong, hard, and corrosion-resistant.
- Non-stick coated blades.
- Ergonomic and exclusive design.



||||| EAN 8436584383796

6 UNITS



HACC4503

5-piece knife set Storage case with magnetic closure

- The five essential knives in the kitchen:
 - Paring.
 - Utility knife
 - Santoku.
 - Chef's knife (onion).
 - Bread.
- Presentation/storage case with magnetic closure.
- Special polypropylene handle for food use.
- 3Cr13 stainless steel: known for strength, hardness, and corrosion resistance.
- Non-stick coated blades.
- Ergonomic and exclusive design.



||||| EAN 8436584383802

6 UNITS



HACC4504

5-Piece knife set With cylindrical knife block

- Includes the five essential kitchen knives:
 - Paring knife
 - Utility knife
 - Santoku knife
 - Chef's knife
 - Bread knife
- Cylindrical block for safe storage
- Special polypropylene handle suitable for food use
- High-quality steel for precise cutting and sharpening
- Non-stick coating for easy cleaning



||||| EAN 8436584383925

6 UNITS

**HACC4531**

Cutting board with knife sharpener

2 en 1

- Polypropylene cutting board.
- Integrated ceramic knife sharpener.
- Liquid drain groove.
- High resistance.
- Easy to clean.
- Dual-position design: flat or inclined.
- Non-slip silicone edges for added stability.
- Dishwasher safe.



33,6 x 23,6 x 2,4 cm

EAN 8436584383161 6 UNITS





HACC4530

Multipurpose kitchen cover


- Three functions of use:
 - Drainer
 - Microwave lid.
 - Steamer.
- Diameter: 26 cm.
- Foldable.
- Heat resistant up to 100 °C
- BPA-free.
- Compact, lightweight and durable.



Microwave lid



Drainer



Steamer



EAN 8436584383062

12 UNITS



HACC4533

Spill stopper and steamer lid

- Dual function: prevents boil-over and works as a steamer lid.
- Avoids spills and overflows during cooking.
- 100% silicone
- BPA free.
- Suitable for microwave and oven use (up to 230 °C).
- Fits cookware from 14 to 26 cm in diameter.
- Two side handles for easy gripping and hanging.
- Size: 30 x 26 cm



EAN 8436584383260

6 UNITS



Vídeo



HACC4524

Silicone oven glove and mini mitt set 2 Pieces set

- Flexible and non-slip for a secure grip.
- Hanging ring.
- BPA-free and safe for food contact.
- Ambidextrous design for left or right hand use.
- Resistant to extreme temperatures, from -40 to 230 °C
- Glove:
 - Ergonomic, extra-long design for maximum protection.
 - Padded, breathable cotton interior for added comfort.



36,5 x 18,5 x 1,3 cm

10,7 x 8,5 x 7 cm

EAN 8436584385189

12 UNITS



HACC4542**Manual vacuum pump set
+ 12 BAGS**

- Includes 12 reusable vacuum bags.
- Hermetically seals and vacuum packs food.
- Extends food preservation time.
- Bags suitable for both refrigerator and freezer
- Compatible with all vacuum bags with valve
- Safe for use between -15 °C and 110 °C
- Easy to use, compact design.
- Includes 2 sealing clips.



Includes 12 reusable bags
x4: 22 x 21 cm
x4: 22 x 28 cm
x4: 26 x 34 cm



Vídeo

||||| EAN 8436584383666

6 UNITS

**HACC4543****2 Replacement vacuum bags
for manual vacuum pump**

- Vacuum packed and hermetically sealed.
- BPA free.
- Extends food preservation time.
- Suitable for refrigerator and freezer.
- Safe for temperatures between -15 °C and 110 °C
- Includes two clips for a more secure seal.



||||| EAN 8436584383673

12 UNITS

**ARA30****Anti-mould mat
Suitable for all fridges**

- Keep fruits and vegetables fresh for longer.
- Helps delay food spoilage.
- Antibacterial properties.
- Promotes air circulation on all sides to prevent mold.
- Complies with FDA and LFGB standards.
- Can be cut to fit any size.
- Washable and reusable.
- Suitable for all types of refrigerators.

Presented in a hanging format.



52 x 33 x 1,5cm

||||| EAN 8436584381235

12 UNITS





AC54

Food chopper With removable parts

- Ideal for onions, vegetables, hard-boiled eggs, fruits, and nuts.
- Stainless steel blade.
- BPA free.
- Complied with FDA and LFGB standards.
- Removable parts for easy cleaning.
- Dishwasher safe.



EAN 8436584380344

6 UNITS

Master Cut



AC56

Rotary grater 5 stainless steel discs

- 5 interchangeable stainless steel blades:
 - Fine grater: Cheese, bread, nuts.
 - Medium grater: Carrots, pumpkin, tomato, hard-boiled eggs.
 - Coarse grater: Potatoes, mozzarella for pizza, crushed ice.
 - Julienne cutter: Mozzarella, potatoes, crushed ice.
- Slicer: Potatoes, cucumbers, carrots.
- BPA free.
- Compliant with FDA and LFGB standards.
- Foldable design for easy storage.
- Removable parts for easy cleaning.
- Suction pads for stability.
- Dishwasher safe.



EAN 8436017660623

6 UNITS



HMAQ4504

Master cut – multi-function mandoline slicer

- Specially designed for potatoes, fruits, vegetables, and cheese.
- Includes 2 interchangeable stainless steel blades:
 - 1 blade for julienne strips and thick cubes
 - 1 blade for julienne strips and thin cubes
- Spiral cutting accessory with 3 different shapes
- BPA free. Complies with FDA and LFGB standards.
- Removable parts for easy cleaning; dishwasher safe.
- Includes cleaning accessory.
- Anti-slip base for stable use.



EAN 8436584382065

6 UNITS

Master Cut

SPRING **NOVELTY****JEPC1207**

Mini electric food chopper

350 ml - 30 W

- Illuminated operation button for easy and quick use.
- Wireless design for total freedom of movement.
- Stainless steel blade with three cutting levels for precise results.
- Charging and full-charge indicator light.
- Transparent Tritan container with a total capacity of 430 ml.
- Charging time of 4.5 hours via the included USB Type-C cable.
- BPA-free for safe and healthy use.



10,8 x 10,8 x 13,8 cm

6 UNITS DISPLAY BOX
34,5 x 23,5 x 13,5 cm

EAN 8421078040897

6 UNITS





HMAQ4557

Manual food chopper 350 ml

Master Cut

- Hand-operated pull cord chopper.
- Stainless steel blade adjustable to 3 cutting heights, designed to chop a variety of foods including vegetables, fruits, and herbs.
- Chop all kinds of food.
- BPA free.
- Complies with FDA and LFGB standards.
- Anti-slip base for stability.
- Maximum capacity of use: 350 ml.



12 UNITS DISPLAY BOX
21 X 41,5 X 27 CM

EAN 8436584384557

12 UNITS



AC57E

Manual food chopper / mixer 350 ml

Master Cut

- Hand-operated pull cord chopper.
- Includes 2 interchangeable accessories:
 - Stainless steel blade with 3 adjustable cutting heights for chopping all types of food.
 - Whisk for mixing and emulsifying.
- BPA free.
- Complies with FDA and LFGB standards.
- Non-slip base.
- Transparent container with a total capacity of 500 ml.
- Maximum capacity of use 350 ml.



9 UNITS DISPLAY BOX
40,5 x 34,6 x 24,5 cm

EAN 8436584380375

9 UNITS



HMAQ4506

Manual food chopper / mixer

- Hand-operated pull cord chopper.
- Includes 2 interchangeable accessories:
 - Stainless steel blade with 4 adjustable cutting heights for chopping all kinds of food, including garlic and onion.
 - Whisk for mixing and emulsifying, ideal for preparing sauces and creams.
- Lid to keep food fresh.
- Reinforced ultra-resistant container.
- Diameter: 12,5 cm. Height: 14 cm
- BPA free.
- Complies with FDA and LFGB standards.
- Non-slip base.
- Transparent container with a total capacity of 900 ml.
- Maximum capacity of use 750 ml.



6 UNITS DISPLAY BOX
40 X 29 X 15 CM

EAN 8436584384274

6 UNITS



AC51**Mini multi-function grater**
With 3 rolls

- Special for cheese, vegetables and nuts.
- Comes with 3 interchangeable stainless steel drums:
 - Fine grating.
 - Coarse grating.
 - Slicing.
- BPA free.
- Complies standards.
- Removable parts for easy cleaning.



EAN 8436584380313

6 UNITS

**HMAQ4505****3-in-1 Manual chopper, mixer & juicer**
Master cut

- 3 interchangeable accessories:
 - Stainless steel blade with 3 cutting heights, for chopping all kinds of food, garlic, onion and ice.
 - Whisk for mixing and emulsifying, ideal for preparing sauces and creams.
 - Emulsifying accessory, ideal for preparing sauces and creams.
- BPA free.
- Complies with FDA and LFGB standards.
- 1.5 L capacity.
- Easy to clean.
- Non-slip base.

19 x 20 x 30 cm



EAN 8436584382560

6 UNITS

**HMAQ4508****Mini vegetable spiralizer**

- Manual rotary lever for versatile cutting.
- Ideal for fruits and vegetables.
- Non-slip grip.
- 4 stainless steel blades.
- Compact and easy to store.
- BPA free.
- Complies with FDA and LFGB standards.
- Dimensions: 11 x 9,2 x 7,5 cm

12 UNITS DISPLAY BOX
29,5 X 22,5 X 33,5 CM

11 x 9,2 x 7,5 cm

EAN 8436584384304

12 UNITS





HACE2501

USB Rechargeable oil sprayer

- Dispenser for oil, vinegar, soy sauce, etc.
- Capacity 250 ml.
- Two spray modes: jet and ultra-fine mist.
- Borosilicate glass jar.
- Indicator light for operation, low battery and charging.
- USB rechargeable.
- Size: 12,2 x 6,3 x 23 cm
- Power: 5 W.



12,2 x 6,3 x 23 cm

EAN 8436584385547

6 UNITS



HACC4545

Oil sprayer

- Ensures even dosing of oil on food.
- Easy to refill.
- Made of glass and polypropylene
- Ideal for all types of oils, vinegars, essences, and liquids.
- BPA free.
- Practical, modern and resistant design.
- Dimensions: 16,8 x 6,3 cm
- Capacity: 150 ml.

12 UNITS DISPLAY BOX
22.6 X 29.5 X 33.5 CM

16,8 x 6,3 cm

EAN 8436584384465

12 UNITS



HACC4545

Manual Pump Oil Sprayer

- Sprays oil evenly for precise dosing.
- Refillable.
- Made of glass, polypropylene and stainless steel.
- Especially suitable for all kinds of oils, vinegars, essences and other liquids.
- BPA free.
- Practical, modern and resistant design.
- Dimensions: 6,2 x 16,5 cm
- Capacity 150 ml.



10 UNITS DISPLAY BOX
36 X 15,5 X 18 CM

6,2 x 16,5 cm

EAN 8436584384397

10 UNITS



Glass olive oil bottle with anti-drip system

- Borosilicate glass, safe and non-toxic.
- Maintains the original flavor of the oil.
- Anti-drip system. Stain-resistant.
- Hand-blown glass.
- Easy cleaning.



HACC4537 500 ml 11,7 x 11,7 x 21,5 cm 6 8436584383741

HACC4536 250 ml 9 x 9 x 19,5 cm 6 8436584383734


HACC4535 125 ml 7,3 x 7,3 x 16,7 cm 6 8436584383727

SET OF 3 SPARE CAPS

HRAC4537 500 ml 12 8436584383772

HRAC4536 250 ml 18 8436584383765

HRAC4535 125 ml 24 8436584383758


HACC45_


Salad spinner

- Salad spinner for washing and drying leafy greens and vegetables.
- Includes liquid inlet and outlet slots.
- BPA free.
- Swivel mechanism twists in both directions.
- Dimensions: 22,8 x 16,5 cm
- Capacity: 3 L



3L
CAPACIDAD

LIBRE DE BPA

LAVADO Y SECADO

ROTACIÓN BIDIRECCIONAL

Ø 22,8 x 16,5 cm

EAN 8436584384441

6 UNITS

HACC4554




HTER21_

Double-wall insulated flask

- Thermos with Double-Walled Glass Bottle for Excellent Thermal Insulation.
- Maintains drinks hot or cold for up to 6 hours (with $\pm 25\%$ temperature variation) and up to 12 hours (with $\pm 50\%$ variation).
- BPA free.
- Lightweight and easy to transport.
- Hermetically sealed for leak-proof transport.
- Does not absorb odors or flavors.
- Multifunctional lid: just unscrew it to use as a drinking cup.



① 6 UNITS DISPLAY BOX
34.5 X 22.5 X 7 CM

HTER2125 250 ml 6 8436584382676

HTER2150 500 ml 6 8436584382683

HTER2175 750 ml 6 8436584382690

HTER2100 1 l 6 8436584382706



942



943



942 / 943

Lunch box 2 - 3 l

- Double insulated walls to better preserve hot or cold food.
- BPA free.
- Hygienic and safe, compliant with FDA standards.
- High shock resistance.
- 1 L capacity container, microwave safe.
- Transport handle.



Includes a 1 liter container.
Microwave safe

942 2 l 6 8436017658781

943 3 l 6 8436017658798

JEFE2003

Electric lunch box

- 1,4 L Capacity
- BPA free.
- Power indicator light.
- Removable inner container with food separator.
- Heats and keeps food hot up to $75^{\circ}\text{C} \pm 5^{\circ}\text{C}$.
- Cutlery storage compartment.
- Spoon included.
- Lid with clips for easy closure.
- Carrying handle.
- Includes a removable power cord and a car cigarette lighter plug.
- Dimensions: 23,5 x 17,5 x 10 cm.
- 2 Charging cables: office/home (220-240V) and car (12V).



23,5 x 17,5 x 10 cm

EAN 8421078040132

6 UNITS

825 / 827**Vacuum flask****Stainless steel**

- **Double wall stainless steel. High quality.**
 - Inner layer: stainless steel 304.
 - Outer layer: stainless steel 201.
- Keeps food hot or cold for several hours.
- Inner lid with decompression valve for easy opening.
- BPA free.
- Silicone base and non-slip grip zone.
- High resistance to impact and drops.
- Lightweight and easy to transport.
- Hermetic locking.
- Screw-on lid.



825 500 ml 6 8436017658866

827 750 ml 6 8436017658873

**83_****Vacuum flask****From 250 to 1.000 ml**

- **Double wall stainless steel. High quality.**
 - Inner layer: stainless steel 304.
 - Outer layer: stainless steel 201.
- BPA free.
- Silicone base and non-slip grip zone.
- High resistance to impact and drops.
- Lightweight and easy to transport.
- Hermetic locking.
- Keeps drinks cold or hot for hours.
- Screw-on lid that can be used as a cup.
- Fast-opening pouring lip, activated by pressing with a finger.
- Capacity 750 ml.
- Detachable, to clean.
- Thermal insulation



835 250 ml 6 8436017658507

836 500 ml 6 8436017658514

837 750 ml 6 8436017658521

838 1 l 6 8436017658538

**840****Travel vacuum flask**

- **Double wall stainless steel. High quality.**
 - Inner layer: stainless steel 304.
 - Outer layer: stainless steel 201.
- BPA free.
- Thermal insulation. Keeps drinks cold or hot for hours.
- Screw-on lid.
- Hermetic locking with push-button opener.
- Folding handle for hanging.
- Lightweight and easy to transport.



EAN 8436017659702 6 UNITS





HTER2624

Stainless steel insulated cup 720 ml

- Keeps your drinks cold or hot for hours.
- Double-wall stainless steel for optimal insulation: interior made of food-grade 304 stainless steel and exterior made of durable 201 stainless steel.
- Leak-proof screw lid to prevent spills.
- Includes straw and lid for drinking without a straw.
- Carry handle.
- BPA free.
- Capacity: 720 ml



① 6 UNITS DISPLAY BOX
25,6 x 31,5 x 48,8 cm

||||| EAN 8436584386629

6 UNITS



826 / 909 / 919 / 920

Stainless steel vacuum flask 250 to 1.000 ml

- Double-wall stainless steel, high quality.
 - Inner layer: stainless steel 304.
 - Outer layer: stainless steel 201.
- BPA free.
- High resistance to impact and drops.
- Lightweight and easy to transport.
- Hermetic locking.
- Keeps drinks hot or cold for hours.
- Screw-on lid that can be used as a cup.
- Fast-opening pouring spout, operated with a one-finger press.

826

① 6 UNITS DISPLAY BOX
24,5 X 18 X 27 CM

909 / 919 / 920

① 6 UNITS DISPLAY BOX
25 X 17 X 20 CM

① 6 UNITS DISPLAY BOX
36 X 15,5 X 18 CM

① 6 UNITS DISPLAY BOX
36 X 15,5 X 18 CM



826 500 ml 6 ||||| 8436584380108

909 250 ml 6 ||||| 8436017658040

919 750 ml 6 ||||| 8436017658057

920 1 l 6 ||||| 8436017658064



HTER1011 / HTER1001

Stainless steel bottle

- Double-wall stainless steel, high quality.
- Inner layer: stainless steel 304.
- Outer layer: stainless steel 201.
- BPA free.
- Hermetic screw closure.
- Keeps drinks hot or cold for hours.
- Capacity: 500 ml



① 10 UNITS DISPLAY BOX
16,1 X 39,2 X 27 CM

HTER1011

||||| EAN 8436584385226

10 UNITS

HTER1001

||||| EAN 8436584385219

10 UNITS



HPOR7202**Insulated sandwich bag**
Earth

- RPET material: 100% recycled plastic made from 1 plastic bottle.
- Ideal for hot or cold sandwiches, snacks, lunches...
- Velcro closure.
- Capacity: 1,6 L
- Customizable: identifying textile label.
- Comfortable and practical design thanks to backside hanger
- Aluminium hanger.
- Waterproof inner lining.
- BPA free.
- 2 practical side zippers.
- Size: 18 x 4,5 x 21 cm



18 x 4,5 x 21 cm

6 UNITS DISPLAY BOX
25 X 19 X 18 CM

EAN 8436584384250

6 UNITS

**KUKUXUMUSU®****HPOR7203****Insulated sandwich bag**
Ocean

- RPET material: 100% recycled plastic made from 1 plastic bottle.
- Hot/cold insulated interior for better food preservation.
- Includes an interior strap to secure contents and a mesh pocket for cutlery and napkins.
- Capacity: 0,9 L
- Customizable: identifying textile label.
- Aluminium hanger.
- BPA free.
- Size: 15,5 x 4 x 15,5 cm



15,5 x 4 x 15,5 cm

6 UNITS DISPLAY BOX
25 X 19 X 18 CM

EAN 8436584384267

6 UNITS

**HPOR7056****Insulated food bag set of 2 pieces**
Food bag 2 pieces

- RPET material: 100% recycled plastic made with the equivalent of 4 plastic bottles.
- Two independent compartments.
- Lower compartment with hot/cold insulated interior to ensure better food preservation.
- Insulates up to 4 hours.
- Capacity 30 L
- Large removable upper compartment with anti-sand and dirt grid, plus an inner zippered pocket.
- Comfortable wide top handles
- Seamless heat-sealed waterproof inner lining.
- Size: 48 x 18 x 48 cm



48 x 18 x 48 cm

EAN 8436584383178

6 UNITS





HPOR7051

Insulated food bag Coral design

- RPET material: 100% recycled plastic made from 2.2 plastic bottles.
- Hot/cold insulated interior for better food preservation.
- Capacity: 7 L
- Practical outer pocket for storing cutlery or napkins.
- Modern and compact design.
- Seamless heat-sealed waterproof inner lining.



||||| EAN 8436584383185

6 UNITS

25 x 16 x 22,5 cm



HPOR7052

Insulated backpack

- RPET material: 100% recycled plastic made from 5 plastic bottles.
- Hot/cold insulated interior for better food preservation.
- Large capacity: 25 L
- 2 independent compartments.
- BPA free
- Comfortable and practical design with adjustable straps and carrying handle.
- Seamless heat-sealed waterproof inner lining.
- 2 practical side mesh pockets.



||||| EAN 8436584383192

6 UNITS

33 x 19 x 44 cm



HPOR7055

Insulated bag with 4 containers

- RPET material: 100% recycled plastic made from plastic bottles.
- Extra-large opening with two-way zippers.
- 4 BPA-free inner containers included: 2 of 250 ml and 2 of 800 ml.
- Hot/cold insulated interior for better food preservation.
- Capacity: 5 L
- Comfortable and practical design with adjustable strap and carrying handle.
- Practical inside pocket.
- Seamless heat-sealed waterproof inner lining.
- BPA free.



||||| EAN 8436584383284

6 UNITS

22 x 17 x 14 cm



HPOR7054

Children's thermal food bag

- RPET material: 100% recycled plastic made with the equivalent of 2,3 plastic bottles.
- Hot/cold insulated interior for better food preservation.
- Insulates up to 4 hours.
- Capacity: 6 L
- Adjustable padded shoulder straps.
- Hanging handle.
- Extra-large opening with two-way zippers.
- Practical outside pocket.
- Seamless heat-sealed waterproof inner lining.



||||| EAN 8436584383215

6 UNITS

23 x 11,5 x 31 cm

954

Insulated lunch bag TAKE AWAY

EXTENDABLE UP TO 8 cm

- Flexible lunch bag.
- Extensible upper compartment, expands up to 8 cm
- Equipped with a shoulder strap for easy carrying.
- PEVA interior lining: impermeable and waterproof.
- Non-toxic, easy to clean, BPA free.
- Hygienic and safe, compliant with FDA standard.
- 3 outer pockets.
- Includes 2 hermetic containers with easy openings: 1.500 ml and 1.100 ml
- Suitable for solids and liquids.
- Microwave safe (up to 120°C) and freezer safe (down to -18°C).
- Dishwasher safe.

TOXIC-FREE INSULATING PLASTIC
PEVA INTERIOR



||||| EAN 8436017658774

6 UNITS

**980**

XL Take away cooler bag

19,5 l

- Flexible cooler bag.
- Capacity: 19.5 L
- **PEVA lining interior:**
 - Impermeable and waterproof.
 - Non-toxic, easy to clean, BPA free.
 - Hygienic and safe, compliant with FDA standards.
- 3 outer compartments.
- Interior compartment.
- Design with handle and shoulder strap for easy carrying.
- Adjustable elastic upper cord.
- Size: 32 x 26 x 34 cm

TOXIC-FREE INSULATING PLASTIC
PEVA INTERIOR



||||| EAN 8436017659375

6 UNITS

**970**

Take away cooler bag

15 l

- Capacity: 15 L
- Design with handle and shoulder strap for easy carrying.
- PEVA lining interior.
- Impermeable and waterproof.
- Non-toxic, easy to clean, BPA free.
- Top flap for easy access.
- 3 outer compartments.
- Size: 31 x 24 x 22 cm

TOXIC-FREE INSULATING PLASTIC
PEVA INTERIOR



||||| EAN 8436017658750

6 UNITS



HCAR2501 / HCAR2502



40-Liter shopping cart

- 4-wheel design with 2 swivel wheels
- Highly durable and stable aluminium frame.
- Foldable.
- Maximum load capacity: 45 kg
- Adjustable drawstring closure.
- Removable polyester bag. Size: 30 x 26 x 55 cm
- Insulated freezer bag:
 - Size: 26,5 x 16 x 25 cm
 - 10 L capacity.
- 2 exterior side pockets.
- Interior pocket.
- Rear bag hook.
- Foot brake.
- Fully opened size: 44 x 59 x 98 cm
- Weight: 3,5 kg



HCAR2502



HCAR2501



HCAR2501

||||| EAN 8436584385721

1 UNIT

HCAR2502

||||| EAN 8436584385738

1 UNIT

AUTUMN **NOVELTY****HCAR2601 / HCAR2661**

46-Liter shopping cart

- Large 46-liter capacity thanks to its removable durable polyester bag, measuring 34 x 21 x 66 cm.
- The bag includes: a separate 4-liter insulated compartment for fresh or frozen products, two external side pockets, and an inner zip pocket. Drawstring closure.
- 8 wheels for comfortable movement on any surface and to make climbing steps and stairs easier.
- Steel frame, strong and stable.
- Load capacity up to 25 kg in normal use and 15 kg on stairs.
- Foldable design, easy to store.
- Dimensions in use: 43 x 57 x 95 cm or 43 x 35 x 106 cm.
- Folded dimensions: 43 x 11.5 x 103 cm.
- Very lightweight and easy to handle: 3.25 kg.

**HCAR2601**

EAN 8436584386575

1 UNIT

HCAR2661

EAN 8436584386643

4 UNIT



HCAR2523 / HCAR2563 / HCAR2524 / HCAR2564



2-wheel shopping cart

- Capacity: 40 l
- High-strength steel frame.
- Front support for greater stability.
- Maximum load: 30 kg
- Adjustable drawstring closure.
- Removable polyester bag. Size: 34 x 20.5 x 57 cm
- Insulated freezer bag:
 - Size: 27.5 x 4.5 x 28 cm.
 - 3 liters.
- 2 exterior side pockets.
- Zippered back pocket.
- Fully opened size: 41 x 31 x 95 cm
- Weight: 2.1 kg



41 x 31 x 95 cm

HCAR2563

||||| EAN 8436584385868
6 UNITS

HCAR2564

||||| EAN 8436584385875
6 UNITS

HCAR2523

||||| EAN 8436584386292
1 UNIT

HCAR2524

||||| EAN 8436584386308
1 UNIT



HCAR2564

HCAR2524



HCAR2563

HCAR2523



HREC42_

Tempered glass containers

- Borosilicate glass body.
- Lid with vacuum function.
- Welded silicone gasket.
- Keeps food safe and hygienic.
- BPA free.
- Suitable for freezer and microwave (lid included) - withstands temperatures from -40°C to + 400°C
- Suitable for oven and dishwasher (without lid)
- Hermetic seal prevents mixing of odors and flavors.
- Suitable for both solid and liquid foods.



HREC4200

500 ml
 EAN 8436584381532
 6 UNITS
 135 x 95 mm
 65 mm



HREC4201

800 ml
 EAN 8436584381549
 6 UNITS
 165 x 115 mm
 75 mm



HREC4202

1.500 ml
 EAN 8436584381556
 6 UNITS
 190 x 135 mm
 85 mm



SET HREC4205

800 - 3.000 ml
 EAN 8436584381587
 4 UNITS



SET HREC4204

500 - 800 - 1.500 ml
 EAN 8436584381570
 4 UNITS

HVIN2302**Cellar corkscrew**

- Double-threaded, continuous spiral.
- Great consistency due to its central axis and precision milling.
- Easy to use.
- Made of zinc and polypropylene.



6,8 x 14,6 x 3,6 cm

12 UNITS DISPLAY BOX
46 X 11,5 X 20 CM



EAN 8436584384571



12 UNITS

**HVIN2300****Double lever butterfly corkscrew**

- Easy cork removal.
- Zinc-plated steel alloy construction.
- Reinforced spiral (worm).
- Built-in bottle opener.



6 x 16 x 3,5 cm

12 UNITS DISPLAY BOX
50,5 X 11,5 X 20 CM



EAN 8436584384564



12 UNITS

**HVIN2202 / HVIN2212****Waiter lever corkscrew**

- Lever Corkscrew with Double Articulated Lever.
- Capsule cutter knife
- Bottle opener.
- Made of stainless steel and ABS.



12 UNITS DISPLAY BOX
23 X 11,5 X 20,5 CM

HVIN2202

EAN 8436584383321



2 x 12 UNITS

HVIN2212

EAN 8436584383970



2 x 12 UNITS



HVIN2212

HVIN2202



HVIN2201

USB rechargeable electric corkscrew

- Stainless steel and high resistance ABS.
- Charge indicator light.
- USB type C cable included.
- Lithium battery.
- Reverse spin with indicator lights.
- Suitable for any type of stopper.
- Capsule cutter included.
- Autonomy to open up to 70 bottles.



5,5 x 5,5 x 28,5 cm

EAN 8436584383314

6 UNITS



HVIN2205

Vacuum pump and 2 stoppers

- Stainless steel.
- 2 silicone stoppers.
- Preserves wine perfectly and prevents oxidation.
- Includes 1 vacuum bag of 21 x 22 cm as gift.
- Silicone adapter for vacuum valve.



EAN 8436584383352

6 UNITS



HVIN2314

Wine Aerator and Oxygenator

- Aerates the wine while serving.
- Anti-spill spout.
- Oxygenates the wine to enhance its flavor and aroma.
- Easy to clean.
- Practical design.



16 x 4,16 cm

12 UNITS DISPLAY BOX
30 X 11,5 X 15 CM


EAN 8436584384410

12 UNITS



HVIN2204**Gourmet Wine Aerator & Oxygenator**

- Aerates the wine while serving.
- Fast and efficient.
- Easy to clean.
- Includes support base and anti-drip system.
- Sleek, smart design.
- Travel pouch included.
- Size: 15,4 x 5,76 cm

**HVIN2206****Gourmet Cava Bottle Stopper**

- Made of highly durable stainless steel.
- Ergonomic design.
- Ensures perfect cava preservation.
- Quick and easy to clean.
- Fits all types of cava bottles.

**HVIN2215****Set of 4 silicone stoppers**

- Set of 4 vacuum plugs.
- Reusable platinum TPE stoppers.
- Completely airtight seal to preserve wine quality after vacuuming and oxygen removal.
- Keeps wine fresh and maintains its characteristics for longer.





HVIN2207

Glass markers

- Stackable.
- Practical storage design.
- Easy to clean
- Reusable.



12 UNITS DISPLAY BOX
30 X 11,5 X 15 CM

||||| EAN 8436584383376

12 UNITS



HVIN2208

Bottle cooler

- Active cooling gel.
- Outer layer made of cotton and nylon.
- Inner cotton lining helps retain cold for longer.
- Non-slip elastic strap at the base prevents the bottle from falling or sliding.



||||| EAN 8436584383383

6 UNITS



HVIN2200

Anti-drip pourer

- Aluminium sheet and anti-drip flexible PET Ø76 mm.
- Prevents contact with cork and capsule particles by pouring wine from inside the bottle into the glass.
- Easy to use and reusable.



12 UNITS DISPLAY BOX
11.5 X 14 X 15.5 CM

||||| EAN 8436584383963

24 UNITS



HBOX0122*Vinum Series*Accessory display
for wine

10 references

EAN 8436584384144

1 UNIT

**HVIN2204**
3 x AERATOR**HVIN2207**
12 x CUPS AND GLASSES
MARKER**HVIN2208**
8 x BOTTLE COOLER**HVIN2202**
20 x WAITER LEVER CORKSCREW**HVIN2205**
5 x VACUUM PUMP**HVIN2212**
10 x WAITER LEVER CORKSCREW**HVIN2215**
10 x SET OF 4 SILICONE STOPPERS**HVIN2200**
7 x ANTI-DRIP POURER**HVIN2201**
3 x USB RECHARGEABLE
ELECTRIC CORKSCREW**HVIN2206**
4 x GOURMET CAVA BOTTLE STOPPER

LOGISTIC DATA

REFERENCE	UNITS PER PACKAGING	EAN13	UNIT BOX (cm)			WEIGHT (Kg)	ITF14	PACKAGING (cm)			PALETS		
			WIDTH	LENGTH	HEIGHT			WIDTH	LENGTH	HEIGHT	C/P	UDS./P	AM (cm)
BEAUTY													
SHAVERS													
JBMA1400	6	8421078036319	9,8	7,6	19,2	0,34	18421078036316	25,4	21,7	21,6	84	504	166
JBMA1443	8	8421078040231	13,4	4,8	11,9	0,30	18421078040238	25,5	15,4	21,3	132	1056	143
JBMA1444	8	8421078039822	10,5	7,8	13,8	0,31	18421078039829	33,0	22,5	15,3	120	960	170
TRIMMERS / RAZORS													
CN12B	12	8421078035763	11,7	4,4	16,8	0,17	18421078035760	29,5	25,5	21,0	60	720	165
CN15B	28	8421078031154	7,6	3,0	20,0	0,09	18421078031151	33,8	24,1	22,8	66	1848	159
JBCN1375	24	8421078040248	8,0	3,5	14,0	0,11	18421078040245	44,0	33,0	15,3	50	1200	168
JBCP3305	6	8421078036326	14,6	8,3	22,0	0,50	18421078036323	30,3	27,5	25,0	50	300	153
JBCP3310	6	8421078036333	8,5	5,5	18,5	0,33	18421078036330	20,0	18,5	19,5	128	768	163
JBCP3315	6	8421078037323	15,0	5,0	18,0	0,36	18421078037320	32,0	17,0	20,0	128	768	175
JBCP3325	6	8421078037330	14,0	6,0	23,0	0,55	18421078037337	38,5	16,0	25,0	90	540	165
JBCP3532	8	8421078040217	9,0	4,3	22,6	0,20	18421078040214	39,4	19,8	10,4	120	960	119
JBCP3538	8	8421078039020	13,0	8,7	17,4	0,43	18421078039027	31,4	28,0	24,3	48	384	161
JBCP3700	8	8421078038306	8,5	6,0	18,5	0,30	18421078038303	24,0	20,5	19,5	120	960	171
JBCP4000	4	8421078036555	11,5	7,0	23,0	0,71	18421078036552	30,0	13,0	25,0	100	400	168
JBCP5544	4	8421078038412	11,0	7,0	22,5	0,70	18421078038419	30,0	13,0	25,5	100	400	140
JBDF1503	12	8421078041481	7,7	4,0	12,6	0,11	18421078041488	P 18	P 27	P 15	-	-	-
JBSE2102	8	8421078036623	21,0	6,0	22,5	0,50	18421078036620	43,0	28,0	25,0	36	288	162
MP423	8	8421078034858	13,0	6,0	24,0	0,51	18421078034855	30,0	26,5	27,0	60	480	177
PERSONAL CARE													
JBRS1320	10	8421078039839	11,3	4,4	18,6	0,20	18421078039836	24,3	24,3	19,0	72	720	132
JBSM1200	6	8421078036340	10,0	4,5	20,5	0,29	18421078036347	21,5	14,5	21,0	203	1218	162
HAIR STRAIGHTENERS													
JBCA1901	6	8421078036616	31,5	5,5	10,5	0,50	18421078036613	33,0	24,0	19,0	80	480	167
JBSC1065	6	8421078036562	23,0	10,1	28,5	0,96	18421078036569	61,7	30,3	25,8	24	144	170
JBSC1195	6	8421078038382	22,2	11,6	28,2	1,12	18421078038389	45,7	37,0	30,5	24	144	163
JBSC1290	6	8421078039037	20,0	12,0	28,0	1,05	18421078039034	42,0	38,0	30,0	32	192	180
JBSC1430	6	8421078037309	25,0	10,0	18,0	0,92	18421078037306	38,5	32,5	27,0	45	270	178
JBSC1440	6	8421078039044	16,8	11,2	26,2	0,85	18421078039041	35,5	35,7	28,6	32	192	157
JBSC1600	6	8421078040200	25,7	8,8	33,9	1,41	18421078040207	53,0	35,5	29,0	24	144	161
JBSC2211	6	8421078037354	37,2	10,0	13,8	0,68	18421078037351	38,2	29,4	32,6	40	240	173
JBSC2255	6	8421078040224	20,3	9,2	30,0	0,91	18421078040221	41,8	29,3	33,5	40	240	183
JBSC2605	4	8421078041498	P 23	P 14.4	P 13.3	-	18421078041495	P 35.5	P 30	P 28.5	-	-	-
JBSC2656	6	8421078041504	P 22	P 10	P 28.5	-	18421078041501	P 45.5	P 32	P 30.5	-	-	-
JBSC5577	4	8421078038375	31,0	9,1	29,4	1,37	18421078038372	38,0	32,8	31,3	30	120	170
SC43B	6	8421078035688	18,0	8,5	26,5	0,77	18421078035685	38,0	27,5	28,0	30	180	155
SC47B	12	8421078034261	14,3	9,0	22,5	0,50	18421078034268	44,0	38,0	25,0	24	288	171
SC56B	6	8421078033110	23,3	9,7	27,1	0,92	18421078033117	48,4	31,2	29,4	30	180	171
JBPP1503	6	8421078040262	34,3	6,3	8,5	0,48	18421078040269	35,2	20,6	19,4	96	576	170
JBPP1588	6	8421078039051	33,2	5,0	8,2	0,45	18421078039058	35,0	18,2	17,3	108	648	171
JBPP5570	6	8421078038429	39,5	7,0	6,5	0,99	18421078038426	41,5	25,5	23,0	63	378	176
JBSE2101	6	8421078036296	42,0	6,0	11,0	0,78	18421078036293	43,0	20,0	24,0	70	420	180
BEAUTY REPLACEMENTS													
JRCP3532	12	8421078040347	8,2	1,7	11,4	0,02	18421078040344	25,3	8,9	25,3	192	2304	167
JRMA1444	12	8421078039815	9,8	1,5	14,0	-	18421078039812	18,0	13,0	11,0	-	-	-

P = Provisional

REFERENCE	UNITS PER PACKAGING	EAN13	UNIT BOX (cm)			WEIGHT (Kg)	ITF14	PACKAGING (cm)			PALETS		
			WIDTH	LENGTH	HEIGHT			WIDTH	LENGTH	HEIGHT	C/P	UDS./P	AM (cm)
JRRS1320	12	8421078039778	9,4	3,3	11,6	0,03	18421078039775	31,0	10,3	13,0	240	2880	171
RM34A	12	8421078034971	9,5	2,0	10,5	0,03	18421078034978	18,0	16,5	12,5	40	480	66
BODY ANALYZERS													
532	6	8436584380184	29,5	3,5	29,5	1,41	18436584380181	31,0	23,0	31,5	48	288	141
538	4	8436584380603	30,5	3,5	26,0	1,34	18436584380600	32,5	16,5	28,0	70	280	155
577	6	8436017658095	28,5	4,0	35,5	1,31	18436017658092	37,0	31,0	25,0	40	240	170
HBAS1155	6	8436584385196	29,5	3,0	29,5	1,35	18436584385193	32,8	22,3	31,5	48	288	141
HBAS1501	6	8436584381785	37,5	3,5	37,5	2,16	18436584381782	39,0	20,0	39,5	36	216	131
HBAS1524	6	8436584384823	29,0	3,0	29,0	1,27	18436584384820	31,0	20,0	30,5	48	288	141
HBAS2501	3	8436584385783	37,0	4,5	37,0	2,42	18436584385780	38,5	39,0	16,0	60	180	171
HBAS2531	6	8436584385707	29,8	3,0	29,2	1,18	18436584385704	30,5	19,0	31,0	52	312	139
HBAS2532	6	8436584385714	29,8	3,0	29,2	1,18	18436584385711	30,5	19,0	0,3	52	312	139
SCALES													
496N	6	8436017659610	31,2	3,0	31,2	2,08	18436017659617	32,5	20,3	32,7	48	288	146
498	6	8436017659627	31,0	3,0	30,0	1,70	18436017659624	32,0	20,0	32,5	48	288	145
HBAS1291	6	8436584384977	29,0	3,0	29,0	1,29	18436584384974	31,0	21,5	31,0	60	360	175
HBAS1292	6	8436584384984	29,0	3,0	29,0	1,29	18436584384981	31,0	21,5	31,0	60	360	175
HBAS1415	6	8436584382645	31,0	2,5	35,0	1,51	18436584382642	35,5	17,0	32,0	56	336	143
HBAS1417	6	8436584383697	31,5	3,5	31,5	1,97	18436584383694	33,5	23,0	33,5	44	264	149
HBAS1424	6	8436584384694	31,5	31,5	3,0	1,37	18436584384691	33,0	19,5	33,0	48	288	147
HBAS1489	6	8436584385646	29,2	4,1	29,0	1,05	18436584385643	30,2	28,0	31,7	40	240	174
HBAS1492	6	8436584384700	30,0	2,5	27,0	1,20	18436584384707	31,0	18,0	29,0	56	336	131
HBAS1499	4	8436584382232	27,5	5,0	33,5	1,70	18436584382239	34,5	22,0	29,0	55	220	160
HBAS1907	6	8436584385042	29,2	4,5	29,2	1,42	18436584385049	30,2	31,3	31,0	40	240	170
MECHANICAL SCALES													
70	6	8436584380627	31,7	6,5	29,0	1,49	18436584380624	38,0	30,0	32,5	32	192	145
ELECTRIC HEATING PADS													
CT10	6	8421078032205	30	6	22	0,60	18421078032202	38,2	32,6	25,3	45	270	145
CT20	6	8421078032212	42	7	26,1	0,70	18421078032219	44,8	28,7	44,5	18	108	150
CT30	6	8421078032229	42	7,4	23	0,80	18421078032226	47,5	45	25,5	18	108	150
SEWING													
SEWING MACHINE													
JSMC1120	1	8421078038993	46,0	22,5	35,3	5,86	-	46,0	22,5	35,3	28	28	156
JSMC5217	1	8421078036432	39,0	20,0	34,0	5,86	-	39,0	20,0	34,0	48	48	151
MC695	1	8421078028864	39,0	20,0	33,5	5,86	-	39,0	20,0	33,5	60	60	180
MC740	1	8421078032182	43,0	21,5	35,5	7,03	-	44,5	22,0	36,5	28	28	161
MC744	1	8421078033981	43,0	21,0	35,0	7,04	-	44,5	22,5	36,0	28	28	157
OL902	1	8421078033998	42,5	35,0	34,0	8,24	-	43,2	36,0	35,0	18	18	141
ACCESORIES													
AC45	4	8421078032328	35,5	4,5	22,0	0,91	-	36,4	19,3	23,9	72	288	159
HOME													
STEAM IRONS													
JEPL1120	6	8421078040910	27,1	11,2	14,3	0,92	18421078040917	34,6	28,8	29,7	64	384	164
JEPL1221	6	8421078038337	30,2	12,2	15,8	1,28	18421078038334	37,5	32,0	33,7	30	180	180
JEPL3281	6	8421078041467	P 33	P 14	P 16.2	-	18421078041464	P 58	P 34.5	P 34.5	-	-	-
JEPL3601	6	8421078041474	P 32	P 14.4	P 16.5	-	18421078041471	P 44.7	P 33.5	P 34.5	-	-	-
JEPL7000	4	8421078036272	16,5	12,3	29,0	1,21	18421078036279	34,0	26,5	30,5	45	180	168

P = Provisional

LOGISTIC DATA

REFERENCE	UNITS PER PACKAGING	EAN13	UNIT BOX (cm)			WEIGHT (Kg)	ITF14	PACKAGING (cm)			PALETS		
			WIDTH	LENGTH	HEIGHT			WIDTH	LENGTH	HEIGHT	C/P	UDS./P	AM (cm)
PL1058C	6	8421078035381	31,8	13,5	17,2	1,58	18421078035388	42,2	33,4	36,6	24	144	161
PL120	6	8421078033486	27,0	11,2	14,2	0,92	18421078033483	45,0	26,0	34,7	40	240	166
PL221C	6	8421078033493	30,4	12,4	16,0	1,23	18421078033490	38,6	31,8	33,7	24	144	150
PL225	6	8421078034841	30,3	12,8	14,5	1,16	18421078034848	40,2	32,0	31,5	30	180	173
PL598C	6	8421078035428	31,5	12,5	17,0	1,34	18421078035425	40,5	32,5	34,5	24	144	153
PL618	6	8421078032397	30,7	12,5	16,0	1,41	18421078032394	39,3	32,2	33,5	24	144	153
PL622C	6	8421078035435	32,3	14,0	16,8	1,57	18421078035432	42,7	33,8	36,0	24	144	159
TRAVEL STEAM IRONS													
JEPL2810	10	8421078037101	21,7	9,8	10,8	0,74	18421078037108	49,6	23,4	23,0	49	490	176
PL357N	12	8421078027041	19,3	10,0	10,2	0,69	18421078030192	39,7	32,5	23,0	42	504	176
STEAM STATION													
JECP8522	2	8421078037057	27,4	26,3	37,0	3,64	18421078037054	54,4	29,0	38,7	24	48	177
JECP8526	2	8421078041450	38,5	22,5	29,5	3,33	18421078041457	47,0	40,4	31,6	-	-	-
ACESSORIES													
800	24	8436017650785	17,8	3,5	36,3	0,10	18436017650782	54,0	18,2	45,6	24	576	152
HPLA5210	12	8436584382768	17,0	28,0	2,0	0,13	18436584382765	24,0	17,0	26,0	98	1176	162
HPLA5211	12	8436584382775	19,0	3,5	23,0	0,11	18436584382772	38,0	20,3	19,7	96	1152	166
HPLA5212	6	8436584382782	18,5	10,0	21,0	0,16	18436584382789	34,0	21,0	39,5	48	288	151
HPLA8020	6	8436584382096	18,5	10,0	21,0	0,16	18436584382093	34,0	21,0	39,5	28	168	151
HPLA8110	12	8436584382072	15,0	0,5	28,0	0,09	18436584382079	29,5	17,0	9,0	240	2880	168
HPLA8115	6	8436584382089	10,2	7,0	33,6	0,71	18436584382086	62,6	11,5	23,8	60	360	159
PT10	12	8436584380580	16,8	1,0	25,5	0,05	18436584380587	24,3	19,3	11,8	112	1344	90
LADDER / IRONING BOARD													
848S	1	8436017653335	34,0	9,5	146,0	6,92	-	37,0	11,0	150,0	22	22	165
HPLA8482	1	8436584386155	34,4	9,7	113,0	7,38	-	37,3	11,4	114,0	-	-	-
IRONING BOARDS													
HPLA5213	6	8436584382799	35,0	76,0	3,0	1,62	18436584382796	76,0	17,5	36,5	24	144	161
HPLA8100	2	8436584381655	40,3	6,2	147,0	4,66	18436584382406	40,3	13,2	147,0	24	48	161
HPLA8126	2	8436584386667	40,0	6,5	145,5	4,85	18436584386664	40,0	12,0	145,5	24	48	161
HPLA8214	6	8436584382904	35,0	76,0	3,0	1,63	18436584382901	77,0	17,5	36,5	24	144	161
HPLA8241	1	8436584385332	46,7	8,7	157,0	7,61	18436584385339	46,7	8,7	157,0	24	24	172
HPLA8242	1	8436584385325	46,5	9,5	147,0	8,09	18436584385322	46,5	9,5	147,0	24	24	162
TM200	6	8436017659320	54,5	11,0	4,0	0,70	18436017659327	54,8	24,0	14,2	77	462	171
TM200R	1	8436017659320	54,0	12,0	5,0	0,73	8436584383086	54,0	12,5	6,5	208	208	119
TP500	2	8436017659245	37,4	7,6	142,0	5,37	18436017659242	37,4	15,3	142,2	18	36	158
TP520	2	8436017659252	45,3	9,0	162,0	6,30	18436017659259	45,3	17,0	162,0	12	24	178
TP550	2	8436017659269	46,5	8,5	162,5	8,50	18436017659266	46,5	16,5	162,5	12	24	179
TP600	1	8436017659276	48,0	14,0	116,0	9,43	18436017659273	50,0	16,5	118,0	10	10	113
COVER REPLACEMENTS													
HFUN8014	6	8436584383154	22,0	3,5	35,0	0,21	18436584383151	30,5	24,0	28,0	50	300	155
HFUN8126	6	8436584386674	23,0	4,0	33,5	0,11	18436584386671	39,5	23,8	37,0	40	240	163
RF50	6	8436017659290	22,0	5,5	35,5	0,28	18436017659297	39,0	24,0	30,0	50	300	160
RF52	6	8436017659306	23,0	6,0	35,0	0,31	18436017659303	39,0	24,0	30,0	50	300	162
RF55	6	8436017659313	22,0	5,0	36,0	0,34	18436017659310	39,5	24,0	30,0	50	300	162
RF60	6	8436584383888	26,0	6,0	37,5	0,30	-	-	-	-	-	-	-
HRF81	6	8436584381662	21,5	7,0	36,0	0,23	18436584381669	39,5	24,0	30,0	50	300	160
RF8N	6	8436017658569	23,5	5,0	35,5	0,30	18436017658566	34,0	25,0	26,0	54	324	167

P = Provisional

REFERENCE	UNITS PER PACKAGING	EAN13	UNIT BOX (cm)			WEIGHT (Kg)	ITF14	PACKAGING (cm)			PALETS		
			WIDTH	LENGTH	HEIGHT			WIDTH	LENGTH	HEIGHT	C/P	UDS./P	AM (cm)
HFUN8482	12	8436584386605	-	-	-	-	18436584386602	P 78	P 27	P 35	-	-	-
DRYER RACKS													
HTEN2370	6	8436584384595	54,5	4,5	131,0	2,22	18436584384592	60,0	15,5	131,0	9	54	146
HTEN2375	6	8436584384601	55,0	4,0	131,0	1,87	18436584384608	60,5	15,5	132,0	9	54	147
HTEN2402	6	8436584385110	57,3	2,6	35,0	0,84	18436584385117	58,0	32,5	16,3	45	270	177
HTEN2403	6	8421078038627	52,0	1,5	34,5	0,34	18421078038624	52,5	10,0	34,5	60	360	165
LINT SHAVERS													
JEQP1272	12	8421078040057	7,3	6,0	18,8	0,23	18421078040054	34,0	21,5	16,5	99	1188	177
JEQP5218	12	8421078036449	8,5	7,0	17,0	0,19	18421078036446	30,0	24,0	20,0	72	864	156
JEQP6688	12	8421078038979	8,0	7,0	13,8	0,18	18421078038976	29,3	26,0	16,2	100	1200	177
QP398N	12	8421078033011	8,5	7,0	17,0	0,18	18421078033018	29,5	24,0	20,0	72	864	159
QP620	12	8421078030942	12,3	10,0	21,0	0,44	18421078030949	44,5	39,0	21,5	30	360	147
SUCTION													
AP999	1	8421078033158	37,5	27,5	26,5	4,80	-	37,5	27,5	26,5	48	48	178
RBA915	30	8421078035183	17,0	13,5	4,5	0,21	18421078035180	67,5	18,5	29,0	30	900	160
JEAP1308	1	8421078039631	41,8	27,2	23,0	4,45	-	41,8	27,2	23,0	42	42	176
JEAP1629	1	8421078038986	28,0	13,5	70,0	3,27	-	28,0	13,5	70,0	54	54	0
JEAP1640	1	8421078041436	P 39	P 20.5	P 28.5		-	P -	P -	P -	0	0	0
JEAP1950	1	8421078038597	26,3	13,4	67,4	3,02	-	26,3	13,4	67,4	60	60	173
AIR													
JEGA1001	1	8421078035817	79,5	16,5	16,0	3,82	-	80,5	17,0	18,0	63	63	177
HU992	8	8421078032410	10,5	10,5	14,0	0,37	18421078032417	43,0	22,5	17,0	63	504	168
JEHU2413	1	8421078039402	31,0	24,0	44,3	9,82	-	31,0	24,0	44,3	42	42	180
JEHU5408	4	8421078037408	17,5	17,0	21,5	0,33	18421078037405	36,0	36,5	24,0	36	144	160
JEHU2420	1	8421078039143	38,8	24,6	65,0	12,79	-	38,8	24,6	65,0	20	20	170
JEHU2421	6	8421078041696	17,0	17,0	28,7	1,34	18421078041693	P 52.8	P 35.5	P 30.1	-	-	-
NON ELECTRIC KITCHENWARE													
WATER FILTER PITCHERS													
HJAR1001	6	8436584382461	24,5	11,8	30,5	1,56	18436584382468	62,0	36,0	26,0	24	144	175
HJAR1003	6	8436584382478	26,5	13,5	28,5	1,60	18436584382475	54,5	41,0	31,0	18	108	179
REPLACEMENTS													
RE123X4	6	8436017654523	22,5	13,0	8,2	0,61	18436017654520	47,5	40,0	11,0	56	336	173
ELECTRONIC SCALES													
55K	12	8436017659597	7,5	5,0	18,1	0,14	18436017659594	32,0	16,9	21,3	98	1176	164
290N	6	8436017659962	31,5	3,0	32,0	1,67	18436017659969	34,0	23,5	34,0	40	240	151
294K	6	8436584381013	31,0	2,5	31,0	1,47	18436584381010	32,5	17,0	32,5	56	336	145
295K	6	8436584381020	31,0	2,5	31,0	1,47	18436584381027	32,5	17,0	32,5	56	336	143
719	6	8436017659351	19,0	2,8	23,0	0,37	18436017659358	22,5	20,5	25,7	84	504	174
720	6	8436017659580	19,0	2,8	23,1	0,41	18436017659587	22,5	20,0	25,7	84	504	141
721	8	8436017659993	15,5	5,0	23,5	0,51	18436017659990	33,0	21,5	25,5	45	360	143
722	8	8436017655865	19,0	19,0	1,5	0,38	18436017655862	23,0	21,5	16,5	84	672	148
722P	12	8436017656619	19,5	2,0	23,0	0,45	18436017656616	41,0	14,0	21,5	105	1260	168
729R	6	8436017659092	18,5	2,0	21,0	0,55	18436017659099	23,5	19,0	21,0	96	576	147
762	8	8436017659078	16,5	3,0	23,0	0,50	18436017659075	26,0	18,0	25,0	96	768	165
775	6	8436017659887	20,2	4,3	25,6	0,92	18436017659884	27,5	27,5	22,5	72	432	177
80	9	8436017660104	10,2	6,0	23,8	0,17	18436017660101	34,0	20,5	26,4	66	594	173
HBAL0350	12	8436584381846	18,0	2,5	20,5	0,27	18436584381843	34,0	19,5	22,0	84	1008	162

P = Provisional

LOGISTIC DATA

REFERENCE	UNITS PER PACKAGING	EAN13	UNIT BOX (cm)			WEIGHT (Kg)	ITF14	PACKAGING (cm)			PALETS		
			WIDTH	LENGTH	HEIGHT			WIDTH	LENGTH	HEIGHT	C/P	UDS./P	AM (cm)
HBAL0370	8	8436584381761	13,5	3,0	17,5	0,43	18436584381768	28,5	17,5	19,5	120	960	165
HBAL1110	6	8436584384687	19,0	2,5	19,0	0,26	18436584384684	22,0	18,5	21,0	112	672	162
HBAL1202	8	8436584381839	15,5	5,0	20,0	0,40	18436584381836	32,5	21,0	22,5	55	440	128
HBAL1203	12	8436584381754	18,0	2,5	20,5	0,29	18436584381751	34,5	19,5	22,0	84	1008	169
HBAL1204	6	8436584382225	23,5	3,5	32,0	1,04	18436584382222	25,0	21,5	34,5	72	432	144
HBAL1207	6	8436584382492	15,5	5,0	23,0	0,52	18436584382499	30,5	16,5	23,0	112	672	176
HBAL1211	6	8436584385639	15,2	2,5	22,7	0,29	18436584385636	25,0	18,4	18,6	128	768	164
HBAL1220	8	8436584381679	15,5	4,5	23,5	0,47	18436584381676	32,5	21,5	25,5	60	480	168
HBAL1254	6	8436584385011	18,7	3,6	23,7	0,57	18436584385018	23,7	20,2	24,8	84	504	181
HBAL1300	6	8436584384489	15,5	3,0	22,0	0,33	18436584384486	20,5	18,5	24,5	112	672	159
HBAL1709	6	8436584384496	17,6	6,0	19,5	0,39	18436584384493	37,5	18,5	20,5	84	504	179
HBAL1710	6	8436584386407	21,6	10,8	21,7	0,61	18436584386404	P 45	P 34	P 22	-	-	-
HBAL1751	6	8436584386438	19,8	2,3	22,8	0,61	18436584386435	21,5	17,2	24,5	-	-	-
HBAL1752	6	8436584386421	19,8	2,3	22,8	0,61	18436584386428	21,5	17,2	24,5	-	-	-
HBAL1774	12	8436584383680	10,0	3,5	20,0	0,15	18436584383687	21,5	19,5	22,0	112	1344	169
HBAL1775	8	8436584383918	13,0	3,5	24,0	0,34	18436584383915	43,0	17,0	14,7	100	800	180
HBAL1776	8	8436584386414	11,0	2,7	16,3	0,27	18436584386411	P 23.6	P 12.6	P 17.7	-	-	-
HBAL7230	8	8436584382249	19,5	2,5	22,0	0,39	18436584382246	24,5	23,0	23,0	84	672	155
HBAL7240	8	8436584382256	19,5	2,5	22,0	0,38	18436584382253	24,5	23,0	23,0	84	672	155
HBAL7292	6	8436584386384	16,0	2,8	22,4	0,50	18436584386381	18,5	18,3	24,8	-	-	-
HBAL7293	6	8436584386391	16,0	2,8	22,4	0,50	18436584386398	18,5	18,3	24,8	-	-	-
HBL0300	6	8436584381365	19,0	2,7	23,2	0,36	18436584381362	21,5	22,0	26,0	72	432	171
HBL0310	6	8436584381372	19,5	3,0	23,5	0,45	18436584381379	22,5	22,0	26,0	72	432	172
MECHANICAL SCALES													
HBAL1610	6	8436584385684	18,3	7,0	18,2	0,42	18436584385681	37,6	23,2	20,3	72	432	177
PRESSURE COOKERS													
HOLL2224	2	8436584385745	47,7	26,5	18,5	2,79	18436584385742	54,2	43,5	20,5	21	42	146
HOLL2226	2	8436584381860	43,0	28,5	21,5	3,39	18436584381867	58,5	44,0	23,5	18	36	132
HOLL2228	2	8436584381877	42,5	29,0	25,5	3,68	18436584381874	60,0	44,5	27,2	18	36	133
HOLL2230	2	8436584381884	42,8	28,7	30,2	3,91	18436584381881	59,3	44,6	33,0	12	24	149
HOLL2547	2	8436584385752	41,8	26,0	34,0	5,13	18436584385759	54,0	43,5	35,8	18	36	177
HOLL2604	2	8436584386469	P 24.5	P 24.5	P 22	-	18436584386466	P 50.5	P 26	P 24	-	-	-
HOLL2606	2	8436584386476	P 26.5	P 26.5	P 25.5	-	18436584386473	P 54.5	P 28	P 27.5	-	-	-
HOLL2608	2	8436584386483	P 28.5	P 28.5	P 27	-	18436584386480	P 58.5	P 30	P 29	-	-	-
HOLL2610	2	8436584386490	P 30.5	P 30.5	P 28	-	18436584386497	P 62.5	P 32	P 30	-	-	-
OPC10	2	8436017657722	35,2	28,7	26,4	4,55	18436017657729	58,5	37,3	29,0	20	40	158
OPC12	1	8436584385769	35,2	28,7	31,0	4,75	18436584385766	37,0	30,8	34,0	30	30	169
OPC4	4	8436017657685	32,5	22,5	20,5	3,01	18436017657682	46,5	34,0	43,0	15	60	147
OPC6	4	8436017657692	33,2	24,5	22,5	3,51	18436017657699	50,5	35,2	47,7	15	60	167
OPC8	2	8436017657715	34,7	26,8	25,2	4,11	18436017657712	54,7	37,0	27,4	20	40	155
OSR4	1	8436017658255	30,3	31,0	19,0	3,52	18436017658252	32,0	31,5	20,5	60	60	174
OSR6	1	8436017658262	30,4	30,7	24,0	3,85	18436017658269	31,5	32,4	26,3	50	50	177
OSR8	1	8436017658279	30,1	30,6	29,1	4,21	18436017658276	32,3	32,2	31,8	40	40	174
GRILLS													
GMA28	6	8436017658910	22,7	32,6	0,2	1,12	18436017658917	31,2	31,4	28,2	30	180	155
GP35	6	8436017658927	27,8	30,0	0,2	1,10	18436017658924	37,2	32,5	29,0	30	180	169
GR25	4	8436017659672	36,3	5,5	27,7	2,38	18436017659679	38,0	25,1	29,8	36	144	134

P = Provisional

REFERENCE	UNITS PER PACKAGING	EAN13	UNIT BOX (cm)			WEIGHT (Kg)	ITF14	PACKAGING (cm)			PALETS			
			WIDTH	LENGTH	HEIGHT			WIDTH	LENGTH	HEIGHT	C/P	UDS./P	AM (cm)	
PANS														
CF916	6	8436584381167	14,5	10,0	17,5	0,94	18436584381164	40,0	26,0	30,5	45	270	168	
CF920	3	8436584381174	34,0	11,5	22,0	1,44	18436584381171	36,5	23,5	37,5	36	108	165	
CF922	3	8436584381181	36,6	12,0	24,0	1,68	18436584381188	38,5	27,5	38,4	36	108	169	
CF924	3	8436584381198	38,5	13,6	25,0	1,92	18436584381195	40,0	28,5	44,4	24	72	147	
HCAZ2516	6	8436584386117	18,0	11,0	34,0	0,98	18436584386114	36,5	33,0	29,0	30	180	0	
HCAZ2520	3	8436584386124	32,5	11,5	21,0	1,38	18436584386121	34,5	23,5	34,5	40	120	0	
HCAZ2524	3	8436584386148	36,5	12,0	25,5	1,86	18436584386145	39,5	28,0	37,5	40	120	0	
HCAZ2608	3	8436584386537	P 29.5	P 29.3	P 10.7	-	18436584386534	P 92	P 38.5	P 13.5	-	-	-	
HCAZ2616	6	8436584386612	P 17.5	P 17.3	P 11.1	-	18436584386619	P 37	P 35.5	P 37.5	-	-	-	
HCAZ2620	3	8436584386506	P 21	P 20.8	P 12.5	-	18436584386503	P 66.5	P 28.5	P 15.5	-	-	-	
HCAZ2624	3	8436584386513	P 25.4	P 25.2	P 14.4	-	18436584386510	P 79.5	P 34.5	P 17	-	-	-	
HCAZ2628	3	8436584386520	P 29.4	P 29.4	P 16.3	-	18436584386527	P 92	P 38.5	P 19	-	-	-	
HSAR2118	6	8436584382805	19,5	5,5	36,0	0,44	18436584382802	36,5	21,5	30,0	60	360	163	
HSAR2120	6	8436584382812	21,0	5,5	38,0	0,51	18436584382819	38,5	23,5	29,5	45	270	169	
HSAR2122	6	8436584382829	23,0	7,0	43,0	0,74	18436584382826	43,5	25,0	32,5	30	180	180	
HSAR2124	6	8436584382836	25,0	6,0	46,0	0,82	18436584382833	46,0	27,0	32,0	30	180	175	
HSAR2126	4	8436584382843	27,5	8,0	47,5	0,92	18436584382840	48,0	29,0	26,0	36	144	168	
HSAR2128	4	8436584382850	29,5	7,5	49,5	1,05	18436584382857	49,5	31,0	25,5	30	120	170	
HSAR2130	4	8436584382867	31,3	8,5	51,4	1,08	18436584382864	50,3	33,3	26,0	30	120	167	
HSAR2402	6	8436584384953	25,0	9,0	46,0	1,25	18436584384950	61,0	32,0	31,0	20	120	170	
HSAR2403	4	8436584384960	27,0	12,5	46,0	1,86	18436584384967	63,0	34,0	29,0	20	80	160	
HSAR2518	6	8436584386162	19,0	7,0	36,0	0,51	18436584386169	41,0	28,5	14,0	60	360	165	
HSAR2520	6	8436584386179	20,9	8,0	37,6	0,57	18436584386176	42,8	30,2	14,0	60	360	155	
HSAR2522	6	8436584386186	22,8	8,0	39,8	0,66	18436584386183	46,6	31,7	14,6	50	300	161	
HSAR2524	6	8436584386193	25,0	7,5	44,0	0,76	18436584386190	35,0	51,0	15,0	40	240	165	
HSAR2526	6	8436584386209	27,0	9,5	45,5	0,86	18436584386206	55,0	36,0	15,0	40	240	165	
HSAR2528	6	8436584386216	29,0	6,5	43,0	0,96	18436584386213	59,0	36,5	15,0	40	240	165	
HSAR2620	6	8436584386544	P 56.7	P 16	0,0	-	18436584386541	P 44.5	P 29	P 19.5	-	-	-	
HSAR2624	6	8436584386551	P 65.2	P 19.5	0,0	-	18436584386558	P 52.5	P 33.5	P 20.5	-	-	-	
HSAR2628	6	8436584386568	P 76.8	P 23	0,0	-	18436584386565	P 60.5	P 36.5	P 21.5	-	-	-	
HTAR2524	3	8436584386230	36,0	9,0	25,5	1,64	18436584386237	39,0	27,5	28,0	40	120	0	
HTAR2528	3	8436584386247	39,5	10,0	29,0	2,16	18436584386244	42,5	32,0	31,5	25	75	0	
SEW20M	6	8436017656633	21,0	10,0	36,5	0,59	18436017656630	43,5	27,5	17,0	54	324	168	
SEW24M	6	8436017656657	24,7	11,2	42,8	0,81	18436017656654	51,0	31,8	18,6	48	288	164	
SEW28M	6	8436017656671	29,0	11,0	47,0	1,03	18436017656678	59,0	36,3	7,8	36	216	161	
SET SF1 2024	4	8436017658712	25	12	43	1,36	18436017658719	33,5	23,5	116	35	140	180	
SET SF1 182226	4	8436584380641	27	15	46,5	2,08	18436584380648	62	33,5	29,5	20	80	163	
SF118	6	8436017658439	19,0	8,5	34,5	0,50	18436017658436	39,0	26,5	13,5	88	528	164	
SF120	6	8436017658446	21,0	8,5	36,5	0,60	18436017658443	43,0	27,5	14,0	66	396	169	
SF122	6	8436017658453	23,0	9,0	38,5	0,69	18436017658450	47,0	30,0	15,0	66	396	180	
SF124	6	8436017658460	25,0	9,0	43,0	0,83	18436017658467	51,5	31,5	15,0	60	360	175	
SF126	6	8436017658477	27,0	9,4	44,8	0,92	18436017658474	55,0	33,5	17,0	40	240	180	
SF128	6	8436017658484	29,0	9,0	47,0	1,06	18436017658481	59,0	35,5	16,0	40	240	195	
SF130	6	8436017658491	31,0	10,0	49,0	1,20	18436017658498	63,0	38,0	17,0	40	240	185	
SF918	6	8436584381075	19,0	6,5	36,0	0,58	18436584381072	38,5	28,0	14,5	88	528	175	
SF920	6	8436584381082	21,0	8,0	38,5	0,69	18436584381089	43,5	28,5	15,0	60	360	165	

P = Provisional

LOGISTIC DATA

REFERENCE	UNITS PER PACKAGING	EAN13	UNIT BOX (cm)			WEIGHT (Kg)	ITF14	PACKAGING (cm)			PALETS		
			WIDTH	LENGTH	HEIGHT			WIDTH	LENGTH	HEIGHT	C/P	UDS./P	AM (cm)
SF922	6	8436584381099	23,0	8,0	40,5	0,78	18436584381096	47,0	30,5	15,5	60	360	170
SF924	6	8436584381105	25,0	8,0	44,0	0,99	18436584381102	1,0	33,0	15,5	50	300	175
SF926	6	8436584381112	27,0	8,0	45,0	1,15	18436584381119	55,0	34,5	16,0	36	216	155
SF928	6	8436584381129	29,0	9,0	47,5	1,26	18436584381126	59,5	37,0	16,0	36	216	161
SF930	6	8436584381136	31,0	8,5	49,5	1,51	18436584381133	63,0	39,0	17,0	36	216	168
SMH14	12	8436584381211	14,4	5,4	28,0	0,19	18436584381218	33,6	31,0	31,1	30	360	171
TF924	3	8436584381143	38,0	9,5	26,0	1,69	18436584381140	40,0	29,0	31,0	40	120	170
TF928	3	8436584381150	42,0	10,0	30,0	2,17	18436584381157	43,5	32,5	32,0	30	90	175
PAELLA PANS													
HPAE2132	4	8436584382737	32,5	6,0	39,0	1,37	18436584382734	34,0	34,5	24,0	36	144	153
HPAE2138	4	8436584382744	39,0	5,6	45,7	2,03	18436584382741	40,0	40,2	24,8	36	144	175
GLASS LIDS													
T16	6	8436584380276	21,7	26,4	4,8	0,35	18436584380273	23,4	24,0	25,0	72	432	165
T20	6	8436584380283	26,0	5,0	29,7	0,50	18436584380280	26,2	27,0	25,3	60	360	177
T26	6	8436584380290	32,0	5,7	36,6	0,76	18436584380297	32,3	33,0	25,2	50	300	177
REPLACEMENTS													
HCAZ262001	20	8436584386698	-	-	-		18436584386695	-	-	-	-	-	-
HCAZ26XX01	20	8436584386681	-	-	-		18436584386688	-	-	-	-	-	-
COOKWARE SETS													
BC3	2	8436017659856	47,2	15,4	34,6	4,66	18436017659853	49,2	36,7	32,0	16	32	143
BC8	2	8436017659221	49,5	28,0	16,5	5,65	18436017659228	51,0	28,5	34,5	24	48	155
BC10	2	8436017659238	52,5	27,0	21,0	6,80	18436017659235	54,0	29,0	44,0	18	36	177
HBAT2552	1	8436584385776	29,8	28,5	23,5	6,19	18436584385773	30,0	30,0	24,6	50	50	165
SILICONE MOLDS													
HMOL1124	4	8436584385288	28,3	8,9	33,2	1,14	18436584385285	35,0	30,5	36,6	32	128	155
HMOL1324	4	8436584385301	14,0	6,5	30,0	0,59	18436584385308	32,0	16,0	29,5	80	320	163
HMOL5211	6	8436584382973	18,0	4,0	35,5	0,19	18436584382970	32,0	19,5	20,5	104	624	179
HMOL5212	6	8436584382980	26,5	3,0	40,5	0,29	18436584382987	36,5	29,0	18,5	64	384	163
HMOL5213	6	8436584382997	23,5	3,0	36,5	0,24	18436584382994	32,5	26,0	19,0	81	486	186
HMOL5214	6	8436584383000	27,0	24,0	10,5	0,27	18436584383007	29,5	25,5	32,0	50	300	175
HMOL5216	6	8436584383024	33,5	3,5	34,5	0,28	18436584383021	36,0	31,0	15,5	80	480	170
ACCESSORIES													
AC1	12	8436584380382	9,0	11,0	41,0	0,10	18436584380389	42,0	27,2	10,2	96	1152	148
AC21	12	8436584380436	10,0	24,0	4,0	0,09	18436584380433	25,0	21,0	11,0	72	864	160
AC23	12	8436584380450	8,0	24,5	3,5	0,07	18436584380457	26,0	15,0	11,0	144	1728	113
AC24	12	8436584380467	9,0	22,5	3,0	0,07	18436584380464	25,5	20,0	11,5	144	1728	141
AC25	12	8436584380474	12,5	5,0	35,4	0,12	18436584380471	36,0	25,5	13,3	45	540	82
AC26	12	8436584380481	8,5	5,5	32,5	0,08	18436584380488	34,0	16,0	13,0	96	1152	125
AC28	12	8436584380504	8,0	3,0	23,5	0,07	18436584380501	24,5	16,0	11,0	126	1512	114
AC3	12	8436017660166	10,5	4,5	37,6	0,08	18436017660163	39,5	24,8	8,2	120	1440	163
AC30	12	8436584380528	10,0	3,5	32,0	0,12	18436584380525	33,0	26,5	8,5	120	1440	155
AC31	12	8436584380535	10,0	3,5	32,0	0,11	18436584380532	33,0	26,0	8,0	128	1536	165
AC32	12	8436584380542	8,0	3,5	32,0	0,11	18436584380549	32,2	26,4	8,1	128	1536	165
AC33	12	8436584380559	8,5	3,0	30,5	0,10	18436584380556	32,0	16,0	9,5	144	1728	135
AC34	12	8436584380207	8,0	3,0	29,2	0,09	18436584380204	31,5	16,5	10,0	160	1920	145
AC35	12	8436584380214	8,0	3,5	31,0	0,14	18436584380211	32,5	15,5	12,5	96	1152	111
AC36	12	8436584380221	10,5	1,0	26,5	0,11	18436584380228	28,0	12,0	17,0	128	1536	135

P = Provisional

REFERENCE	UNITS PER PACKAGING	EAN13	UNIT BOX (cm)			WEIGHT (Kg)	ITF14	PACKAGING (cm)			PALETS		
			WIDTH	LENGTH	HEIGHT			WIDTH	LENGTH	HEIGHT	C/P	UDS./P	AM (cm)
AC40	12	8436584380689	13,3	4,0	29,9	0,28	18436584380686	29,0	29,0	22,5	60	720	160
AC51	6	8436584380313	10,0	8,0	22,5	0,32	18436584380310	25,0	21,0	25,0	72	432	165
AC54	6	8436584380344	10,2	10,0	27,2	0,44	18436584380341	31,5	21,8	29,5	55	330	163
AC56	6	8436017660623	24,2	7,4	18,5	0,55	18436017660620	25,6	24,6	40,0	60	360	175
AC57E	9	8436584380375	12,5	12,5	10,0	0,33	18436584380198	41,7	36,5	15,7	54	486	156
HACC2502	12	8436584385844	9,2	6,0	19,0	0,18	18436584385841	39,8	20,1	21,5	84	1008	166
HACC2505	12	8436584386001	8,0	3,3	20,0	0,20	18436584386008	35,0	15,0	21,8	105	1260	168
HACC4351	12	8436584386018	9,0	39,0	7,8	0,10	18436584386015	47,7	12,8	11,1	182	2184	170
HACC4352	12	8436584386025	8,5	38,3	6,0	0,09	18436584386022	40,3	12,8	12,7	216	2592	167
HACC4353	12	8436584386032	11,0	5,0	39,5	0,10	18436584386039	40,7	13,0	11,8	234	2808	168
HACC4502	6	8436584383796	24,0	12,0	35,5	1,57	18436584383793	49,5	38,5	37,0	18	108	162
HACC4503	6	8436584383802	37,5	3,5	23,7	0,82	18436584383809	39,0	25,0	22,5	63	378	174
HACC4504	6	8436584383925	15,0	12,0	35,5	1,11	18436584383922	37,5	32,0	37,0	32	192	163
HACC4520	12	8436584382263	10,0	22,0	3,5	0,07	18436584382260	26,0	20,0	11,0	144	1728	141
HACC4522	12	8436584384373	10,0	2,0	32,0	0,16	18436584384370	28,0	7,5	34,5	120	1440	155
HACC4524	12	8436584385189	18,5	4,0	38,0	0,21	18436584385186	37,5	30,5	16,0	80	960	180
HACC4530	12	8436584383062	26,4	3,7	27,4	0,22	18436584383069	48,7	28,4	28,6	30	360	160
HACC4531	6	8436584383161	23,7	2,5	36,7	0,67	18436584383168	37,6	9,8	24,8	90	540	113
HACC4533	6	8436584383260	26,0	30,5	3,5	0,22	18436584383267	30,5	26,0	10,5	150	900	180
HACC4535	6	8436584383727	8,5	8,0	14,0	0,14	18436584383724	27,0	18,5	16,5	128	768	147
HACC4536	6	8436584383734	10,0	10,0	16,0	0,20	18436584383731	32,5	22,0	18,0	72	432	159
HACC4537	6	8436584383741	13,0	13,0	18,0	0,29	18436584383748	40,5	28,0	20,5	48	288	140
HACC4539	10	8436584384397	6,8	6,8	17,2	0,33	18436584384394	37,3	16,4	19,3	98	980	150
HACC4540	12	8436584384816	12,0	3,5	20,5	0,17	18436584384813	26,0	22,0	22,0	84	1008	169
HACC4541	12	8436584383789	7,0	5,8	24,7	0,20	18436584383786	46,3	22,7	14,0	77	924	164
HACC4542	6	8436584383666	11,0	5,0	30,0	0,35	18436584383663	23,0	16,5	31,5	72	432	155
HACC4543	12	8436584383673	5,0	5,0	30,0	0,23	18436584383670	21,5	17,0	31,5	108	1296	170
HACC4545	12	8436584384465	7,0	6,8	18,3	0,21	18436584384462	30,8	24,3	22,0	72	864	161
HACC4546	12	8436584384809	17,0	1,0	19,5	0,09	18436584384806	20,3	13,6	23,7	154	1848	181
HACC4554	6	8436584384441	20,7	22,7	15,7	0,35	18436584384448	46,6	24,5	48,4	21	126	155
HACC4624	6	8436584385080	14,0	10,0	37,0	0,87	18436584385087	32,5	30,5	39,0	40	240	178
HACC5460	6	8436584384151	11,5	12,0	37,0	0,85	18436584384158	37,0	26,0	39,0	36	216	171
HACE2501	6	8436584385547	13,2	8,5	26,3	0,46	18436584385544	42,0	20,2	27,2	48	288	178
HMAQ4504	6	8436584382065	14,5	11,0	28,5	0,76	18436584382062	29,5	24,0	45,5	35	210	163
HMAQ4505	6	8436584382560	21,0	20,0	17,0	0,88	18436584382567	42,0	22,5	53,5	28	168	180
HMAQ4506	6	8436584384274	13,0	13,0	14,5	0,39	18436584384271	42,5	29,0	17,0	54	324	172
HMAQ4508	12	8436584384304	9,0	9,0	10,0	0,12	18436584384301	37,5	29,5	12,5	96	1152	165
HMAQ4557	12	8436584384557	13,2	10,0	13,2	0,24	18436584384554	42,6	22,5	28,6	42	504	173
HPRE2544	6	8436584385523	14,7	8,6	18,4	0,47	18436584385520	31,2	27,8	17,0	80	480	154
HRAC4535	24	8436584383758	12,5	1,5	19,0	0,04	18436584383755	37,5	13,5	21,0	90	2160	141
HRAC4536	18	8436584383765	12,5	2,0	19,0	0,07	18436584383762	37,5	13,5	21,5	90	1620	153
HRAC4537	12	8436584383772	12,5	3,0	19,0	0,12	18436584383779	39,5	12,5	22,5	126	1512	173
HRAL3248	6	8436584385509	11,5	11,3	23,5	0,33	18436584385506	36,0	25,0	25,7	60	360	165
HRAL3269	12	8436584385516	12,5	14,5	25,5	0,45	18436584385513	45,5	27,0	52,5	18	216	152
HSET1234	6	8436584384212	26,0	10,5	28,0	0,88	18436584384219	54,0	34,0	30,5	24	144	177
ANTI MOLD FOAMS													
ARA30	12	8436584381235	18,0	6,0	30,0	0,14	18436584381232	38,5	38,5	32,5	28	336	169

P = Provisional

LOGISTIC DATA

REFERENCE	UNITS PER PACKAGING	EAN13	UNIT BOX (cm)			WEIGHT (Kg)	ITF14	PACKAGING (cm)			PALETS		
			WIDTH	LENGTH	HEIGHT			WIDTH	LENGTH	HEIGHT	C/P	UDS./P	AM (cm)
THERMIC FLASKS													
825	6	8436017658866	10,5	10,5	15,0	0,53	18436017658863	35,0	23,5	19,0	63	378	148
826	6	8436584380108	7,3	8,5	26,8	0,35	18436584380105	26,5	19,2	29,4	84	504	174
827	6	8436017658873	10,5	10,5	18,5	0,58	18436017658870	34,5	23,5	22,5	54	324	152
835	6	8436017658507	7,5	7,5	21,5	0,32	18436017658504	24,0	16,5	24,0	108	648	162
836	6	8436017658514	7,5	7,0	25,5	0,36	18436017658511	24,5	16,5	28,0	96	576	162
837	6	8436017658521	8,5	8,5	29,0	0,49	18436017658528	27,5	18,0	32,5	70	420	178
838	6	8436017658538	8,7	8,7	33,5	0,61	18436017658535	27,5	19,0	36,5	60	360	163
840	6	8436017659702	9,2	9,2	21,2	0,33	18436017659709	26,0	18,2	23,6	98	588	180
909	6	8436017658040	7,5	7,5	19,0	0,31	18436017658047	27,0	19,0	22,0	98	588	169
919	6	8436017658057	8,5	8,5	26,5	0,47	18436017658054	28,5	20,0	30,0	60	360	153
920	6	8436017658064	9,0	9,0	31,5	0,54	18436017658061	29,0	20,5	35,0	48	288	145
942	6	8436017658781	21,5	21,5	13,5	0,51	18436017658788	42,0	23,0	44,0	21	126	147
943	6	8436017658798	21,5	21,5	17,5	0,64	18436017658795	44,5	22,0	54,0	21	126	177
JEFE2003	6	8421078040132	18,5	11,5	25	0,63	18421078040139	38	37	26,8	36	216	176
HTER1001	10	8436584385219	7,2	7,2	26,5	0,29	18436584385216	41,2	18,0	28,2	60	600	156
HTER1011	10	8436584385226	7,2	7,2	26,5	0,29	18436584385223	41,2	18,0	28,2	60	600	156
HTER2100	6	8436584382706	14,0	11,0	29,0	0,51	18436584382703	35,5	24,0	32,0	45	270	163
HTER2125	6	8436584382676	11,0	9,5	21,5	0,30	18436584382673	28,5	19,6	24,0	72	432	159
HTER2150	6	8436584382683	10,5	9,0	24,5	0,35	18436584382680	28,4	19,4	28,3	60	360	157
HTER2175	6	8436584382690	12,0	10,0	27,5	0,50	18436584382697	32,0	22,0	29,0	60	360	160
HTER2624	6	8436584386629	12,0	10,3	23,7	0,47	18436584386626	P 33	P 27	P 26	0	0	0
FOOD STORAGE													
954	6	8436017658774	23,5	16,0	20,0	0,64	18436017658771	49,5	50,5	23,5	21	126	167
970	6	8436017658750	43,5	24,0	6,0	0,51	18436017658757	46,0	25,5	34,0	24	144	151
980	6	8436017659375	49,5	31,0	10,0	0,63	18436017659372	54,0	31,0	37,5	20	120	170
HPOR7051	6	8436584383185	28,0	8,0	41,5	0,28	18436584383182	28,5	26,0	28,0	50	300	155
HPOR7052	6	8436584383192	10,0	28,0	52,0	0,50	18436584383199	46,0	37,5	31,5	20	120	165
HPOR7054	6	8436584383215	24,5	7,0	47,0	0,26	18436584383212	35,5	26,0	30,0	45	270	165
HPOR7055	6	8436584383284	23,0	14,5	30,0	0,57	18436584383281	48,0	46,0	20,5	21	126	153
HPOR7056	6	8436584383178	48,0	18,0	75,0	0,61	18436584383175	50,0	43,0	18,0	24	144	159
HPOR7202	6	8436584384250	7,0	4,5	21,0	0,10	18436584384257	27,0	20,0	26,0	84	504	155
HPOR7203	6	8436584384267	7,0	2,5	16,0	0,09	18436584384264	27,0	19,0	23,0	98	588	176
SHOPPING CARTS													
HCAR2501	1	8436584385721	39,5	13,0	88,8	3,60	-	40,4	15,5	94,0	22	22	180
HCAR2502	1	8436584385738	39,5	13,0	88,8	3,60	-	40,4	15,5	94,0	22	22	171
HCAR2523	1	8436584386292	40,8	7,5	94,0	2,95	-	40,8	7,5	94,0	36	36	162
HCAR2524	1	8436584386308	40,8	7,5	94,0	2,95	-	40,8	7,5	94,0	36	36	162
HCAR2563	6	8436584385868	40,0	8,5	90,5	2,26	18436584385964	95,0	42,0	26,0	14	84	162
HCAR2564	6	8436584385875	40,0	8,5	90,5	2,26	18436584385971	96,0	42,0	26,0	14	84	162
HCAR2601	1	8436584386575	P 30	P -	P 35	-	-	P 43	P 12	P 102	-	-	-
HCAR2661	4	8436584386643	P 30	0,0	P 35	-	18436584386640	P 116	P 44,5	P 25	-	-	-
GLASS CONTAINERS													
HREC4200	6	8436584381532	10,5	14,5	7,5	0,35	18436584381539	33,0	15,5	16,0	144	864	159
HREC4201	6	8436584381549	17,0	12,5	8,0	0,60	18436584381546	40,0	19,0	18,0	96	576	155
HREC4202	6	8436584381556	14,5	20,0	9,5	0,80	18436584381553	46,0	22,0	20,0	49	294	155
HREC4204	4	8436584381570	20,0	14,5	14,5	1,93	18436584381577	31,0	22,0	30,5	60	240	168

P = Provisional

REFERENCE	UNITS PER PACKAGING	EAN13	UNIT BOX (cm)			WEIGHT (Kg)	ITF14	PACKAGING (cm)			PALETS		
			WIDTH	LENGTH	HEIGHT			WIDTH	LENGTH	HEIGHT	C/P	UDS./P	AM (cm)
HREC4205	4	8436584381587	24,0	18,5	12,5	2,21	18436584381584	38,5	25,0	27,0	45	180	150
VINUM SERIES													
HVIN2200	24	8436584383963	11,0	1,0	20,0	0,03	18436584383960	23,5	15,5	21,5	144	3456	161
HVIN2201	6	8436584383314	5,5	5,5	28,5	0,4	18436584383311	17,5	12,0	29,5	88	528	133
HVIN2202	24	8436584383321	11,0	2,0	20,0	0,09	18436584383328	23,0	23,5	21,5	45	1080	153
HVIN2204	6	8436584383345	7,5	6,0	19,5	0,27	18436584383342	19,0	16,5	20,5	160	960	173
HVIN2205	6	8436584383352	9,0	4,0	18,5	0,17	18436584383359	19,5	13,5	19,5	256	1536	171
HVIN2206	12	8436584383369	6,5	5,0	16,0	0,12	18436584383366	21,5	21,0	17,5	60	720	80
HVIN2207	12	8436584383376	11,0	3,0	20,0	0,10	18436584383373	32,0	12,5	21,0	144	1728	165
HVIN2208	6	8436584383383	16,3	2,5	25,0	0,55	18436584383380	17,0	17,4	26,5	63	378	151
HVIN2212	24	8436584383970	11,0	2,0	20,0	0,09	18436584383977	23,0	23,5	21,5	45	1080	153
HVIN2215	12	8436584383987	10,9	4,0	19,9	0,17	18436584383984	44,5	12,4	21,5	39	468	165
HVIN2300	12	8436584384564	11,0	5,0	22,0	0,17	18436584384561	51,5	13,0	24,0	39	468	87
HVIN2302	12	8436584384571	11,0	4,0	22,0	0,19	18436584384578	47,0	13,0	24,0	39	468	87
HVIN2314	12	8436584384410	6,5	6,0	18,5	0,13	18436584384417	20,0	24,0	19,0	45	540	77
KITCHEN													
JUICERS													
EX1057	4	8421078035398	26,0	23,5	33,5	3,25	18421078035395	53,5	48,5	36,0	12	48	159
EX421	8	8421078034650	15,8	15,1	20,3	0,84	18421078034657	42,0	31,4	34,0	24	192	151
JEEX1046	6	8421078036227	20,5	17,0	27,0	1,64	18421078036224	52,0	28,5	42,5	18	108	143
JEEX1058	6	8421078036364	19,5	20,0	30,0	1,73	18421078036361	59,5	32,0	41,0	12	72	136
JEEX1059	4	8421078036944	23,5	23,5	32,0	2,11	18421078036941	48,5	50,0	34,0	15	60	161
JEEX1155	4	8421078038177	24,7	18,7	32,2	2,03	18421078038174	50,3	33,3	38,7	18	72	168
JEEX1236	4	8421078040040	27,2	21,0	27,3	2,61	18421078040047	55,5	44,0	29,0	18	72	182
JEEX1423	8	8421078038191	16,0	15,0	20,0	0,81	18421078038198	42,0	31,5	33,3	30	240	180
JEEX1426	8	8421078041399	16,0	15,2	20,2	0,84	18421078041396	42,0	31,5	33,3	30	240	0
JEEX1549	6	8421078038801	18,0	18,0	27,0	1,21	18421078038808	55,5	37,5	29,0	20	120	160
JEEX1616	6	8421078040194	22,2	19,1	31,8	2,06	18421078040191	58,8	46,4	34,0	12	72	154
JEEX1712	6	8421078038542	17,0	17,0	27,0	1,24	18421078038549	51,5	28,0	34,5	24	144	153
JUICE EXTRACTOR													
JELI1201	4	8421078036357	21,0	15,4	31,0	1,92	18421078036354	44,0	31,5	32,5	30	120	180
JELI1290	2	8421078040880	39,0	24,5	46,8	3,86	18421078040887	51,0	40,0	48,0	12	24	159
JELI1580	4	8421078037538	30,7	19,0	31,3	2,54	18421078037535	62,7	39,7	32,7	12	48	140
PERSONAL BLENDERS													
JEBT1001	6	8421078037125	12,7	12,3	38,0	1,21	18421078037122	40,0	27,0	39,5	36	216	175
JEBT1011	6	8421078040811	20,0	16,0	22,0	1,52	18421078040818	49,4	20,7	46,0	0	0	0
TOASTERS													
JETT1048	6	8421078038894	28,3	14,7	18,0	1,21	18421078038891	45,3	29,6	37,7	24	144	166
JETT1146	4	8421078040149	42,0	19,4	19,6	2,14	18421078040146	43,4	40,8	42,5	12	48	145
JETT1262	6	8421078038900	32,3	17,5	20,0	1,35	18421078038907	54,5	34,0	41,0	18	108	179
JETT1578	4	8421078040934	39,4	12,5	20,5	1,48	18421078040931	40,6	27,8	43,0	24	96	177
JETT1579	4	8421078037927	39,3	12,7	18,0	1,34	18421078037924	40,5	27,6	38,5	32	128	169
JETT1580	4	8421078041443	P 40,5	P 13	P 18	-	18421078041440	P 42	P 28	P 38	-	-	-
JETT1584	4	8421078038696	39,1	15,0	18,0	1,63	18421078038693	40,8	32,7	38,0	24	96	167
JETT1585	4	8421078038207	39,2	15,2	18,2	1,58	18421078038204	40,6	32,8	38,5	24	96	169
JETT1587	6	8421078037996	39,0	6,8	23,8	1,20	18421078037993	43,4	40,8	26,0	24	144	177
JETT1590	6	8421078040163	40,2	8,3	24,0	1,52	18421078040160	55,0	42,4	26,3	18	108	142

P = Provisional

LOGISTIC DATA

REFERENCE	UNITS PER PACKAGING	EAN13	UNIT BOX (cm)			WEIGHT (Kg)	ITF14	PACKAGING (cm)			PALETS		
			WIDTH	LENGTH	HEIGHT			WIDTH	LENGTH	HEIGHT	C/P	UDS./P	AM (cm)
JETT1668	6	8421078041429	27,4	14,5	17,7	1,06	18421078041426	P 45,5	P 28,5	P 37	-	-	-
TT331	8	8421078029397	26,6	16,5	18,3	1,11	18421078029394	54,5	33,3	38,5	18	144	169
TT5016	4	8421078035794	47,5	9,0	32,5	2,04	18421078035791	48,0	37,5	35,0	18	72	159
TT579	4	8421078034476	39,3	12,7	18,0	1,35	18421078034473	40,8	27,7	38,5	32	128	169
TT587	6	8421078032540	39,2	7,0	23,7	1,13	18421078032547	43,8	40,4	26,0	24	144	179
TT589	6	8421078305897	39,0	7,0	24,0	1,45	18421078305894	43,5	41,0	26,0	24	144	179
TT589NG	6	8421078034001	39,0	7,0	23,5	1,32	18421078034008	43,5	40,5	25,5	27	162	147
TT591	4	8421078035350	49,4	7,2	29,0	2,09	18421078035357	50,5	30,0	31,7	30	120	161
TT631	8	8421078035039	26,5	16,2	18,6	1,11	18421078035036	54,0	33,6	38,2	18	144	176
COFFEE MAKERS													
CA288N	6	8421078026006	21,0	15,0	27,6	1,20	18421078026003	47,0	44,6	30,0	18	108	156
CA290	6	8421078032403	23,0	18,5	31,0	1,56	18421078032400	57,0	47,5	33,0	15	90	159
JECA1512	6	8421078038863	24,7	20,2	34,6	1,95	18421078038860	62,5	51,5	37,0	12	72	170
JECA1750	6	8421078038658	21,0	17,0	27,0	1,18	18421078038655	52,0	44,0	29,5	18	108	147
JECA1752	6	8421078038672	21,0	17,0	27,0	1,16	18421078038679	52,5	44,0	29,0	18	108	147
JECA1800	4	8421078038870	24,0	22,0	34,5	1,98	18421078038877	50,0	46,0	36,0	12	48	155
JECA2201	4	8421078040064	30,5	20,5	38,5	2,70	18421078040061	62,5	42,5	41,0	12	48	143
JECA2300	2	8421078038092	34,2	22,2	34,3	4,11	18421078038099	46,4	36,2	36,0	18	36	154
JECA2525	2	8421078040170	32,5	26,3	33,7	4,08	18421078040177	55,0	34,0	35,5	18	36	180
JECA5503	8	8421078039723	18,5	15,5	25,3	0,81	18421078039720	62,5	38,5	26,5	16	128	140
COFFEE GRINDERS													
JEML1150	6	8421078039112	10,0	9,7	17,0	0,59	18421078039119	30,5	22,0	19,0	96	576	167
JEML1820	6	8421078040101	13,7	13,6	20,0	0,70	18421078040108	42,7	29,3	22,7	42	252	174
ML132	6	8421078033806	11,5	10,3	18,2	0,71	18421078034534	33,0	23,8	19,8	72	432	158
ML133-6	6	8421078033530	11,0	10,5	18,8	0,89	18421078035234	33,0	23,7	20,5	77	462	157
MILK FROTHER													
JEES1111	8	8421078038320	7,2	7,2	27,1	0,15	18421078038327	30,6	17,1	28,2	80	640	163
JEES5504	6	8421078039730	6,4	3,6	14,7	0,07	18421078039737	23,6	7,5	16,0	342	2052	159
ITALIAN COFFEE MAKERS													
CAX104	6	8436017658163	13,7	11,7	18,2	0,52	18436017658160	42,2	25,5	20,3	42	252	168
CAX106	6	8436017658170	14,3	12,0	20,6	0,65	18436017658177	43,6	26,2	23,2	42	252	172
CAX110	6	8436017658187	16,2	13,1	22,4	0,81	18436017658184	43,4	30,3	25,2	36	216	168
CAX112	6	8436017659436	15,5	14,3	27,8	1,12	18436017659433	47,8	30,0	30,5	30	180	168
CCA12	6	8436017658613	17,7	14,2	255,0	0,86	18436017658610	54,0	30,0	27,0	30	180	160
CCA3-6	6	8436017658583	14,0	11,0	16,2	0,40	18436584385940	42,5	24,3	18,5	63	378	180
CCA6-6	6	8436017658590	16,2	11,6	19,7	0,51	18436584385957	49,5	24,9	22,2	42	252	164
CCA9	6	8436017658606	17,2	12,7	22,5	0,69	18436584385315	52,0	27,2	25,0	36	216	151
CFI12	6	8436017659849	15,0	22,0	24,0	0,90	18436017659846	48,0	40,0	26,0	24	144	175
CFI6	6	8436017659825	15,5	12,3	18,5	0,64	18436017659822	38,6	32,2	20,4	42	252	158
CFI9	6	8436017659832	14,4	19,2	21,2	0,73	18436017659839	45,7	33,7	23,5	35	210	180
HCAF1135	6	8436584385233	10,5	8,5	17,5	0,29	18436584385230	28,0	23,5	20,0	84	504	180
HCAF1160	6	8436584385240	13,5	10,5	18,5	0,41	18436584385247	34,0	29,5	21,5	60	360	165
HCAF2006	6	8436584381907	14,5	11,0	19,5	0,60	18436584381904	46,0	24,0	21,0	49	294	176
HCAF2009	6	8436584381914	15,5	12,5	23,0	0,78	18436584381911	48,5	26,0	24,5	36	216	165
HCAF2012	6	8436584381921	15,0	21,0	26,5	0,95	18436584381928	47,5	37,5	29,0	24	144	158
HCAF2254	6	8436584386056	11,5	9,5	18,0	0,47	18436584386053	36,5	21,5	19,5	96	576	171
HCAF2256	6	8436584386063	12,3	10,0	21,0	0,57	18436584386060	39,0	22,0	22,5	70	420	173

P = Provisional

REFERENCE	UNITS PER PACKAGING	EAN13	UNIT BOX (cm)			WEIGHT (Kg)	ITF14	PACKAGING (cm)			PALETS		
			WIDTH	LENGTH	HEIGHT			WIDTH	LENGTH	HEIGHT	C/P	UDS./P	AM (cm)
HCAF2259	6	8436584386070	14,0	11,0	23,5	0,74	18436584386077	44,5	24,0	25,0	42	252	165
HCAF2403	6	8436584384991	13,3	11,0	15,7	0,48	18436584384998	34,5	29,8	18,2	60	360	175
HCAF2406	6	8436584384731	15,0	11,8	19,7	0,62	18436584384738	36,8	33,3	22,7	50	300	180
HCAF2409	6	8436584384748	15,8	13,0	23,0	0,74	18436584384745	19,7	27,8	24,8	35	210	171
HCAF2412	6	8436584384755	16,3	14,2	24,4	0,90	18436584384752	52,3	30,2	27,0	30	180	180
MILK WARMERS													
CL819	4	8421078033776	19,0	19,0	21,5	1,04	18421078033773	40,5	40,0	23,5	18	72	144
JECL1900	6	8421078038146	14,5	14,5	17,5	0,92	18421078038143	46,0	30,5	19,5	40	240	171
JECL5501	8	8421078039709	16,6	12,0	19,5	0,75	18421078039706	34,5	26,0	40,5	36	288	177
KETTLES													
HA701	6	8421078032977	19,1	14,8	21,1	0,87	18421078032974	45,6	40,5	23,7	28	168	177
HA702	6	8421078033912	20,0	13,5	21,0	0,89	18421078033919	42,0	41,5	22,5	30	180	146
JEHA1038	6	8421078037194	20,5	15,0	21,5	0,93	18421078037191	45,0	42,5	23,0	28	168	180
JEHA1240	8	8421078038825	15,2	12,2	16,7	0,50	18421078038822	51,7	16,0	34,5	44	352	153
JEHA1576	6	8421078040866	20,4	18,0	25,0	1,13	18421078040863	55,5	43,3	26,8	18	108	168
JEHA1701	6	8421078040873	20,3	15,2	18,7	0,81	18421078040870	46,8	22,0	38,5	30	180	5
JEHA1723	6	8421078038023	19,2	19,2	24,2	0,97	18421078038020	58,8	40,2	27,0	24	144	177
JEHA1808	6	8421078039136	16,8	14,7	17,5	0,75	18421078039133	45,4	35,6	19,5	40	240	171
JEHA1809	6	8421078038832	21,5	16,0	22,0	1,06	18421078038839	50,5	23,5	46,5	21	126	155
JEHA5106	6	8421078039686	17,2	12,7	21,5	0,57	18421078039683	38,5	18,5	44,8	40	240	169
GRILLS													
GR195R	1	8421078036180	58,5	12,8	32,2	2,99	-	58,5	12,8	32,2	55	55	176
GR204N	4	8421078030850	58,0	9,5	33,5	2,72	18421078030857	59,5	40,0	35,5	16	64	159
GR205	6	8421078029854	38,0	7,0	23,0	1,49	18421078029851	44,0	38,5	24,5	27	162	147
GR2500AM	1	8421078035701	59,8	11,8	35,5	3,32	-	59,8	11,8	35,5	40	40	157
GR555A	6	8421078026532	56,5	9,0	29,5	3,10	18421078026539	57,3	27,3	59,6	12	72	135
GR557A	6	8421078029991	56,5	9,0	30,0	3,03	18421078029998	57,5	28,0	60,0	12	72	135
GR558	6	8421078032649	56,5	9,0	29,5	3,13	18421078032646	57,3	28,3	60,3	12	72	134
GR600AM	1	8421078035718	60,0	12,0	35,5	3,46	-	60,0	12,0	35,5	40	40	157
JEGR0550	4	8421078037293	56,5	10,0	30,0	3,11	18421078037290	57,0	41,0	31,0	16	64	139
JEGR1241	4	8421078038931	62,3	10,3	36,6	3,02	18421078038938	63,6	44,1	38,4	12	48	147
JEGR1245	3	8421078039679	63,0	9,7	30,5	3,13	18421078039676	64,4	31,8	33,0	20	60	180
JEGR1246	1	8421078039600	49,5	10,0	31,4	2,88	-	49,5	10,0	31,4	90	90	173
JEGR1559R	1	8421078040798	P 59.1	P 13.3	P 32.5	-	-	-	-	-	-	-	-
JEGR1603	2	8421078038122	71,0	10,2	39,0	4,24	18421078038129	72,0	22,0	40,5	20	40	178
JEGR2851	2	8421078036388	65,5	13,5	36,5	3,81	18421078036385	67,5	28,5	38,0	16	32	149
JEGR3000	2	8421078039693	69,5	13,5	41,0	4,46	18421078039690	71,5	29,0	43,0	12	24	156
JT950	6	8421078033509	56,1	8,7	29,2	3,16	18421078033506	57,3	27,5	60,0	12	72	135
PAELLA PANS													
JEPE1601	2	8421078040903	49,0	13,5	50,0	5,51	18421078040900	50,5	29,0	51,5	18	36	170
JEPE1639	2	8421078037729	42,0	12,0	44,4	4,34	18421078037726	43,0	25,0	46,0	18	36	144
JEPE1642	2	8421078041078	43,5	16,0	44,0	3,74	18421078041075	P 44.3	P 33.1	P 45.3	-	-	-
PE550	1	8421078033325	56,0	13,5	56,0	7,67	-	66,0	15,5	66,5	16	16	148
PE640	2	8421078035473	40,2	14,6	41,0	4,02	18421078035470	41,5	30,4	43,5	18	36	180
BARBECUES													
BQ101	4	8421078022343	43,5	8,0	27,0	1,81	18421078022340	44,5	28,0	34,0	30	120	180
BQ101R	1	8436584382218	44,0	8,5	28,0	1,87	-	44,0	8,5	28,0	90	90	155

P = Provisional

LOGISTIC DATA

REFERENCE	UNITS PER PACKAGING	EAN13	UNIT BOX (cm)			WEIGHT (Kg)	ITF14	PACKAGING (cm)			PALETS		
			WIDTH	LENGTH	HEIGHT			WIDTH	LENGTH	HEIGHT	C/P	UDS./P	AM (cm)
BQ5101AM	1	8421078035800	45,0	9,0	28,5	1,87	-	45,0	9,0	28,5	90	90	158
BQ95	4	8421078033233	45,2	8,7	31,2	2,06	18421078033230	36,0	33,4	47,5	18	72	158
JEBQ1001	4	8421078035992	53,0	14,0	43,0	5,21	18421078035999	57,5	54,5	45,5	6	24	152
JEBQ1002	2	8421078036166	53,0	24,5	39,0	7,03	18421078036163	54,5	50,5	41,5	12	24	167
CONTACT GRILL													
GR266	2	8421078029731	34,5	13,5	24,5	1,76	18421078029738	35,8	28,6	26,4	45	90	158
AC266	4	8421078032465	34,0	7,0	24,4	1,21	18421078032462	35,7	30,0	26,5	45	180	164
R266	8	8421078032816	26,5	12,0	4,2	0,25	18421078032813	26,5	16,3	12,9	133	1064	103
GR1100	2	8421078021285	40,5	19,0	40,5	5,36	18421078021282	42,0	39,0	42,0	24	48	183
JEGR1107	6	8421078037989	27,8	10,0	26,5	1,52	18421078037986	62,0	30,0	29,3	20	120	162
JEGR1124	6	8421078039204	30,8	10,6	26,6	1,56	18421078039201	32,5	33,0	55,2	20	120	180
JEGR1165	6	8421078040125	24,0	11,3	24,6	1,37	18421078040122	36,0	25,8	51,4	27	162	0
JEGR1183	4	8421078039846	31,2	11,0	29,8	2,01	18421078039843	45,7	32,7	32,0	25	100	175
JEGR1266	2	8421078041030	P 34,6	P 15,4	P 25,1	-	18421078041037	P 37,8	P 33,2	P 28,5	-	-	-
JEGR1450	2	8421078038917	39,8	18,5	36,0	4,16	18421078038914	41,5	37,5	37,7	24	48	180
JEGR1529	2	8421078040095	36,4	13,8	37,5	3,27	18421078040092	37,8	29,6	39,5	32	64	173
SANDWICH MAKERS													
JESW1108	6	8421078040927	26,0	10,6	25,0	1,22	18421078040924	67,0	27,5	27,0	24	144	177
JESW1231	6	8421078036715	25,2	9,3	24,2	1,22	18421078036712	28,7	26,2	50,3	36	216	171
JESW1232	6	8421078036982	24,8	9,3	24,2	1,25	18421078036989	28,8	25,6	50,6	36	216	169
JESW1551	4	8421078038214	27,5	11,5	35,0	2,23	18421078038211	47,5	29,5	37,0	24	96	163
JESW2010	4	8421078039624	26,9	15,3	27,0	2,38	18421078039621	61,4	28,4	29,0	25	100	160
SW546	4	8421078032007	31,5	14,0	37,0	2,59	18421078032004	55,0	32,5	39,0	20	80	175
SW551	4	8421078035466	27,5	11,5	35,0	2,33	18421078035463	47,0	29,0	36,5	24	96	163
MILKER													
JELV2300	4	8421078038450	13,0	13,0	28,6	0,72	18421078038457	28,0	28,0	31,5	40	160	159
JELV2350	4	8421078038443	19,5	13,0	29,5	1,39	18421078038440	41,3	30,0	31,2	30	120	178
JEEM2450	4	8421078039075	18,3	17,7	31,0	2,31	18421078039072	38,0	35,5	32,0	-	-	-
JAR BLENDERS													
BT265	4	8421078035077	31,2	16,5	22,9	3,24	18421078035074	34,8	33,0	48,2	20	80	147
BT795	2	8421078035510	30,5	20,8	35,8	3,84	18421078035517	42,8	32,0	38,0	24	48	169
JEBT1241	2	8421078037705	39,6	21,6	28,4	4,68	18421078037702	44,3	41,3	31,0	24	48	148
JEBT1265	4	8421078037699	31,5	16,7	23,7	3,24	18421078037696	34,0	33,5	48,5	20	80	149
JEBT1500	2	8421078036241	33,8	17,0	23,3	3,49	18421078036248	35,6	35,8	25,7	36	72	158
JEBT1604	3	8421078040781	37,0	17,5	24,5	3,95	18421078040788	53,0	39,0	26,0	24	72	171
JEBT3855	2	8421078039587	33,5	17,5	24,0	3,71	18421078039584	35,5	35,0	27,0	36	72	157
JEBT3866	3	8421078041368	P 34	P 18	P 23	-	18421078041365	-	-	-	-	-	-
BT797	3	8421078034698	33,7	17,3	23,1	3,5	18421078034695	34,8	52,8	25,3	24	72	154
STICK BLENDERS													
BT159	6	8421078035374	19,3	9,2	23,2	1,13	18421078035371	40,0	30,0	25,7	48	288	169
BT175	6	8421078034452	16,5	10,5	24,0	0,99	18421078034459	35,0	33,0	26,5	45	270	180
BT185	6	8421078033639	10,5	10,5	45,0	1,34	18421078033636	34,0	22,0	46,5	35	210	185
BT199	4	8421078033646	24,0	13,0	27,5	1,77	18421078033643	49,5	28,5	29,0	30	120	160
JEBT5026	4	8421078035749	24,5	13,0	27,0	1,74	18421078035746	49,0	18,0	29,0	6	30	155
JEBT0126	9	8421078040187	6,8	6,8	37,2	0,65	18421078040184	22,3	22,5	39,5	70	630	171
JEBT1124	9	8421078038788	7,6	7,6	39,5	0,69	18421078038785	41,0	25,0	24,0	54	486	162
JEBT1127	4	8421078040828	28,0	13,2	21,0	1,25	18421078040825	53,5	30,0	23,0	35	140	165

P = Provisional

REFERENCE	UNITS PER PACKAGING	EAN13	UNIT BOX (cm)			WEIGHT (Kg)	ITF14	PACKAGING (cm)			PALETS		
			WIDTH	LENGTH	HEIGHT			WIDTH	LENGTH	HEIGHT	C/P	UDS./P	AM (cm)
JEBT1159	6	8421078041337	10,4	10,4	41,4	1,21	18421078041334	P 32.1	P 21.9	P 43.5	0	0	0
JEBT1166	9	8421078039990	10,7	10,5	39,5	0,96	18421078039997	35,0	35,0	42,0	24	216	155
JEBT1702	6	8421078041344	P 17.2	P 12	P 24.2		18421078041341	P 37.5	P 35.9	P 26.2	0	0	0
JEBT1703	3	8421078041351	P 27	P 15	P 28		18421078041358	P 46.5	P 28.5	P 29.5	0	0	0
JEBT1788	6	8421078038771	7,8	7,5	39,8	0,98	18421078038778	23,8	17,0	42,0	66	396	158
JEBT1789	6	8421078039563	22,7	20,4	17,8	1,56	18421078039560	62,8	47,3	20,6	18	108	156
JEBT1791	4	8421078038047	21,5	12,5	23,5	1,29	18421078038044	45,5	26,5	26,0	36	144	170
JEBT1795	4	8421078039983	21,6	11,3	21,5	1,09	18421078039980	44,4	24,5	24,0	42	168	162
JEBT1818	8	8421078039570	18,3	10,0	24,0	0,90	18421078039577	42,0	37,5	26,0	27	216	141
JEBT1851	6	8421078037095	10,0	10,0	43,0	1,24	18421078037092	31,5	21,0	45,0	36	216	162
JEBT1852	6	8421078037217	17,0	10,5	24,0	0,99	18421078037214	35,5	33,0	26,5	45	270	180
JEBT1853	6	8421078037972	17,0	10,5	24,3	1,04	18421078037979	35,0	33,5	26,5	36	216	171
JEBT1854	6	8421078040118	7,4	7,4	41,2	1,01	18421078040115	23,3	16,8	43,7	66	396	155
JEBT1855	6	8421078038030	14,0	7,0	28,0	1,06	18421078038037	44,0	15,0	30,0	60	360	166
JEBT1906	9	8421078038764	6,7	7,0	37,0	0,58	18421078038761	38,0	22,0	22,0	70	630	169
JEBT1945	6	8421078036210	18,5	9,5	24,5	1,27	18421078036217	40,0	32,0	28,0	40	240	175
MIXER													
BT575	6	8421078033967	21,5	14,5	16,0	1,46	18421078033964	45,0	44,0	17,5	30	180	150
JEMA1240	6	8421078038818	20,3	10,0	17,0	1,36	18421078038815	62,5	22,0	18,7	56	336	146
FRYERS													
JEFR1221	2	8421078036265	26,0	26,0	30,0	3,30	18421078036262	54,0	27,5	31,5	30	60	173
JEFR1222	2	8421078036661	25,0	25,0	34,0	2,67	18421078036668	52,0	26,5	36,0	24	48	161
JEFR1225	2	8421078036654	33,0	33,0	36,5	4,30	18421078036651	68,0	35,0	39,0	12	24	171
JEFR1226	2	8421078037385	32,5	33,0	35,0	4,09	18421078037382	66,5	34,5	37,0	12	24	165
JEFR1229	2	8421078037712	31,0	31,0	35,0	4,36	18421078037719	64,0	33,0	36,5	15	30	180
JEFR1230	2	8421078038313	36,0	32,0	35,5	4,93	18421078038310	66,0	38,0	37,0	12	24	165
JEFR1270	2	8421078038665	40,5	32,0	31,0	6,04	18421078038662	66,5	46,0	33,5	10	20	148
JEFR1700	2	8421078041320	P 38.4	P 37.1	P 26.8	-	18421078041327	P 75.5	P 40	P 28.5	-	-	-
JEFR1816	1	8421078039129	41,0	36,0	37,5	6,45	-	41,0	36,0	37,5	24	24	159
JESA2090	4	8421078037682	21,0	21,0	11,0	0,75	18421078037689	44,5	23,0	24,0	42	168	159
FR278	4	8421078031000	32,0	30,0	22,5	2,83	18421078031007	62,0	34,0	46,0	10	40	139
FR326E	4	8421078021742	32,2	18,7	23,0	2,74	18421078021749	38,6	33,8	48,6	18	72	161
FR5600	4	8421078035787	32,2	18,7	23,0	2,74	18421078035784	38,6	33,8	48,6	18	72	161
FR700	2	8421078030775	40,0	25,0	38,0	4,31	18421078030772	52,0	42,5	40,0	16	32	180
JEFR1678	2	8421078040071	43,6	25,7	24,3	3,05	18421078040078	45,3	26,2	52,7	18	36	151
JEFR1680	2	8421078040088	43,7	25,5	24,2	3,16	18421078040085	45,1	25,8	53,2	18	36	176
OVENS													
HN916	1	8421078033677	44,7	34,5	28,0	5,10	-	44,7	34,5	28,0	25	25	155
HN921	1	8421078033684	49,8	35,8	32,2	6,96	-	49,8	35,8	32,2	20	20	178
HN928	1	8421078033691	52,5	41,5	34,0	8,60	-	52,5	41,5	34,0	18	18	180
HN936	1	8421078033714	55,7	43,2	36,3	10,16	-	55,7	43,2	36,3	16	16	163
HN945	1	8421078033721	61,0	44,4	39,3	11,53	-	61,0	44,4	39,3	12	12	147
HN966	1	8421078033738	68,7	46,6	43,7	15,31	-	68,7	46,6	43,7	6	6	146
JEHN0910	2	8421078036012	41,0	32,7	26,5	4,43	18421078036019	66,5	42,0	28,0	16	32	180
JEHN2645	1	8421078041313	P 60.8	P 45.2	P 41.8	-	-	-	-	-	-	-	-
JEHN2660	1	8421078041580	P 66.4	P 48.3	P 46.2	-	-	-	-	-	-	-	-

P = Provisional

LOGISTIC DATA

REFERENCE	UNITS PER PACKAGING	EAN13	UNIT BOX (cm)			WEIGHT (Kg)	ITF14	PACKAGING (cm)			PALETS		
			WIDTH	LENGTH	HEIGHT			WIDTH	LENGTH	HEIGHT	C/P	UDS./P	AM (cm)
MICROWAVES													
JEM02601	1	8421078041290	P 46.2	P 35.2	P 26	-	18421078041297	-	-	-	-	-	-
JEM02621	1	8421078041306	P 51.2	P 38.2	P 28.6	-	-	-	-	-	-	-	-
ELECTRIC COOKTOP													
JECE1251	4	8421078039976	26,2	7,5	28,3	1,65	18421078039973	32,0	27,5	30,5	40	160	168
JECE1252	3	8421078039969	50,0	8,5	29,5	3,13	18421078039966	52,0	26,5	30,5	30	90	168
JEVI1470	1	8421078038115	54,0	30,0	21,0	6,21	-	55,5	30,5	23,0	35	35	176
JEVI1480	3	8421078041603	P 29.5	P 9.5	P 40.5	-	18421078041600	P 30.8	P 30.5	P 42.4	-	-	-
V139	4	8421078033547	29,9	6,8	36,5	2,11	18421078033544	37,8	29,4	33,0	40	160	175
V142	3	8421078032601	51,5	7,8	31,5	3,23	18421078032608	52,7	26,2	33,7	24	72	150
V531	4	8421078029571	31,3	10,7	37,2	2,20	18421078029578	44,6	32,8	39,6	24	96	174
V532	3	8421078029595	53,3	10,6	37,2	3,83	18421078029608	55,3	33,5	40,0	18	54	180
VIN145	3	8421078032878	32,0	6,6	41,2	2,35	18421078032875	33,0	21,4	43,0	36	108	144
GAS COOKER													
JECG2138	3	8421078041092	36,2	10,0	30,6	1,91	18421078041099	37,3	31,3	32,8	0	0	0
JECG2702	3	8421078037026	59,5	8,3	33,8	3,20	18421078037023	61,3	27,5	35,8	20	60	158
JECG2703	3	8421078037033	59,7	8,3	33,7	3,32	18421078037030	61,0	27,5	35,4	20	60	157
JECG2721	3	8421078039099	27,3	8,8	32,7	1,53	18421078039096	34,0	27,5	29,0	40	120	153
FOOD STEAMER													
CV200	6	8421078029472	25,7	15,1	20,3	1,10	18421078029479	46,5	27,3	42,6	18	108	143
CV623	2	8421078035213	38,0	28,0	26,0	3,22	18421078035210	57,5	39,5	28,0	24	48	180
SLOW COOKER													
JEOL2135	2	8421078036531	33,5	25,0	34,0	4,72	18421078036538	51,5	34,5	36,0	18	36	170
JEOL2145	2	8421078036548	36,0	23,5	36,0	5,71	18421078036545	48,0	37,5	38,0	18	36	173
RICE COOKER													
AR394	2	8421078035497	30,0	30,0	22,0	2,62	18421078035494	61,5	32,0	24,0	20	40	139
JEAR2510	4	8421078039785	24,5	24,8	20,8	1,91	18421078039782	50,8	27,0	44,6	18	72	147
JEAR2522	4	8421078039792	29,1	29,4	26,7	2,91	18421078039799	60,2	31,4	55,0	12	48	180
JEAR2528	2	8421078039808	32,4	32,5	26,2	3,38	18421078039805	66,5	34,5	28,3	25	50	155
YOGURT MAKER													
JEYG2266	4	8421078037118	25,0	25,0	13,5	1,88	18421078037115	51,5	27,0	28,5	30	120	160
JREC2266	15	8421078037378	23,0	8,0	9,0	0,45	18421078037375	42,0	25,0	29,0	24	360	180
POPCORN MAKER													
PAL97	6	8421078035565	22,8	14,6	25,5	1,03	18421078035562	47,3	45,2	28,0	18	108	152
MEAT GRINDER													
JEPC1123	6	8421078039761	17,5	17,5	25,5	1,68	18421078039768	54,0	36,0	27,5	24	144	177
JEPC1207	6	8421078040897	11,4	11,4	14,7	0,40	18421078040894	35,3	24,3	16,0	100	600	175
JEPC1250	4	8421078036883	30,8	21,2	17,0	2,08	18421078036880	43,7	32,5	36,4	24	96	155
JEPC1262	4	8421078041702	P 19	P 19	P 26.5	-	18421078041709	P 78	P 39.8	P 28.2	-	-	-
FOOD SLICER													
JECF0300	4	8421078036234	37,0	12,5	24,5	2,31	18421078036231	51,0	39,0	26,5	27	108	168
JECF1054	2	8421078040033	49,5	28,5	34,5	6,48	18421078040030	57,0	50,5	36,5	12	24	161
JECF1200	2	8421078038580	39,0	36,3	28,5	4,53	18421078038587	54,0	40,7	30,5	18	36	177
JECF1820	4	8421078038641	36,5	10,5	22,0	2,26	18421078038648	44,0	39,0	24,0	30	120	147
VACUUM SEALER													
EV1026	2	8421078029656	43,5	20,5	26,5	3,49	18421078029653	45,5	43,0	29,5	18	36	152
EV109	6	8421078033943	47,0	7,0	9,0	0,83	18421078033940	48,0	23,5	20,0	49	294	155

P = Provisional

REFERENCE	UNITS PER PACKAGING	EAN13	UNIT BOX (cm)			WEIGHT (Kg)	ITF14	PACKAGING (cm)			PALETS		
			WIDTH	LENGTH	HEIGHT			WIDTH	LENGTH	HEIGHT	C/P	UDS./P	AM (cm)
JEEV2210	6	8421078037187	44,7	7,9	11,3	0,83	18421078037184	45,8	26,3	25,0	42	252	173
JEEV2240	4	8421078038573	39,2	9,7	15,3	1,38	18421078038570	40,3	21,3	32,3	50	200	180
JEEV2260	2	8421078041405	38,7	10,8	22,8	2,12	18421078041402	40,8	24,0	25,7	-	-	-
B22X30	15	8421078029953	23,3	6,0	16,7	0,73	18421078029950	51,0	31,8	25,7	24	360	169
B28X40	15	8421078029977	29,0	6,0	22,0	1,13	18421078029974	68,0	32,0	32,0	15	225	176
R22X6	15	8421078029915	23,7	7,1	14,0	0,61	18421078029912	43,0	38,0	26,3	24	360	173
R28X6	15	8421078029939	29,4	7,3	13,8	0,72	18421078029936	42,6	38,4	32,8	20	300	179

P = Provisional

REPLACEMENT PARTS

REFERENCE	DESCRIPTION	EAN13	WIDTH	LENGTH	HEIGHT
COFFEE MAKERS REPLACEMENTS					
HCAF200609	ALUMINIUM FUNNEL HCAF2006	8436584384069	11,0	8,0	13,5
HCAF200910	ALUMINIUM FUNNEL HCAF2009	8436584384076	14,0	7,5	21,0
HCAF201217	ALUMINIUM FUNNEL HCAF2012	8436584384083	14,0	8,0	19,0
HCAF225401	HANDLE + KNOB HCAF2254	8436584386315	11,0	4,0	13,3
HCAF225601	HANDLE + KNOB HCAF2256	8436584386322	11,0	4,0	14,5
HCAF225901	HANDLE + KNOB HCAF2259	8436584386339	11,2	3,0	14,2
HCAF240308	ALUMINIUM FUNNEL HCAF2403	8436584385134	11,0	6,0	18,0
HCAF241208	ALUMINIUM FUNNEL HCAF2412	8436584385141	14,0	9,0	19,0
HRCAX7006	2 GASKETS + FILTER CCA6 CFI6 HCAF2006 HCAF2406	8436584383468	11,0	0,5	13,0
HRCAX7009	2 GASKETS + FILTER CCA9 CFI9 HCAF2009 HCAF2409	8436584383536	11,0	0,5	13,0
HRCAX7012	2 GASKETS + FILTER CCA12 CFI12 HCAF2012 HCAF2412	8436584383581	11,0	0,5	13,0
HRCAX7210	HANDLE + KNOB CAX104	8436584383307	11,0	2,5	13,5
HRCAX7211	HANDLE + KNOB CAX106 CAX110 CAX112	8436584383390	11,0	2,5	14,0
HRCAX7212	2 SILICONE GASKETS + FILTER CAX104	8436584383406	11,0	1,0	15,0
HRCAX7213	2 SILICONE GASKETS + FILTER CAX106	8436584383413	11,0	1,0	15,5
HRCAX7214	2 SILICONE GASKETS + FILTER CAX110	8436584383420	11,0	1,0	15,5
HRCAX7215	2 SILICONE GASKETS + FILTER CAX112	8436584383437	11,0	1,0	15,5
HRCAX7221	HANDLE + KNOB HCAF2006	8436584383444	11,0	2,0	13,0
HRCAX7222	HANDLE + KNOB HCAF2009-12	8436584383451	11,0	2,0	12,5
HRCAX7231	HANDLE + KNOB CCA3	8436584383499	11,0	2,0	11,0
HRCAX7232	HANDLE + KNOB CCA6	8436584383505	11,0	2,0	12,0
HRCAX7233	HANDLE + KNOB CCA9-12	8436584383512	11,0	2,0	14,5
HRCAX7234	2 GASKETS + FILTER CCA3 / HCAF2403	8436584383529	11,0	0,5	13,0
HRCAX7241	HANDLE + KNOB CFI7	8436584383567	11,0	2,0	12,0
HRCAX7242	HANDLE + KNOB CFI9-13	8436584383574			
HRCAX7243	HANDLE + KNOB HCAF2403	8436584385158	11,0	2,0	16,0
HRCAX7244	HANDLE + KNOB HCAF2406	8436584385165	11,0	2,0	17,0
HRCAX7245	HANDLE + KNOB HCAF2409-HCAF2412	8436584385172	11,0	2,0	18,0
RCAX104013	STAINLESS STEEL FUNNEL CAX104	8436584384090	11,0	5,5	15,0
RCAX106014	STAINLESS STEEL FUNNEL CAX106	8436584384106	11,0	6,5	14,0
RCAX110015	STAINLESS STEEL FUNNEL CAX110	8436584384113	11,0	8,0	14,5
RCAX112016	STAINLESS STEEL FUNNEL CAX112	8436584384120	11,0	8,0	14,0
RCCA1221	ALUMINIUM COFFEE FUNNEL CCA12	8436584384021	14,0	8,5	18,0
RCCA3018	ALUMINIUM COFFEE FUNNEL CCA3	8436584383994	11,0	6,0	11,5
RCCA6019	ALUMINIUM COFFEE FUNNEL CCA6 / HCAF2406	8436584384007	11,0	6,5	12,5
RCCA9020	ALUMINIUM COFFEE FUNNEL CCA9 / HCAF2409	8436584384014	14,0	7,5	21,0
RCFI1210	ALUMINIUM COFFEE FUNNEL CFI12	8436584384052	14,0	8,5	18,5
RCFI6008	ALUMINIUM COFFEE FUNNEL CFI6	8436584384038	11,0	7,0	13,0
RCFI9009	ALUMINIUM COFFEE FUNNEL CFI9	8436584384045	14,0	7,0	19,5
PRESSURE COOKERS REPLACEMENTS					
HCAZ262001	SET OF 2 SILICONE HANDLES HCAZ2620	8436584386698	-	-	-
HCAZ26XX01	SET OF 2 SILICONE HANDLES HCAZ2624 HCAZ2628 HCAZ2608	8436584386681	-	-	-
HROL254712	22 CM SILICONE GASKET HOLL2224 HOLL2227	8436584385981	17,2	3,0	23,0
RACOPC	PRESSURE COOKER BODY HANDLE OPC	8436017659030	-	-	-
RACOSR	PRESSURE COOKER BODY HANDLE OSR	8436017658941	-	-	-
RATOSR	PRESSURE COOKER LID HANDLE OSR	8436017658958	-	-	-
RJC10	SILICONE GASKET MOD. OPC10	8436017657838	-	-	-
RJC10N	REPLACEMENT MEMBRANE GASKET HOLL2210	8436584381327	17,0	2,5	24,5
RJC4	SILICONE GASKET MOD. OPC4	8436017657807	-	-	-
RJC4N	REPLACEMENT MEMBRANE GASKET HOLL2204	8436584381297	17,0	2,5	24,5
RJC6	SILICONE GASKET MOD. OPC6	8436017657814	-	-	-
RJC6N	REPLACEMENT MEMBRANE GASKET HOLL2206	8436584381303	17,0	2,5	24,5
RJC8	SILICONE GASKET FOR CLASSIC PRESSURE COOKER OPC8	8436017657821	0,0	0,0	0,0
RJC8N	REPLACEMENT MEMBRANE GASKET HOLL2208	8436584381310	17,0	2,5	24,7
RJSOSR	22 CM SILICONE GASKET FOR SEALED PRESSURE COOKER OSR	8436017658965	25,0	37,5	1,0
RPTOPC	CLASSIC PRESSURE COOKER LID KNOB OPC	8436017659009	-	-	-
RVCOSR	CLOSING AND LOCKING VALVE OSR	8436017658972	-	-	-
RVEOSR	SEALED SAFETY VALVE OSR	8436017658996	-	-	-
RVPOPC	PRESSURE CONTROL VALVE OPC	8436017659016	-	-	-
RVPOSR	OVERPRESSURE VALVE FOR SEALED PRESSURE COOKER OSR	8436017658989	-	-	-
RVSOPC	PRESSURE COOKER SAFETY VALVE OPC	8436017659023	-	-	-